



Leblanc illuminations

Creator of sustainable emotions through light

BRAZIL

OFFICE • +55 (41) 99109-7011 • relacionamento@leblanc-illuminations.com.br

CANADA

OFFICE • +1 450 755 6902 • contact@leblanc-illuminations.ca

FREE CALL • +1 866 814 3617

SALES • +1 514 891 6902 • a.beauvais@leblanc-illuminations.ca

FRANCE

OFFICE • +33 (0)2 43 61 43 61 • contact@leblanc-illuminations.com

6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France

LOGISTICS DEPARTMENT • +33 (0)2 43 61 43 80 • leblanc.logistique@leblanc-illuminations.com

35 Boulevard Pierre Lefauchaux 72027 Le Mans Cedex 2 France

AFTER SALES SERVICE • +33 (0)2 43 61 43 61 • sav@leblanc-illuminations.com

Open monday to friday from 8.30 am to 12.30 am and from 1.30 pm to 5.30 pm.


MEXICO

OFFICE • contacto@leblanc-iluminacion.com.mx

UNITED KINGDOM

OFFICE • 01622 882424 • hello@galalights.com

TWITTER @GalaLights • FACEBOOK @GalaLightsUK



ONLINE CATALOGUES

All our **products** and **know-how** can be found in our updated catalogues and brochures.



Leblanc illuminations, creator of lasting emotions.

As the holiday season approaches, light becomes a universal language, carrying a spirit of sharing, generosity and renewed connections. At Leblanc illuminations, these values guide every one of our creations.

To innovate, to imagine, to design in a more responsible way: our teams are committed each day to advancing the art of illumination, combining creativity, sustainable technologies and aesthetic excellence. Behind every decor, dedicated professionals combine their complementary expertise and energy in service of your projects.

This 2026 catalogue highlights the strength of our teams working together. It showcases the diversity of our talents and our ability to transform spaces into places of emotion, where the magic of Christmas brings people together and lets what truly matters shine: being together.

Alexandra Petit & Rachel Net

Chief Executive Officer

Deputy CEO



LEBLANC ILLUMINATIONS

French company with international expertise

Leblanc illuminations consolidates its influence worldwide through five subsidiaries and a presence in more than 40 countries, through an extensive network of authorised distributors.

Head Office



Alexandra

Alexandra Petit

Chief Executive Officer
contact@leblanc-illuminations.com

Rachel Net

Deputy CEO
rnet@leblanc-illuminations.com



Rachel



Elena

Romania Elena Heuripeau

Chief Executive Officer
Ph. +33 (0)2 43 61 43 61
contact@leblanc-illuminations.com

United Kingdom Christopher Stille

Chief Executive Officer
Ph. +44 1622 882424
hello@galalights.com



Christopher



Jean-François

Canada Jean-François Hénault

Chief Executive Officer
Ph. +450 755-6902
contact@leblanc-illuminations.ca

Mexico Thomas Mesa

Chief Executive Officer
contacto@lbi.com.mx



Thomas



Glasielle

Brazil Glasielle Barros

Chief Executive Officer
Ph. +55 (41) 99109-7011
relacionamento@leblanc-illuminations.com.br



"A group serving your creativity"

The companies of the **Creative Show Industry** group, supports all professionals involved in the design, production, and implementation of lighting and audiovisual projects. Through the brands we create and distribute, as well as the services we provide, we offer reliable and lasting solutions that meet the requirements of public and institutional projects. Our comprehensive approach ensures the technical, artistic and operational success of every project, while respecting budgetary, regulatory and environmental constraints.

Creative Show Industry stands out with a unique presence on the French market, covering the entire value chain: consulting, engineering, manufacturing, distribution, implementation and ongoing support. This integrated structure allows us to rely on structured, committed and responsible partners, capable of supporting projects of any scale, **from local initiatives to international ventures.**

Arnaud Leschemelle - President



Founded in 1958, Leblanc illuminations, a pioneer in the festive illuminations market, supports cities, hotels, restaurants, theme parks and event organisers in bringing their bespoke projects to life in France and abroad.

www.leblanc-illuminations.com



CSI AUDIOVISUEL

CSI AUDIOVISUEL is a leading distributor of **premium professional audiovisual brands.** The company supports professionals in production, integration, broadcasting, and events by offering a comprehensive range of sound, lighting, video, and related technical communication solutions.

Its expertise is based on a portfolio of recognized international brands such as **JBL, Crown, Clear-Com, Tascam, RME, Waves, Avid, Hollyland, Beyerdynamic, AKG, AMX,** and **BSS,** selected for their reliability, performance, and ability to meet the demands of the most complex projects.

www.csi-audiovisuel.com

Starway

Within CSI Audiovisuel, **STARWAY** is the manufacturing division. A historic French brand, founded in 1995, **STARWAY** designs and manufactures professional projectors for the events and live entertainment markets. Driven by a commitment to continuous innovation and the highest quality standards, the brand develops high-performance, durable and responsible lighting solutions designed for intensive professional use.

www.starway.eu


MEGA-HERTZ

Mega-Hertz is a recognised technical service provider in the events sector, with over **40 years'** experience. The company offers a comprehensive range of services, ensuring the success of your events in lighting, video, sound and the setup of stage structures.

www.mega-hertz.fr



Discover
the catalogue.



Superfast / AQUILA © Julien Demengel




OUR BRANDS



CHROMEX
by Leblanc illuminations

Professional-quality illumination equipment

- ➔ A French brand specialising in electric cables and string lights since 1943.
- ➔ Lighting equipment for cities and professionals.
- ➔ Reliable, high-tech, and easy-to-use products.
- ➔ Carefully designed with low energy consumption



e-deco
by Leblanc illuminations

Daytime decoration

- ➔ Daytime decorations that do not use electricity.
- ➔ Manufactured in-house using 3D printing.
- ➔ 4 materials and 14 colours for maximum creative freedom.
- ➔ Bio-based, recycled, and fully recyclable materials..

Watch the video




twinkly PRO

Creative connected lighting decorations

- ➔ String lights controlled via smartphone.
- ➔ Smart scanning of each LED using the smartphone camera.
- ➔ Wide range of customisable effects (colours, speed, animations).
- ➔ Design of personalised animations.

Learn more



HALTO
by Leblanc illuminations

Dynamic architectural lighting

- ➔ French brand dedicated to enhancing buildings.
- ➔ Architectural lighting solutions: bars, spotlights, projectors, gobos.
- ➔ Over 30 years of experience in sustainable, colourful projects.
- ➔ Comprehensive support in bringing your projects to life.



COLLECTIONS THROUGHOUT THE SEASONS

Each season has its own decor.

Leblanc illuminations offers a range of products with e-deco that can be adapted throughout the year to suit every event: the festive season, summer decorations, Pink October, Valentine's Day, sporting events, and more.

Dress your place for the season.



Online
catalogue

PINK OCTOBER

SUMMER DECORATIONS

SEASONAL FESTIVITIES

SEASIDE

PRIVATE EVENTS

LEBLANC ILLUMINATIONS WORLDWIDE

We accompany you all over the world!

90
MILLION LEDS
light up per year

40+
COUNTRIES
over 5 continents

25 000
PLACES DECORATED
across the world

They entrusted their projects to us

Miami Beach • Kourou • Marseille • Toulouse • Nouméa • Orlando • Mexico City • Bamako • Nantes • La Plagne • Richmond • Nice • Les Deux Alpes • Laval • NASA • La Clusaz • Annecy • Bruxelles • Montréal • Tahiti • Puebla • Las Vegas • Canterbury • Cannes • La Réunion • Monaco...

... And many others.



USA



Canada



Israel



Tahiti



Cleveland, USA



Beaugrenelle, Paris



Punaauia, Tahiti



Nemacolin, USA



1958

Founder of the lighting decorations market

Michel Leblanc created Leblanc illuminations in the Meuse region in France. He was the first to produce wooden decorations fitted with porcelain sockets.

1960

FIRST ALUMINUM DECOR MANUFACTURER

Leblanc illuminations is the first in its market to produce light decorations on an aluminum frame.

1982

FIRST TO ILLUMINATE THE CHAMPS-ÉLYSÉES

Leblanc illuminations is the first company to illuminate the most beautiful avenue in the world.

1988

ROPE & ROLL

Rope light gradually replaces sockets in our light decorations.

1994

A ROYAL PLACE

Leblanc illuminations goes international with Gala Lights, our UK subsidiary.

1996

PIONEER OF LED

Leblanc illuminations anticipated the need for energy savings by being the first in Europe to include LED garlands in its illuminations.

2001

MERGER WITH CHROMEX

Leblanc Illuminations and Chromex merge and move to the Sarthe region of Le Mans.

2014

CONTROL YOUR ELECTRICITY CONSUMPTION

Thanks to our set control solution, programming the times and operating period for you illuminations, zone by zone, is simple and quick, with just a few clicks on your smartphone.

ISO 9001 CERTIFICATION

Leblanc illuminations is the first company in its sector to be ISO 9001 certified.



2013

¡ VIVA ILUMINACIÓN !

Launch of our Leblanc Mexico subsidiary starting by the illumination of the town of Puebla and the Mazatlán shopping centre.

2010

LEBLANC BRINGS FESTIVE CHEER TO HOSPITALS

Leblanc illuminations and "Les Blouses Roses" have teamed up to offer hospitalised children and elderly patients a Christmas full of light every year.



2008

FIRST TO USE VIDEO FOR XMAS

Leblanc illuminations reinvents Christmas illuminations with the first animated and personalised 3D decor using video technology.



LET'S GO EAST

The base of our main production facility is founded. Leblanc illuminations România is created.

2007

THE FAR NORTH IS OURS!

Leblanc illuminations Canada opens and lets the Canadian snow shine.

2015

AUTHENTIC PARTNERSHIP



Leblanc illuminations highlights Megève, the small internationally renowned village of the Savoy Region in the French Alps, and becomes its official partner in 2017.

3D PRINTING

Leblanc Illuminations innovates by using 3D print technology.



2016

FRENCH SKI FEDERATION PARTNERSHIP

Signed an official 4 year partnership with the French Ski Federation and the French Ski Freestyle team, renewed until 2028.

2016

VIRTUAL REALITY

Virtual Reality, Augmented Reality, 3D Scanning – Leblanc uses new technologies which serve your imagination.

2019

LET'S SAVE CHRISTMAS

Between reality and the virtual world, Leblanc illuminations puts the user at the heart of illuminations.





2023

A LEGENDARY CIRCUIT

Leblanc illuminations enjoyed breathtaking scenery and a grand celebration, as a partner at the 24 Hours of Le Mans race centenary.

2022

COQ VERT

To underline its commitment to ecological transition, Leblanc illuminations joined the Coq Vert Eco Community.

CHROMEX.FR

Leblanc Illuminations launches its online store.

MELLOW

A flexible material, designed by Leblanc illuminations, responsible and sustainable without compromising on creativity.



2021

GREEN REVOLUTION

This 3D printing process produces new and more sustainable daytime decorations.



CSR 26000 CERTIFICATION

Leblanc illuminations becomes the most labelled company in its sector, with its CSR 26000 and ISO 9001 certifications.



EXPERIENTIAL SHOW

Leblanc illuminations create a unique experiential light show: a new combination of architectural lighting, luminous decorations and lighting solutions.

2020

CONNECTED LIGHTS

Leblanc illuminations becomes a distributor of Twinkly Pro, a range of smartphone-controlled decors.

2024

HALTO

by Leblanc illuminations

THE FAMILY IS GROWING

The preferred partner of lighting professionals deploys its expertise to create exceptional lighting with HALTO.

2025

LEBLANC SETS THE SCENE

In partnership with the NGO WeForest, Leblanc illuminations offsets its CO₂ emissions by supporting reforestation and ecological restoration projects to fight climate change.



INDUSTRIAL DEVELOPMENT

The Romanian production site doubles its production capacity.

LEBLANC ILLUMINATIONS STORE

The online store is evolving with the sale of decorations on the French market.

2026

PIONEER IN PRINTED STRUCTURES

As part of its CSR approach, Leblanc illuminations designs decorative structures entirely manufactured using 3D printing.

HEADING TO BRAZIL!

Leblanc illuminations is strengthening its presence on the American continent and setting up in Brazil.





LIGHTING UP THE HEART OF CITIES

*Illuminations bring joy to people and boost economic activity.
Leblanc illuminations designs festive, responsible, and sustainable solutions.*

An energy-saving approach

We advise local authorities and professionals on how to reduce their energy consumption. Thanks to **LED technology**, 100% of our decorations enable a reduction of **more than 90% in electricity consumption**.

Innovative solutions to optimize consumption

Our **remote control unit**, developed in **France**, allows decorations to be lit only at key moments, offering optimal control and **significant savings**.

Eco-Responsible manufacturing

Designed in-house, our decorations are based on **French expertise** and an eco-responsible approach: recycling, reuse of materials, and **responsible waste management**.

Better informing our customers.

Providing our customers with clear information on the power consumption of our equipment is part of the service we offer, guiding you in your choices.





A SUSTAINABLE AND RECOGNIZED COMMITMENT

For several years, we have placed sustainable development and environmental responsibility at the heart of our strategy. Aware of social and ecological challenges, we work every day to improve product quality, reduce our environmental impact, and ensure customer satisfaction.

Leblanc illuminations is the only French manufacturer that is :

- **ISO 9001 certified**
- **CSR 26000 certified**
- **A WeForest partner**
- **A member of the Coq Vert community**
- **Manufacturing in France & Europe**

Our ambition is clear: to combine **innovation, quality, and responsibility** to create a **more sustainable and brighter future** together.

We are proud of our labels!



Quality and reliability


Our teams are constantly seeking eco-responsible solutions to reduce plastic use and the carbon footprint of our products, while enhancing their performance and durability.

Protection caps and transparent protection caps

Ultra-flexible LED string lights **30% brighter**, with an exceptionally long lifespan and low energy consumption (just 2.5w per metre) featuring ultra-bright rope lights with horizontal 360° wide-angle LEDs.




3D Printing



Daytime decorations on both sides of the illuminated decor.

Our discs and decorative mesh are made in France and are 100% recyclable.



Decor control solution

Plug & Light rapid electrical connection system

Quality welding: cleaned and painted



Solid and durable structure, with low environmental impact, made from aluminum or e-deco depending on the model.

Pre-drilled structures for fastening

e-deco by Leblanc

Innovative materials, optimised energy consumption, new production methods: we are transforming our business to offer you products suited to the demands of sustainable urban life.

50% electricity savings

thanks to patented technology developed by our teams, simply by controlling the lighting periods of the decorations.

Aluminium Hydro REDUXA

This aluminium has a **low environmental impact** and is produced using renewable energy. **100% of aluminium** frames returned to us at the end of their lifecycle are recycled into new decorations or products.

LEBLANC ILLUMINATIONS, FRENCH EXPERTISE

From order to delivery



A well-conceived project

- ➔ Integrated creative and technical teams.
- ➔ Aesthetic design with assured feasibility.
- ➔ Compliance and safety guaranteed.
- ➔ Overseen by an in-house test centre.



Logistics at your service

- ➔ Fast and organised shipping.
- ➔ Daily deliveries.
- ➔ National and international distribution.
- ➔ 20 000 m² dedicated storage space..



100% made by us

- ➔ The largest specialised lighting decoration manufacturing facility.
- ➔ All expertise brought together in-house.
- ➔ Local, controlled production.
- ➔ Guarantee of consistent quality.



Responsive quality and after-sales service

- ➔ Systematic checks at every stage.
- ➔ Products guaranteed for 2 years.
- ➔ Dedicated quality service.
- ➔ Technical support within 24 to 48 hours.

“ As a French manufacturer, Leblanc illuminations is committed to supporting employment in France, fostering economic development, and promoting French expertise internationally. ”



COMMUNITY AND BEST PRACTICE

We are passionate about our work and aim to build strong, responsible relationships with our partners. Our commitment to customer service and after-sales support is at the heart of our values.



Commitment charters

We have developed a CSR Commitment Charter for our employees and stakeholders, as well as Responsible Purchasing Charter covering our entire supply chain.



Encouraging

recycling and
local purchasing.



Annual client

satisfaction surveys.



Employees

Identifying development
opportunities for
our employees.



Defending the diversity of our teams

100% of our employees have
signed our charter for the
promotion of equal opportunities.

Taking care of our teams, our clients, and future generations

Leblanc Illuminations is committed to operating in a socially responsible manner. In 2020, we formalised our commitments and expectations in a Responsible Purchasing Charter, which is shared with our partners.



CORPORATE SUPPORT & SPONSORSHIP



THE BLOUSES ROSES ASSOCIATION

The Blouses Roses Association, founded in 1944, aims to provide comfort, support, and amusement to people who are sick, elderly, or living with a disability, through engaging activities.

www.lesblousesroses.asso.fr



Leblanc illuminations' commitment to its partners and employees

The end-of-year celebrations reflect sharing and generosity. Since 2010, to bring smiles to both young and old, Leblanc illuminations and Les Blouses Roses have been working together. Together, we decorate their care facilities, bringing light and comfort to **52 hospitals across France every year.**

Beyond this solidarity partnership, Leblanc illuminations is also committed to supporting its employees by backing their sporting and charitable initiatives. In particular, the company supports the Pink October Walk and the Cross Ouest France race, in which many employees enthusiastically participate.

These actions fully illustrate the values of sharing, commitment and kindness that drive Leblanc illuminations on a daily basis.

“ It's very pleasant to arrive at the hospital when it's all lit up.
The decorations are superb.

It's really beautiful, it helps us forget a little where we are.

*It's really pretty and the children are amazed.
Thank you to Les Blouses Roses for this lovely gift.*

A big thank you to Leblanc illuminations for this wonderful gift.

These decorations, installed at the hospital entrance, in the staff canteen and in the maternity and paediatric wards, are appreciated by both patients and staff alike. ”

PARTNERSHIPS



Feel the thrill of Ski Cross!

Already a **partner** of French ski resorts, the **French Ski Federation** and the **French Ski Cross Team** since 2016, we have renewed our partnership **until 2028** to experience even more sporting achievements!



Leblanc as snow

We were looking for a place that Embodies history, architectural heritage and **the French art of living**, nestled in the heart of the Alps. With its 445 km of slopes, hotels, traditional chalets and shops, we have found it: Megève, an authentic and renowned Savoyard village.

Since 2017, Leblanc illuminations has been proud to be the official partner of the Megève illuminations. Every year, more than **5,000 spectators** gather for the inauguration of the legendary tree on the church square.



Watch the video




OUR SHOWROOM IN LE MANS

Awaken the senses with immersive experiences!

Leblanc illuminations presents an immersive light show at its showroom in Le Mans. Similar to the programmes we offer to local authorities and businesses, the sound and light show transports spectators into a magical universe that captivates both young and old!



Request your invitation



Visit the
showroom



Santa's
showroom



The design
process



Showroom Santa



Showroom e-deco



Showroom & emotions

ICONIC LOCATIONS



A magical tree in Beaugrenelle Paris

Our expertise has brought to life a unique tree, which has become the center of attention in the gallery thanks to a combination of light and technological innovations. This project was carried out in partnership with **Mr. Bruno Dolis**, whose vision made it possible to design a magical universe within the gallery. We developed **automated shows** that punctuate the day, blending sounds, lights, and connected scenery to offer visitors an **immersive and unforgettable experience**.



Christmas magic at the Château de Vaux-le-Vicomte

Immerse yourself in the world of luminous tales.

This year, the Château de Vaux-le-Vicomte is transformed into an enchanted kingdom, where the tales of our childhood come to life under the lights. A unique scenography by **Leblanc illuminations / Twinkly Pro / BS Technology**, where innovation and heritage meet.



Les Thermes in pink at La Roche-Posay

To mark Pink October, we are revealing the architecture of the La Roche-Posay Thermal Centre through subtle, enveloping pink lighting that conveys a powerful **message of awareness**.

We are designing and installing luminous 3D pink ribbons, striking **visual signatures** that blend elegantly into the site and offer visitors an experience that is both aesthetic and engaging.




Vivement dimanche

For Christmas, we created the warm and **friendly atmosphere** of the **Vivement Dimanche television set**. Thanks to our installations, we added a touch of elegance and warmth, highlighting this iconic venue and providing viewers with a unique visual experience.

TOGETHER

Around the world



Trade fairs and congresses

We demonstrate our commitment to local authorities by participating in the sector's key events, notably SMCL in Paris and JTSE with our HALTO brand.

Throughout the year, we take part in numerous regional events with **a single constant objective: to remain as close as possible to our customers and their challenges.**

Le Grand Déstockage celebrates its 20th anniversary.

An anniversary that did not go unnoticed! For its latest edition, the event received extensive media coverage across French print, radios, and television. **Ouest-France, Sweet FM, Ici Maine, M6, Actu.fr, LMTV...** all these outlets gave the event wide exposure.



Ouest-France



M6



LMTV



Ici Maine

From the showroom to the screen: an immersive experience

In our showroom, a space inspired by Avatar hosts our sound and light show. This creation, produced in collaboration with Extra.Studio, showcases our expertise and the immersive nature of our lighting designs.



Watch the video

French Festival of Brisbane

During the 2025 French Festival in Brisbane, Leblanc Illuminations helped showcase **French culture in Australia** through its first collaboration with Australian Bright Engineering. This partnership brings together technical expertise, high-end lighting solutions and complementary human resources to present our know-how to the international stage.

OUR NEW MAGAZINE

We LOVE lights

In this second edition, discover our finest creations, our latest innovations, and the expertise behind every project. *We LOVE lights* #2 invites you to immerse yourself in our vision: designing unique lighting solutions that transform spaces and evoke emotions.



Online
magazine

SOCIAL MEDIA



Join us

across our social media channels, where we regularly share content that captures the **unique spirit of Leblanc illuminations**. We've recently joined **TikTok**, a platform where you can discover our **original, creative, and playful videos**. Immerse yourself in our quirky universe and be inspired by our vision!



- Expertise and achievements
- Reports and interviews
- Twinkly and e-deco





Content

Photo gallery

Our most beautiful achievements p. 23

Luminous decorations

Modular decorations	p. 42
My Traditional Christmas	p. 54
My Crystalline Christmas	p. 68
My Sumptuous Christmas	p. 80
My Authentic Christmas	p. 94
Floorstanding decorations	p. 106
Infinity range	p. 168
Installations	p. 176

Lighting solutions

Festoon lights	p. 186
Bulb lights	p. 194
Twinkly Pro range	p. 203
String lights	p. 207
Cluster lights	p. 219
Icicle lights	p. 223
Light nets and curtain lights	p. 231
Ceiling lights	p. 237
Suspensions	p. 240
Branches, trees and floorstanding decorations	p. 252
Rope lights	p. 257
Plug & Light	p. 266
Daytime decorations e-deco	p. 272
Daytime decorations	p. 276
Technological animations	p. 283

Architectural lighting

HALTO by Leblanc products	p. 292
Chromex & Starway products	p. 296
Lumenradio products	p. 298
Projects & services	p. 299

Technical appendix

Standards and advices	p. 304
Index	p. 314



Gallery



FOR THE PAST 15 YEARS,

Megève's illuminations have been renewed every winter to offer visitors an ever more immersive and spectacular experience.

In the heart of the village, the majestic 22-metre Abies Caméléon fir tree attracts everyone's attention. Fully equipped with Twinkly technology, it is brought to life by 43,750 controllable LEDs, allowing for dynamic and evolving light displays.

The lighting also extends to the architectural heritage, with six iconic facades decorated with Twinkly icicle lights.

In total, 56,750 fully controllable LEDs make up this large-scale lighting system, transforming the village into a veritable open-air stage.

All the facades are also highlighted by HALTO projectors, while the soundscape is provided by a JBL speaker system, integrated thanks to the global expertise of the CSI group.

Every day, a sound and light show enhances the whole experience thanks to the work of lighting designer LYUM and a full week of programming carried out by our teams.

Technical control ensures precise and lively orchestration of the animations, for tailor-made light sequences perfectly synchronised with the architecture of the venue.









Laval • France

IN THE HEART OF AN ENCHANTED FOREST...

This year, for Laval's illuminations, delicate reindeer slip among sparkling holly, while mischievous fairies sprinkle their magic in every corner. The main bridge is adorned with light and wonder, inviting young and old alike to take a magical stroll where nature and fantasy meet. Laval becomes a veritable kingdom of light, where the charm and magic of Christmas can be fully experienced.

Laval • France



Pignans • France



Tarbes • France



Valenciennes • France




Pau • France





Amiens • France



Amiens • France



Biot • France

WHEN NIGHT FALLS...

The city is transformed by the glow of festive lights. Buildings are adorned with lights, revealing their contours, while trees lining the avenues are decked out in sparkling garlands, tracing luminous paths that guide the steps of passers-by. The overall effect is an elegant and welcoming scene, where the city comes alive, inviting visitors to wander to the rhythm of the festivities.



United Kingdom



Biot • France



IN A SMALL VILLAGE...

In a small village, warm white lights gently come on, enveloping the narrow streets in a reassuring glow. Christmas trees, timeless symbols of the festive season, stand proudly in their deep green splendour, reminding us of traditions passed down through generations. The simple, welcoming atmosphere invites you to savour the peace and spirit of Christmas to the fullest.





Théoule-sur-Mer • France



Théoule-sur-Mer • France



Pignans • France




Théoule-sur-Mer • France

Seclin • France



Lectour • France



Bruay-sur-l'Escaut • France



Béziers • France





Valenceinnes • France



Béziers • France



Carvin • France



Le Mans • France





Carvin • France




Le Mans • France



Le Mans • France

Belgium



New Lenox • USA



Chicago • USA



Belgium





Euliano • USA



New Lenox • USA



Belgium



Stockholm • Sweden



NEW FOR 2026 RETHINKING THE STRUCTURE OF OUR LIGHTING DECORS

Leblanc illuminations has developed a team of sophisticated robots to manufacture next-generation decorative structures. The robots make bespoke 3D print creations from materials which have previously been recycled and are completely recyclable at the end of their life - delivering a sustainable circular model. This technology continues the company's position as a pioneer in the industry.

Nothing changes in the way you use or integrate our decor. However, this evolution allows us to go further in terms of performance, aesthetics and environmental responsibility, while strengthening our ability to design ever more creative, personalised and innovative projects.

Increased durability: the seamless design eliminates the risk of breakage and significantly improves the lifespan of structures. Robustness remains equivalent to traditional solutions, with unchanged fastening systems.


Enhanced aesthetics: the structure is no longer limited to a technical role, it becomes a decorative element in its own right. 3D printing offers great design freedom, allowing for finer details, more complex shapes and enhanced aesthetic expression. The colour is integrated throughout the material, improving daytime appearance and opening up new creative possibilities for the future.

Eco-designed approach: this development is fully in line with our e-deco approach, promoting more sustainable, recyclable structures designed to minimise their impact throughout their life cycle. An innovation that combines performance, aesthetics and responsible commitment at the heart of every decor.


by Leblanc illuminations



More
information



Bright decor



Non-illuminated decor



Day colour



LED color



Animated decor



Chasing effect



E-deco structure

For most of our range, the light decorations can be installed vertically or horizontally. They are available in a wide variety of sizes, colours, and animations. Different collections can be easily mixed and matched.

All our decorations are made using 100% LED lights and come with a power cable and fixing kit

but do not include decorative balls, stelly stars, snowfall animation or bulbs.

All our 3D floor decorations are wired with SELV, except for products that are not compatible.





Luminous Decorations

Modular decorations






FRAMES & BOULLIZ' THROUGHOUT THE YEAR



Discover our frames and our Boulliz collection, which can be adapted throughout the year. Our Boulliz are made of a ball structure in various colours that can be quickly and easily personalised to create many characters to match seasons and retail occasions throughout the year.



How does it work ?
Watch the video






N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205263	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	⚡️🟡🟢❄️
2	170754	Kit Boulliz' Rudy	Accessory e-deco		
3	205264	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	⚡️🟡🟢❄️
4	170755	Kit Boulliz' Frosty	Accessory e-deco		
5	205351	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	⚡️🟡🟢❄️
6	205352	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	⚡️🟡🟢❄️

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205286	Cadre lumineux	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	⚡️🟡🟢❄️
8	205807*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	⚡️🟡🟢❄️
9	205808*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	⚡️🟡🟢❄️
10	205039	Cadre photo	Fixing Accessory	H:2.63 W:2 D:1 m	❌🟡
11	205040	Cadre photo	Fixing Accessory	H:2.63 W:2 D:1 m	❌🟡
12	205285	Cadre lumineux	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	⚡️🟡🟢❄️

CUSTOMISABLE ARCHES



Throughout the year, personalise your structure with colourful e-deco kits to suit your events. Luminous or non-luminous, indoors or outdoors, decorate high-traffic areas and entrances to your venues. Your visitors will love capturing the moment with a selfie or group photo.



How does it work ?
Watch the video





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205037	Arche	Fixing Accessory	H:2.73 W:3.6 m	⌘ ■
2	205105	Arche circulaire	Fixing Accessory	H:2.8 W:3.8 m	⌘ ■
3	205281	Arche 3D Infinity	3D Floorstanding decor	H:2.75 W:4 D:1 m	⌘ 🌈 □ ❄️
4	205279	Arche 3D	3D Floorstanding decor	H:2.75 W:4 D:1 m	⌘ 🌈 ■ ❄️
5	205280	Arche 3D	3D Floorstanding decor	H:2.75 W:4 D:1 m	⌘ ○ □ ❄️
6	205288	Arche lumineuse	2D Floorstanding decor	H:2.8 W:3.8 m	⌘ ○ □ ❄️

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205287	Arche lumineuse	2D Floorstanding decor	H:2.8 W:3.8 m	⌘ 🌈 ■ ❄️
8	171346*	Christmas Market	Accessory e-deco	H:0.75 x W:2.7 m	⌘ ■ 🌐
9	171347*	Christmas Market	Accessory e-deco	H:0.75 x W:2.7 m	⌘ □ 🌐
10	170997*	Marché de Noël	Accessory e-deco	H:0.3 W:2.6 m	⌘ ■ 🌐
11	170998*	Marché de Noël	Accessory e-deco	H:0.3 W:2.6 m	⌘ □ 🌐
12	205618	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	⌘ 🌲 ■ ❄️
13	205619	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	⌘ ○ □ ❄️


* NEW

MAKE YOUR OWN DECORATION




1 2

3 4



5 6

7




Easily combine seats and ceilings to create your evolving decor. The Module Assise and Oriflamme collections can be adapted for all seasons and all occasions by dressing them up with the colourful e-deco elements of your choice !



How does it work ?
Watch the video





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205455	Oriflamme	2D Lamp column	H:2 W:1 m	☼ ○ □ ✨
2	205456	Oriflamme	2D Lamp column	H:3 W:1 m	☼ ○ □ ✨
3	205457	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	☼ ○ □ ✨
4	205458	Module Plafond	2D Floorstanding decor	H:2.9 W:1.45 m	☼ ○ □ ✨
5	170823	Oriflamme	2D Lamp column	H:2 W:1 m	☼ ○ □ ✨
6	170824	Oriflamme	2D Lamp column	H:3 W:1 m	☼ ○ □ ✨
7	170801	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	☼ ○ □ ✨
	170802	Module Plafond	2D Floorstanding decor	W:2.9 D:1.45 m	☼ ○ □ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
8	205250	Oriflamme	2D Lamp column	H:2 W:1 m	☼ ○ □ ✨
9	205251	Oriflamme	2D Lamp column	H:3 W:1 m	☼ ○ □ ✨
10	205282	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	☼ ○ □ ✨
11	205283	Module Plafond	2D Floorstanding decor	H:2.9 W:1.45 m	☼ ○ □ ✨
12	170857	Oriflamme	2D Lamp column	H:2 W:1 m	☼ ○ □ ✨
13	170858	Oriflamme	2D Lamp column	H:3 W:1 m	☼ ○ □ ✨
14	170859	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	☼ ○ □ ✨
	170860	Module Plafond	2D Floorstanding decor	W:2.9 D:1.45 m	☼ ○ □ ✨

LETTERING

This suspension collection is compatible with all existing crossings and can also be adapted to those you already own. Add a joyful message to your town entrances, regardless of your current decor, and offer a festive touch while staying within your budget.



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205627	Merry Christmas	2D Suspension	H:0.85 W:3.8 m	⚡ ○ □
2	205626	Joyeuses Fêtes	2D Suspension	H:0.85 W:3 m	⚡ ○ □



How does it work?
Watch the video



REFERENCE	DESIGNATION	DIMENSIONS	DETAILS	REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
170902*	A Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170916*	O Géométra	H:1.5 W:1.5 m	⚡ 🇫🇷
170903*	B Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170917*	P Géométra	H:1.5 W:1.5 m	⚡ 🇫🇷
170904*	C Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170918*	Q Géométra	H:1.5 W:1.5 m	⚡ 🇫🇷
170905*	D Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170919*	R Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷
170906*	E Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170920*	S Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷
170907*	F Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170921*	T Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷
170908*	G Géométra	H:1.5 W:1.53 m	⚡ 🇫🇷	170922*	U Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷
170909*	H Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170923*	V Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷
170910*	I Géométra	H:1.5 W:0.5 m	⚡ 🇫🇷	170924*	W Géométra	H:1.5 W:1.95 m	⚡ 🇫🇷
170911*	J Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170925*	X Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷
170912*	K Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170926*	Y Géométra	H:1.5 W:1.5 m	⚡ 🇫🇷
170913*	L Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷	170927*	Z Géométra	H:1.5 W:1.35 m	⚡ 🇫🇷
170914*	M Géométra	H:1.5 W:2 m	⚡ 🇫🇷	170928*	# Géométra	H:1.5 W:2.2 m	⚡ 🇫🇷
170915*	N Géométra	H:1.5 W:1.25 m	⚡ 🇫🇷				

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS	REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
170943*	A Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170957*	O Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170944*	B Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170958*	P Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170945*	C Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170959*	Q Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170946*	D Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170960*	R Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170947*	E Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170961*	S Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170948*	F Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170962*	T Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170949*	G Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170963*	U Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170950*	H Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170964*	V Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170951*	I Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170965*	W Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170952*	J Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170966*	X Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170953*	K Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170967*	Y Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170954*	L Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170968*	Z Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170955*	M Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷	170969*	# Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷
170956*	N Alpha	H:1.5 W:0.8 D:0.5 m	⚡ 🇫🇷				







REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204799-24V	A Majuscule	H:1.7 W:1.86 m	⚡ ○ ■ ✨
204800-24V	B Majuscule	H:1.7 W:1.3 m	⚡ ○ ■ ✨
204801-24V	C Majuscule	H:1.7 W:1.46 m	⚡ ○ ■ ✨
204802-24V	D Majuscule	H:1.7 W:1.48 m	⚡ ○ ■ ✨
204803-24V	E Majuscule	H:1.7 W:1.31 m	⚡ ○ ■ ✨
204804-24V	F Majuscule	H:1.7 W:1.31 m	⚡ ○ ■ ✨
204805-24V	G Majuscule	H:1.7 W:1.38 m	⚡ ○ ■ ✨
204806-24V	H Majuscule	H:1.7 W:1.44 m	⚡ ○ ■ ✨
204807-24V	I Majuscule	H:1.7 W:0.64 m	⚡ ○ ■ ✨
204808-24V	J Majuscule	H:1.7 W:1.42 m	⚡ ○ ■ ✨
204809-24V	K Majuscule	H:1.7 W:1.33 m	⚡ ○ ■ ✨
204810-24V	L Majuscule	H:1.7 W:1.32 m	⚡ ○ ■ ✨
204811-24V	M Majuscule	H:1.7 W:1.8 m	⚡ ○ ■ ✨
204812-24V	N Majuscule	H:1.7 W:1.43 m	⚡ ○ ■ ✨
204813-24V	O Majuscule	H:1.7 W:1.7 m	⚡ ○ ■ ✨
204814-24V	P Majuscule	H:1.7 W:1.18 m	⚡ ○ ■ ✨
204815-24V	Q Majuscule	H:1.7 W:1.71 m	⚡ ○ ■ ✨
204816-24V	R Majuscule	H:1.7 W:1.31 m	⚡ ○ ■ ✨
204817-24V	S Majuscule	H:1.7 W:1.31 m	⚡ ○ ■ ✨
204818-24V	T Majuscule	H:1.7 W:1.3 m	⚡ ○ ■ ✨
204819-24V	U Majuscule	H:1.7 W:1.81 m	⚡ ○ ■ ✨
204820-24V	V Majuscule	H:1.7 W:1.88 m	⚡ ○ ■ ✨
204821-24V	W Majuscule	H:1.7 W:2.48 m	⚡ ○ ■ ✨
204822-24V	X Majuscule	H:1.7 W:1.66 m	⚡ ○ ■ ✨
204823-24V	Y Majuscule	H:1.7 W:1.75 m	⚡ ○ ■ ✨
204824-24V	Z Majuscule	H:1.7 W:1.66 m	⚡ ○ ■ ✨

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204825-24V	Hashtag	H:1.7 W:1.87 m	⚡ ○ ■ ✨
204826-24V	Chiffre 0	H:1.7 W:1.52 m	⚡ ○ ■ ✨
204827-24V	Chiffre 1	H:1.7 W:1 m	⚡ ○ ■ ✨
204828-24V	Chiffre 2	H:1.7 W:1.34 m	⚡ ○ ■ ✨
204829-24V	Chiffre 3	H:1.7 W:1.31 m	⚡ ○ ■ ✨
204830-24V	Chiffre 4	H:1.7 W:1.5 m	⚡ ○ ■ ✨
204831-24V	Chiffre 5	H:1.7 W:1.42 m	⚡ ○ ■ ✨
204832-24V	Chiffre 6	H:1.7 W:1.44 m	⚡ ○ ■ ✨
204833-24V	Chiffre 7	H:1.7 W:1.54 m	⚡ ○ ■ ✨
204834-24V	Chiffre 8	H:1.7 W:1.05 m	⚡ ○ ■ ✨
204835-24V	Chiffre 9	H:1.7 W:1.44 m	⚡ ○ ■ ✨

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204932-24V	A maj flocon	H:1.8 W:1.85 m	⚡ ○ □ ✨
204933-24V	B maj flocon	H:1.8 W:1.61 m	⚡ ○ □ ✨
204934-24V	C maj flocon	H:1.8 W:1.62 m	⚡ ○ □ ✨
204935-24V	D maj flocon	H:1.8 W:1.44 m	⚡ ○ □ ✨
204936-24V	E maj flocon	H:1.8 W:1.47 m	⚡ ○ □ ✨
204937-24V	F maj flocon	H:1.8 W:1.36 m	⚡ ○ □ ✨
204938-24V	G maj flocon	H:1.8 W:1.77 m	⚡ ○ □ ✨
204939-24V	H maj flocon	H:1.8 W:1.69 m	⚡ ○ □ ✨
204940-24V	I maj flocon	H:1.8 W:0.53 m	⚡ ○ □ ✨
204941-24V	J maj flocon	H:1.8 W:1.49 m	⚡ ○ □ ✨
204942-24V	K maj flocon	H:1.8 W:1.84 m	⚡ ○ □ ✨
204943-24V	L maj flocon	H:1.8 W:1.36 m	⚡ ○ □ ✨
204944-24V	M maj flocon	H:1.8 W:2.03 m	⚡ ○ □ ✨
204945-24V	N maj flocon	H:1.8 W:1.69 m	⚡ ○ □ ✨
204946-24V	O maj flocon	H:1.8 W:1.8 m	⚡ ○ □ ✨
204947-24V	P maj flocon	H:1.8 W:1.61 m	⚡ ○ □ ✨
204948-24V	Q maj flocon	H:1.8 W:1.92 m	⚡ ○ □ ✨
204949-24V	R maj flocon	H:1.8 W:1.67 m	⚡ ○ □ ✨
204950-24V	S maj flocon	H:1.8 W:1.53 m	⚡ ○ □ ✨
204951-24V	T maj flocon	H:1.8 W:1.61 m	⚡ ○ □ ✨
204952-24V	U maj flocon	H:1.8 W:1.61 m	⚡ ○ □ ✨
204953-24V	V maj flocon	H:1.8 W:1.79 m	⚡ ○ □ ✨
204954-24V	W maj flocon	H:1.8 W:2.42 m	⚡ ○ □ ✨
204955-24V	X maj flocon	H:1.8 W:1.86 m	⚡ ○ □ ✨
204956-24V	Y maj flocon	H:1.8 W:1.89 m	⚡ ○ □ ✨
204957-24V	Z maj flocon	H:1.8 W:1.59 m	⚡ ○ □ ✨

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204967-24V	Hashtag flocon	H:1.8 W:1.47 m	⚡ ○ □ ✨
204982-24V	Chiffre 0 flocon	H:1.8 W:1.5 m	⚡ ○ □ ✨
204958-24V	Chiffre 1 flocon	H:1.8 W:0.93 m	⚡ ○ □ ✨
204959-24V	Chiffre 2 flocon	H:1.8 W:1.47 m	⚡ ○ □ ✨
204960-24V	Chiffre 3 flocon	H:1.8 W:1.43 m	⚡ ○ □ ✨
204961-24V	Chiffre 4 flocon	H:1.8 W:1.55 m	⚡ ○ □ ✨
204962-24V	Chiffre 5 flocon	H:1.8 W:1.5 m	⚡ ○ □ ✨
204963-24V	Chiffre 6 flocon	H:1.8 W:1.47 m	⚡ ○ □ ✨
204964-24V	Chiffre 7 flocon	H:1.8 W:1.44 m	⚡ ○ □ ✨
204965-24V	Chiffre 8 flocon	H:1.8 W:1.47 m	⚡ ○ □ ✨
204966-24V	Chiffre 9 flocon	H:1.8 W:1.47 m	⚡ ○ □ ✨



Provide 2 concrete blocks ref. 032327 per reference, or tent pegs ref. 600171.



GILDING



ENTER A WORLD OF DREAMS
AND DISCOVER
SANTA'S WORKSHOP





TOYS



My Traditional Christmas

*Welcome
to an enchanted world
where wishes come true*




FIR TREE

My Traditional Christmas







N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205724*	Forêt	2D Lamp column	H:1.5 W:1 m	☼ ○ ■ ✨
2	205721*	Forêt	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨
3	205727*	Forêt	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
4	205726*	Forêt	2D Suspension	Ø:1 m	☼ ○ ■ ✨
5	203304	Cadeau	2D Globe	H:2.2 W:1 m	☼ ○ ■ ✨



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
10	205630	Boule Noël 1	2D Suspension	H:1.06 W:0.54 m	● ○ ■
11	205631	Boule Noël 2	2D Suspension	H:1.06 W:0.55 m	● ○ □
12	205632	Boule Noël 3	2D Suspension	H:1.06 W:0.43 m	● ○ ■
13	205636	Noëlla	2D Lamp column	H:2.5 W:1.2 m	● ○ ■ ✨ ☉
14	204529	Cadeau	2D Lamp column	H:3.2 W:1.1 m	● ○ ■ ✨ ☉
15	205633	Noëlla	2D Lamp column	H:1 W:0.5 m	● ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
16	205638	Noëlla	2D Across street	H:1 W:5 m	● ○ ■ ✨ ☉
17	204531	Cadeau	2D Across street	H:1.4 W:5 m	● ○ ■ ✨ ☉
18	204530	Cadeau	2D Suspension	H:1.15 W:1.15 m	● ○ ■ ✨ ☉
19	204532	Arche Cadeau	2D Across street	H:2 W:6 m	● ○ ■ ✨ ☉
20	205252	Boa Chic	2D Across street	H:0.8 W:6 m	● ○ ■ ✨ ☉
21	205253	Boa Chic	2D Across street	H:0.5 W:6 m	● ○ ■ ✨

My Traditional Christmas














N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205496	Cannelle	2D Lamp column	H:2.5 W:1 m	☼ ○ ■ ✨ ☼
2	205490	Etoile gourmande	2D Suspension	H:0.55 W:0.57 m	☼ ○ ■
3	205491	Couronne gourmande	2D Suspension	H:0.45 W:0.41 m	☼ ○ ■
4	205492	Ginger gourmand	2D Suspension	H:0.53 W:0.45 m	☼ ○ ■

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
5	205493	Cannelle	2D Globe	H:1 W:1 m	☼ ○ ■ ✨ ☼
6	205498	Cannelle	2D Globe	H:1.94 W:1.2 m	☼ ○ ■ ✨ ☼
7	205532	Ayden	2D Suspension	H:1.45 W:1 m	☼ ○ ■ ✨
8	205533	Ayden	2D Globe	H:2.4 W:1.2 m	☼ ○ ■ ✨




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
9	205535	Ayden	2D Across street	H:1 W:5 m	⬤ ○ ■ ✨
10	205530	Ayden	2D Lamp column	H:2.5 W:1 m	⬤ ○ ■ ✨
11	205527	Ayden	2D Lamp column	H:1 W:1 m	⬤ ○ ■ ✨
12	205834*	Couronne de Noël	2D Lamp column	Ø:2.2 m	⬤ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	205499	Cannelle	2D Across street	H:1 W:5 m	⬤ ○ ■ ✨
14	204577	Souple Diamant	2D Across street	H:0.8 W:5.2 m	⬤ ○ ■ ✨
15	204578	Souple Diamant	2D Across street	H:0.24 W:5.2 m	⬤ ○ ■ ✨



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204499	Lanterne	2D Suspension	H:1 W:0.5 m	☼ ○ ■ ✨
2	170721	Pop Lanterne	3D Suspension	H:0.5 W:0.27 D:0.27 m	✂ ○ ■ ✨
3	205534	Ayden	2D Across street	H:1.7 W:5 m	☼ ○ ■ ✨
4	204587	Lanterne	2D Across street	H:1.24 W:5.2 m	☼ ○ ■ ✨
5	205536	Ayden	2D Across street	H:0.65 W:2.7 m	☼ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	205537	Ayden	2D Across street	H:0.65 W:5.2 m	☼ ○ ■ ✨
7	205570	Lustre tradi	3D Suspension	H:2 Ø:1.6 m	☼ ○ ■ ✨
8	205569	Lustre bougies	3D Suspension	H:0.66 Ø:1.7 m	☼ ○ ■ ✨
9	205571	Lanterne mellow	3D Suspension	H:0.4 W:0.3 D:0.3 m	☼ ○ ■ ✨



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
10	205221	Holly	2D Across street	H:1 W:5 m	💡🟡🟢❄️🌀
11	205291	Joy étoile	2D Suspension	H:0.5 W:0.1 m	💡🟡🟤🌀
12	205290	Joy étoile	2D Suspension	H:1 W:0.2 m	💡🟡🟤🌀
13	205223	Holly	2D Suspension	Ø:0.8 m	💡🟡🟢❄️🌀

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
14	205222	Holly	2D Globe	H:2 W:1.2 m	💡🟡🟢❄️🌀
15	205220	Holly	2D Column & Across str.	H:3 W:1.5 m	💡🟡🟢❄️🌀
16	205217	Holly	2D Column & Across str.	H:1.5 W:0.75 m	💡🟡🟢❄️🌀




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204492	Traversée Funky	2D Across street	H:0.8 W:5 m	☼ ● ● ● ❄
2	204490	Cadeau Funky	2D Lamp column	H:0.75 W:0.6 m	☼ ● ●
3	204493	Traversée Funky	2D Across street	H:0.75 W:4 m	☼ ● ● ● ❄
4	204489	Cadeau Funky	2D Lamp column	H:2.5 W:1 m	☼ ● ●
5	204491	Traversée Funky	2D Across street	H:1.2 W:6 m	☼ ● ● ● ❄
6	204484	Neige Funky	2D Lamp column	H:1.6 W:0.85 m	☼ ○ □

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205500	Ginger funky	2D Lamp column	H:1.58 W:0.8 m	☼ ○ ● ❄
8	204488	Renne Funky Truffe	2D Lamp column	H:2.1 W:1.15 m	☼ ○ ●
9	204485	Lutin Funky	2D Lamp column	H:1.6 W:0.75 m	☼ ● ●
10	204486	Père Noël Funky	2D Lamp column	H:1.6 W:0.7 m	☼ ● □
11	204487	Ours Funky Truffe	2D Lamp column	H:1.65 W:0.8 m	☼ ○ □



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	204345	Mira Tradi	2D Lamp column	H:1.5 W:1 m	☼ ☾ 🔴 ❄️ ⦿
13	204350	Mira Tradi	2D Across street	H:1.2 W:6 m	☼ ☾ 🔴 ❄️ ⦿
14	205566	Lustre joy étoile	2D Suspension	H:1.2 W:1.08 m	☼ ☾ 🔴 ❄️ ⦿
15	205134	Joy étoile	2D Column & Across str.	H:1.5 W:1 m	☼ ☾ 🔴 ❄️ ⦿
16	170149	Sphère pliable	3D Suspension	Ø:0.55 m	☼ 🔴 ❄️ ⦿
17	205557	Starlight boule	3D Lamp column	H:2.5 W:1 D:0.5 m	☼ ☾ 🔴 ❄️ ⦿

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
18	205554	Starlight boule	3D Lamp column	H:1 W:1 D:0.5 m	☼ 🔴 ❄️ ⦿
19	205137	Joy étoile	2D Column & Across str.	H:3 W:1 m	☼ ☾ 🔴 ❄️ ⦿
20	205289	Joy étoile	2D Suspension	Ø:1 m	☼ ☾ 🔴 ❄️ ⦿
21	205257	Boa Tradi	2D Across street	H:0.5 W:6 m	☼ ☾ 🔴 ❄️ ⦿
22	205256	Boa Tradi	2D Across street	H:0.8 W:6 m	☼ ☾ 🔴 ❄️ ⦿



FROST



IMMERSE YOURSELF IN A FROSTY
XMAS, WHERE MAGIC FREEZES
TIME AND WARMS HEARTS.





SWEETNESS



My Crystalline Christmas

*Wrap yourself
in the softness of the snow
for a memorable experience*






SNOW

My Crystalline Christmas








N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205713*	Flocon Givré	2D Across street	H:1 W:5 m	⚡ ○ ■ ❄️ ⚙️
2	201211	Flocon Strass	2D Suspension	H:0.45 W:0.45 m	⚡ ○
3	202002	Crystal Flake	2D Suspension	Ø:1 m	⚡ ○
4	202010	Snow Flake	2D Suspension	Ø:1 m	⚡ ○
5	205714*	Flocon Givré	2D Column & Across str.	H:3 W:1 m	⚡ ○ □ ❄️ ⚙️
6	205719*	Flocon Givré	2D Suspension	Ø:1 m	⚡ ○ □ ❄️ ⚙️

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205710*	Flocon Givré	2D Column & Across str.	H:1.5 W:1 m	⚡ ○ ■ ❄️ ⚙️
8	205699*	Flocon Mandala	2D Across street	H:1 W:5 m	⚡ ○ □ ❄️ ⚙️
9	205700*	Flocon Mandala	2D Column & Across str.	H:3 W:1.45 m	⚡ ○ ■ ❄️ ⚙️
10	205694*	Flocon Mandala	2D Column & Across str.	H:2.5 W:1.2 m	⚡ ○ □ ❄️ ⚙️
11	205704*	Flocon Mandala	2D Column & Across str.	H:1 W:0.5 m	⚡ ○ ■ ❄️ ⚙️
12	205705*	Flocon Mandala	2D Suspension	H:1 W:0.9 m	⚡ ○ ■ ❄️ ⚙️





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	205680*	Lily Givre	2D Column & Across str.	H:2.5 W:1.2 m	⚡ ○ □ ✨ ☉
14	205730*	Forêt	2D Lamp column	H:2.5 W:1 m	⚡ ○ □ ✨ ☉
15	205732*	Forêt	2D Lamp column	H:1.5 W:1 m	⚡ ○ □ ✨ ☉
16	205683*	Lily Givre	2D Column & Across str.	H:1 W:0.5 m	⚡ ○ □ ✨ ☉
17	205685*	MC Lily Givre	2D Across street	H:1 W:5 m	⚡ ○ □ ✨ ☉
18	205684*	JF Lily Givre	2D Across street	H:1 W:5 m	⚡ ○ □ ✨ ☉






N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
20	205735*	Forêt	2D Across street	H:1 W:5 m	⚡ ○ □ ✨ ☉
21	205734*	Forêt	2D Suspension	Ø:1 m	⚡ ○ □ ✨ ☉
22	205115	Nordic	2D Suspension	H:0.7 W:0.2 m	⚡ ○ □ ✨ ☉
23	205109	Nordic	2D Column & Across str.	H:1.5 W:1 m	⚡ ○ ■ ✨ ☉
24	205116	Nordic	2D Suspension	H:1 W:1 m	⚡ ○ ■ ✨ ☉
25	205114	Nordic	2D Across street	H:1 W:5 m	⚡ ○ ■ ✨ ☉
26	205112	Nordic	2D Column & Across str.	H:3 W:1 m	⚡ ○ ■ ✨ ☉

* NEW

My Crystalline Christmas













N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204525	Winter	2D Across street	H:1 W:5 m	⬡ ○ □ ✨
2	205835*	Bulle de givre	2D Across street	H:1.2 W:5 m	⬡ ○ ✨ ✨
3	204520	Winter	2D Lamp column	H:2 W:1 m	⬡ ○ □ ✨
4	204524	Winter	2D Globe	H:1.5 W:0.75 m	⬡ ○ □ ✨
5	205839*	Bulle de givre	2D Suspension	H:1 Ø:1 m	⬡ ○ ✨ ✨
6	203274	Cristal	2D Suspension	Ø:1 m	⬡ ○ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	204523	Winter	2D Suspension	H:1.13 W:0.28 m	⬡ ○ ✨ ✨
8	204522	Winter	2D Lamp column	H:3 W:1 m	⬡ ○ □ ✨ ✨
9	205837*	Bulle de givre	2D Column & Across str	H:3 W:1 m	⬡ ○ ✨ ✨
10	205840*	Bulle de givre souple	2D Across street	H:1.2 W:4 m	⬡ ○ ✨ ✨
11	205247	Oriflamme Flocon	2D Column & Across str	H:3 W:1 m	⬡ ○ ✨ ✨






N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	204215	Flocon	2D Suspension	H:1 W:1 m	💡 ○ ■ ✨
13	205507	Snowy	2D Across street	H:1 W:5 m	💡 ○ □ ✨ ☼
14	204212	Flocon	2D Column & Across str.	H:2 W:1 m	💡 ○ ■ ✨
15	204220	Flocon	2D cand. & traversé	H:2.5 W:1.2 m	💡 ○ □ ✨ ☼
16	204214	Flocon	2D Column & Across str.	H:3 W:1.45 m	💡 ○ ■ ✨
17	205514	Snowy	2D Across street	H:1 W:5 m	💡 ○ □ ✨ ☼

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
18	205508	Snowy	2D Column & Across str.	H:1 W:0.5 m	💡 ○ □ ✨ ☼
19	205506	Snowy	2D Suspension	H:1 W:1 m	💡 ○ ■ ✨ ☼
20	205513	Snowy	2D Suspension	H:1 W:1 m	💡 ○ □ ✨ ☼
21	205504	Snowy	2D Column & Across str.	H:2.5 W:1.15 m	💡 ○ ■ ✨ ☼
22	204216	Flocon	2D Globe	H:2 W:1 m	💡 ○ ■ ✨
23	204211	Flocon	2D Column & Across str.	H:1.5 W:0.75 m	💡 ○ ■ ✨



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204343	Mira Flocon	2D Across street	H:1.5 W:6 m	☼ ○ ■ ❄️ ⦿
2	205152	Joy Flocon	2D Column & Across str.	H:3 W:1 m	☼ ○ □ ❄️ ⦿
3	205299	Joy Flocon	2D Suspension	H:1 W:0.2 m	☼ ○ ■ ❄️ ⦿
4	205567	Lustre Joy flocon	2D Suspension	H:1.2 W:1.08 m	☼ ○ □ ❄️ ⦿
5	205298	Joy Flocon	2D Suspension	H:1 W:1 m	☼ ● ■ ❄️ ⦿

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	205300	Joy Flocon	2D Suspension	H:0.5 W:0.1 m	☼ ○ ■ ❄️ ⦿
7	204339	Mira Flocon	2D Lamp column	H:2 W:1 m	☼ ● ■ ❄️ ⦿
8	205150	Joy Flocon	2D Column & Across str.	H:2 W:1 m	☼ ● □ ❄️ ⦿
9	205254	Boa Givré	2D Across street	H:0.8 W:6 m	☼ ○ □ ❄️ ⦿
10	205255	Boa Givré	2D Across street	H:0.5 W:6 m	☼ ○ □ ❄️ ⦿



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	204580	Souple Givrée	2D Across street	H:0.24 W:5.2 m	☼ ○ □ ✨ ⦿
14	204579	Souple Givrée	2D Across street	H:0.8 W:5.2 m	☼ ○ □ ✨ ⦿
15	204585	Souple flocon	2D Across street	H:0.8 W:5.2 m	☼ ○ ■ ✨ ⦿
13	204586	Souple flocon	2D Across street	H:0.24 W:5.2 m	☼ ○ ■ ✨ ⦿
17	205243	Givre	2D Suspension	H:0.8 W:0.8 m	☼ ○ □ ✨ ⦿
19	205559	Starlight flocon	3D Lamp column	H:1 W:1 D:0.5 m	☼ ● ■ ✨ ⦿

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
24	205562	Starlight flocon	3D Lamp column	H:2.5 W:1 D:0.5 m	☼ ● ■ ✨ ⦿
20	205240	Givre	2D Column & Across str.	H:3 W:1.5 m	☼ ○ □ ✨ ⦿
21	205242	Givre	2D Globe	H:2 W:1.2 m	☼ ○ □ ✨ ⦿
25	203293	Souple Glacé	2D Across street	H:0.8 W:5.2 m	☼ ○ □ ✨ ⦿
18	205241	Givre	2D Across street	H:1 W:5 m	☼ ○ □ ✨ ⦿



NIGHT



IMMERSE YOURSELF IN THE
SPLENDOUR OF A DAZZLING &
SUMPTUOUS XMAS.





ELEGANCE



My Sumptuous Christmas

*A sparkling celebration,
where magic and refinement come together
in an incomparable fairytale.*







LIGHT

My Sumptuous Christmas







N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205797*	Art Déco	2D Lamp column	H:1.5 W:0.75 m	☼ ○ ■ ✨
2	205795*	Art Déco	2D Lamp column	H:2.5 W:1.25 m	☼ ○ ■ ✨
3	205802*	Art Déco	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
4	205801*	MC Art Déco	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
5	205800*	JF Art Déco	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
6	205606	Abby	2D Across street	H:1 W:4 m	☼ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	204582	Souple Louise	2D Across street	H:0.24 W:5.2 m	☼ ○ ■ ✨
8	204581	Souple Louise	2D Across street	H:0.8 W:5.2 m	☼ ○ ■ ✨
9	205799*	Art Déco	3D Globe	H:1.25 W:1.25 D:1.2 m	☼ ○ ■ ✨
10	205604	Abby	2D Lamp column	H:3 W:1.5 m	☼ ○ ■ ✨
11	205605	Abby	2D Globe	H:2 W:1.25 m	☼ ○ ■ ✨
12	205608	Abby	2D Across street	H:1.3 W:8 m	☼ ○ ■ ✨










N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	205545	Mandala	2D Suspension	H:1.05 W:0.75 m	☼ ○ ■ ✨
14	205547	Mandala	2D Across street	H:1 W:2.86 m	☼ ○ ■ ✨ ⦿
15	205548	Mandala	2D Across street	H:1 W:3.53 m	☼ ○ ■ ✨ ⦿
16	205546	Mandala	2D Across street	H:1 W:5 m	☼ ○ ■ ✨ ⦿

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	205544	Mandala	3D Lamp column	H:3.5 W:1.2 D:0.6 m	☼ ○ ■ ✨ ⦿
18	205543	Mandala	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨ ⦿
19	205538	Mandala	2D Column & Across str.	H:1 W:0.5 m	☼ ○ ■ ✨ ⦿
20	205541	Mandala	2D Column & Across str.	H:2.5 W:1.15 m	☼ ○ ■ ✨ ⦿



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205758*	Torsade	2D Across street	H:1.5 W:5 m	⬡ ○ □ ✨ ✨ ✨
2	205746*	Torsade	2D Suspension	H:1.1 W:0.45 m	⬡ ○ ✨ ✨ ✨
3	205747*	BF Torsade	2D Suspension	H:1.2 W:2.6 m	⬡ ○ ✨ ✨ ✨
4	205754*	Torsade	2D Lamp column	H:1 W:0.45 m	⬡ ○ □ ✨ ✨ ✨
5	204601	Noeud	2D Across street	H:1.4 W:6 m	⬡ ○ ✨ ✨ ✨
6	171109	Mila	2D Across street	H:1 W:5 m	⬡ ○ ✨ ✨ ✨
7	205757*	MC Torsade	2D Suspension	H:1.5 W:1.85 m	⬡ ○ □ ✨ ✨ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
8	205741*	Torsade	2D Lamp column	H:3 W:1.3 m	⬡ ○ ✨ ✨ ✨
9	204725	Chandelier	3D Suspension	H:2.2 Ø:1.3 m	⬡ ○ ✨ ✨ ✨
10	203337	Noeud	2D Globe	H:2.2 W:1 m	⬡ ○ ✨ ✨ ✨
11	171232	Mila	2D Globe	H:2 W:1.3 m	⬡ ○ ✨ ✨ ✨
12	171108	Mila	2D Column & Across str.	H:3 W:1 m	⬡ ○ ✨ ✨ ✨




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	203348	Arche Millésime	2D Across street	H:1.55 W:4 m	☼ ○ ■ ✨ ⦿
13	203351	Millésime	2D Across street	H:1.3 W:6 m	☼ ○ ■ ✨ ⦿
14	203917	Louise	2D Across street	H:1 W:5 m	☼ ○ ■ ✨ ⦿
15	203751	Louise	2D Column & Across str.	H:2 W:1 m	☼ ○ ■ ✨ ⦿

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	203750	Louise	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨ ⦿
18	204598	Noeud	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨ ⦿
19	203347	Millésime	2D Suspension	Ø:1.35 m	☼ ○ ■ ✨ ⦿
20	203755	Petite Louise	2D Suspension	H:0.63 W:0.14 m	☼ ○ ■ ✨ ⦿
21	203753	Louise	2D Suspension	H:1.2 W:0.45 m	☼ ○ ■ ✨ ⦿
22	203754	Grande Louise	2D Suspension	H:1.13 W:0.2 m	☼ ○ ■ ✨ ⦿

My Sumptuous Christmas

















N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205311	Magie	2D Suspension	H:1 W:0.1 m	⚡ ○ □ ☼
2	205639	Astra M	2D Lamp column	H:3 W:1.41 m	⚡ ● ■ ☼
3	205640	Astra S	2D Lamp column	H:1.5 W:0.8 m	⚡ ● ■ ☼
4	205310	Magie	2D Suspension	H:0.9 W:1 m	⚡ ● ■ ☼
5	205773*	Venti	2D Column & Across str.	H:3 W:1 m	⚡ ● ■ ☼
6	205780*	Venti	2D Column & Across str.	H:2.5 W:1 m	⚡ ● ■ ☼

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205777*	Venti	2D Column & Across str.	H:1 W:1 m	⚡ ● ■ ☼
8	205781*	Venti	2D Column & Across str.	H:2 W:1 m	⚡ ● ■ ☼
9	205778*	Venti	2D Suspension	H:1.2 W:0.8 m	⚡ ● ■ ☼
10	205784*	Venti	2D Suspension	H:1.2 W:0.8 m	⚡ ● ■ ☼
11	205309	Magie	2D Across street	H:1 W:5 m	⚡ ● ■ ☼










N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	203765	Louise	2D Column & Across str.	H:2 W:1 m	☼ ☾ ■ ❄️ 🔗
13	205335	Magie	2D Column & Across str.	H:3 W:1 m	☼ ☾ ■ ❄️ 🔗
14	205204	Naé Stelliz	2D Column & Across str.	H:3 W:1 m	☼ ☾ ■ ❄️ 🔗
15	205331	Magie	2D Column & Across str.	H:1 W:1 m	☼ ☾ ■ ❄️ 🔗
16	205201	Naé Stelliz	2D Column & Across str.	H:1.5 W:1 m	☼ ☾ ■ ❄️ 🔗

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	205333	Magie	2D Column & Across str.	H:2 W:1 m	☼ ☾ ■ ❄️ 🔗
18	203769	Petite Louise	2D Suspension	H:0.63 W:0.14 m	☼ ☾ ■ ❄️ 🔗
19	203768	Grande Louise	2D Suspension	H:1.13 W:0.2 m	☼ ☾ ■ ❄️ 🔗
20	203767	Louise	2D Suspension	H:1.2 W:0.45 m	☼ ☾ ■ ❄️ 🔗
21	205205	Naé Stelliz	2D Across street	H:1 W:5 m	☼ ☾ ■ ❄️ 🔗



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204336	Mira étoile	2D Across street	H:1.2 W:6 m	☼ ○ ■ ❄
2	204334	Mira étoile	2D Lamp column	H:3 W:1 m	☼ ○ ■ ❄
3	204332	Mira étoile	2D Lamp column	H:2 W:1 m	☼ ○ ■ ❄
4	205155	Joy goutte	2D Column & Across str.	H:2 W:1 m	☼ ○ ■ ❄
5	204335	Mira étoile	3D Globe	H:1.2 W:1.25 D:1.25 m	☼ ○ ■ ❄
6	205565	Lustre joy étoile	2D Suspension	H:1.2 W:1.08 m	☼ ○ ■ ❄

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205157	Joy goutte	2D Column & Across str.	H:3 W:1 m	☼ ○ ■ ❄
8	205142	Joy étoile	2D Column & Across str.	H:3 W:1 m	☼ ○ ■ ❄
9	205293	Joy étoile	2D Suspension	H:1 W:0.2 m	☼ ○ ■ ❄
10	205294	Joy étoile	2D Suspension	H:0.5 W:0.1 m	☼ ○ ■ ❄
11	205138	Joy étoile	2D Column & Across str.	H:1 W:1 m	☼ ○ ■ ❄
12	205292	Joy étoile	2D Suspension	Ø:1 m	☼ ○ ■ ❄



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	204308	Inaya	2D Column & Across str.	H:2 W:0.8 m	☼ ○ ■ ✨
14	204183	Nova	2D Column & Across str.	H:2 W:1 m	☼ ○ ■ ✨
15	204186	Nova	2D Suspension	H:0.75 W:0.77 m	☼ ○ ■
16	204185	Nova	2D Column & Across str.	H:3 W:1 m	☼ ○ ■ ✨
17	204599	Noeud	2D Suspension	H:1.3 W:0.9 m	☼ ○ ■ ✨
18	204187	Nova	2D Globe	H:2.2 W:0.8 m	☼ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
19	205690*	Lily Star	2D Column & Across str.	H:1 W:0.5 m	☼ ○ ■ ✨
20	205688*	Lily Star	2D Column & Across str.	H:2 W:1 m	☼ ○ ■ ✨
21	203405	Arche Filante	2D Across street	H:2.5 W:6 m	☼ ○ ✨
22	205691*	JF Lily Star	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
23	205692*	MC Lily Star	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
24	204188	Nova	2D Across street	H:1 W:5 m	☼ ○ ■ ✨



HEAT



EXPERIENCE AN AUTHENTIC XMAS,
WHERE THE WARMTH
OF HEARTS MINGLES WITH
THE SOUND OF WOOD CRACKLING





WOOD



My Authentic Christmas

*Celebrate the beauty
of the season
that shines brightly*



CINNAMON

My Authentic Christmas












N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205675*	Lily Perle	2D Lamp column	H:1.5 W:0.75 m	☼ ○ □ ✨
2	205672*	Lily Perle	2D Lamp column	H:3 W:1.45 m	☼ ○ □ ✨
3	205677*	JF Lily Perle	2D Across street	H:1 W:5 m	☼ ○ □ ✨
4	205678*	MC Lily Perle	2D Across street	H:1 W:5 m	☼ ○ □ ✨
5	203780	Agathe	2D Lamp column	H:2 W:1 m	☼ ○ ■ ✨
6	203778	Agathe	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205522	Étoile givrée	2D Lamp column	H:1.5 W:1 m	☼ ○ □ ✨
8	205525	Étoile givrée	2D Lamp column	H:3 W:1 m	☼ ○ □ ✨
10	205526	Étoile givrée	2D Suspension	H:0.93 W:0.93 m	☼ ○ □ ✨
11	203925	Agathe	2D Across street	H:1 W:5 m	☼ ○ ■ ✨




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	205785*	Birdy	2D Lamp column	H:3 W:1 m	💡 ⬤ 🌟
13	205793*	MC Birdy	2D Across street	H:1 W:5 m	💡 ⬤ 🌟
14	205792*	JF Birdy	2D Across street	H:1 W:5 m	💡 ⬤ 🌟
15	205791*	Birdy	2D Across street	H:1 W:5 m	💡 ⬤ 🌟
16	204417	Atmos	2D Across street	H:1.5 W:8 m	💡 ⬤ 🌟 🌟
17	204415	Atmos	2D Suspension	H:0.85 W:0.85 m	💡 ⬤ □
18	205788*	Birdy	2D Lamp column	H:1.5 W:1 m	💡 ⬤ 🌟

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
19	205549	Starlight diamant	3D Lamp column	H:1 W:1 D:0.5 m	💡 ⬤ 🌟 🌟
20	204717	Lustre dentelle	3D Suspension	H:2.2 Ø:1.8 m	💡 ⬤ 🌟 🌟
21	205552	Starlight diamant	3D Lamp column	H:2.5 W:1 D:0.5 m	💡 ⬤ 🌟 🌟
22	204416	Atmos	2D Globe	H:2.3 W:1.1 m	💡 ⬤ 🌟 🌟
23	204413	Atmos	2D Lamp column	H:2.5 W:1 m	💡 ⬤ 🌟 🌟
24	205790*	Birdy	2D Suspension	H:1 W:0.74 m	💡 ⬤ 🌟 🌟

My Authentic Christmas













N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205652*	Céleste	2D Suspension	Ø:0.6 m	☼ ○ □ ✨
2	205657*	Céleste	2D Lamp column	H:2.5 W:1 m	☼ ○ □ ✨
3	205648*	Céleste	2D Lamp column	H:2.5 W:1 m	☼ ○ □ ✨
4	205769*	Versa	2D Lamp column	H:1.5 W:0.4 m	☼ ○ □ ✨
5	205763*	Versa	2D Lamp column	H:1 W:0.3 m	☼ ○ □ ✨
6	205650*	Céleste	2D Lamp column	H:1.5 W:0.86 m	☼ ○ □ ✨
7	205659*	Céleste	2D Lamp column	H:1.5 W:0.86 m	☼ ○ □ ✨
8	205771*	Versa	2D Suspension	H:1 W:0.6 m	☼ ○ □ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
9	205765*	Versa	2D Across street	H:1 W:5 m	☼ ○ □ ✨
10	205654*	JF Céleste	2D Across street	H:1.1 W:6 m	☼ ○ □ ✨
11	205663*	JF Céleste	2D Across street	H:1.1 W:6 m	☼ ○ □ ✨






N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	205301	Joy goutte	2D Suspension	Ø:1 m	☼ ○ ■ ✨
13	205163	Naé Floko	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
14	205295	Joy diamant	2D Suspension	Ø:1 m	☼ ○ ■ ✨
15	205568	Lustre joy goutte	2D Suspension	H:1.2 W:1.08 m	☼ ○ ■ ✨
16	205145	Joy diamant	2D Lamp column	H:2 W:1 m	☼ ○ ■ ✨
17	205297	Joy diamant	2D Suspension	H:0.5 W:0.1 m	☼ ○ □ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
18	205303	Joy goutte	2D Suspension	H:0.1 W:0.5 m	☼ ○ ■ ✨
19	203233	Couronne songe	3D Suspension	H:1.8 Ø:2 m	☼ ○ □ ✨
20	205160	Naé Floko	2D Lamp column	H:2 W:1 m	☼ ○ ■ ✨
21	205564	Lustre joy diamant	2D Suspension	H:1.2 W:1.08 m	☼ ○ ■ ✨
22	203782	Agathe	2D Suspension	H:0.5 W:0.2 m	✨ ○ ■ ✨
23	202986	Zef	3D Suspension	H:0.6 Ø:0.24 m	☼ ○ ✨



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204353	Mira Boule	2D Lamp column	H:2 W:1 m	☼ ○ ■ ✨
2	204355	Mira Boule	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨
3	205231	Givre	2D Across street	H:1 W:5 m	☼ ○ ■ ✨
4	204357	Mira Boule	2D Across street	H:1.2 W:6 m	☼ ○ ■ ✨
5	204356	Mira Boule	3D Globe	H:1.2 W:1.25 D:1.25 m	☼ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	170879*	Frise de Noël	2D Suspension	H:1 W:2 m	☼ ○ ■ ✨
7	170880*	Frise de Noël	2D Suspension	H:1 W:2 m	☼ ○ ■ ✨
8	205233	Givre	2D Suspension	Ø:0.8 m	☼ ○ ■ ✨
9	205228	Givre	2D Lamp column	H:2 W:1 m	☼ ○ ■ ✨
10	205230	Givre	2D Lamp column	H:3 W:1.5 m	☼ ○ ■ ✨
11	205232	Givre	2D Globe	H:2 W:1.2 m	☼ ○ ■ ✨



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	205598	Souple filament	2D Across street	H:2 W:2.8 m	☼ ○ ■ ✨
13	203294	Souple Merry	2D Across street	H:0.24 W:5.2 m	☼ ○ ■ ✨ Ⓢ
14	203295	Souple Merry	2D Across street	H:0.8 W:5.2 m	☼ ○ ■ ✨
15	203297	Souple Enchantée	2D Across street	H:0.8 W:5.2 m	☼ ○ □ ✨
16	203296	Souple Enchantée	2D Across street	H:0.24 W:5.2 m	☼ ○ □ ✨ Ⓢ

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	205597	Filament	2D Across street	H:1.2 W:2.5 m	☼ ○ ■ ✨
18	202932	Elfie	2D Lamp column	H:1 W:1 m	☼ ○ ■ ✨ Ⓢ
19	205599	Couronne filament	2D Suspension	H:1.5 W:0.85 m	☼ ○ ■ ✨
20	202936	Elfie	2D Lamp column	H:3 W:1 m	☼ ○ ■ ✨ Ⓢ

Decorations to install









Pia • France



Pia • France



Pia • France





Béziers • France



Palavas-les-Flots • France



Béziers • France

Valenciennes • France



Valenciennes • France



Valenciennes • France



Valenciennes • France



Valenciennes • France



Valenciennes • France





Bray-sur-l'Escaut • France




Seclin • France



Valenciennes • France



Valenciennes • France



Valenciennes • France

Arches



Discover our 3D arches creations
by scanning this QR-Code.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205045-24V	Arche casse-noisette	3D Floorstanding decor	H:4 W:6.5 D:1.1 m	☛ ☛ ☛ ☛ ☛
2	204686-24V	Arche Champagne	3D Floorstanding decor	H:4 W:5.5 D:1.5 m	☛ ☛ ☛ ☛ ☛
3	205619	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	☛ ○ □ ☛

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205618	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	☛ ○ ☛ ☛
5	205617	Arche sapin courbé	3D Floorstanding decor	H:3.9 W:6.4 D:2.5 m	☛ ○ ☛ ☛



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205591	Arche Xmas	3D Floorstanding decor	H:3.8 W:4.9 D:0.92 m	💡🕒📏🌟
7	205590	Arche Noël	3D Floorstanding decor	H:3.9 W:4.9 D:0.92 m	💡🕒📏🌟
8	204698-24V	Archétoile	3D Floorstanding decor	H:4 W:5.25 D:1 m	💡🕒📏🌟🌀

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	204694-24V	Arche Nova	3D Floorstanding decor	H:4 W:4.5 D:1.5 m	💡🕒📏🌟🌀
10	204690-24V	Arche Boule	3D Floorstanding decor	H:4 W:4.5 D:1 m	💡🕒📏🌟

Sparkling & effervescent decors



Scan this QR-Code to discover our sparkling & effervescent decors creations.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203147-24V	Sapin Pétillant	3D Floorstanding decor	H:5 W:2.5 D:0.9 m	💡🕒📏❄️
2	202987-24V	Sucres d'orge pétill	3D Floorstanding decor	H:1.95 W:2.2 D:0.3 m	💡🕒📏❄️
3	202989-24V	Flocon Pétillant	3D Floorstanding decor	H:2 W:2.2 D:0.3 m	💡🕒📏❄️
4	203144-24V	Etoile Pétillante	3D Floorstanding decor	H:1.8 W:2.4 D:0.3 m	💡🕒📏❄️
5	204735-24V	Ginger Pétillant	3D Floorstanding decor	H:2 W:2.2 D:0.3 m	💡🕒📏❄️
6	202988-24V	Renne Pétillant	3D Floorstanding decor	H:1.95 W:1.4 D:0.3 m	💡🕒📏❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	204737-24V	Bougie pétillante	3D Floorstanding decor	H:2 W:1 D:0.3 m	💡🕒📏❄️
8	202991-24V	Coeur Petillant	3D Floorstanding decor	H:1.7 W:2.2 D:0.3 m	💡🕒📏❄️
9	203145-24V	Boule pétillante	3D Floorstanding decor	H:2 W:2.3 D:0.3 m	💡🕒📏❄️
10	204733-24V	Houx pétillant	3D Floorstanding decor	H:2 W:2.6 D:0.3 m	💡🕒📏❄️
11	203146-24V	Paquet Cadeau Pétillant	3D Floorstanding decor	H:2 W:1.8 D:0.3 m	💡🕒📏❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
12	204730-24V	Snowman pétillant	3D Floorstanding decor	H:2 W:2 D:0.3 m	💡 ○ ■ ✨
13	205592	Boule étincelante	3D Floorstanding decor	H:1.68 W:2 D:0.3 m	💡 ○ ■ ✨
14	205595	Etoile étincelante	3D Floorstanding decor	H:1.58 W:2 D:0.3 m	💡 ○ ■ ✨
15	205594	Sapin étincelant	3D Floorstanding decor	H:2 W:1.88 D:0.3 m	💡 ○ ■ ✨
16	204740-24V	Sapin Pétillant	3D Floorstanding decor	H:2 W:2 D:0.3 m	💡 ○ ■ ✨
17	205596	Père Noël étincelant	3D Floorstanding decor	H:2 W:1.57 D:0.3 m	💡 ○ ■ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
18	204732-24V	Eclat pétillant	3D Floorstanding decor	H:2 W:2.9 D:0.3 m	💡 ○ ■ ✨
19	205593	Cadeau étincelant	3D Floorstanding decor	H:2 W:2 D:0.3 m	💡 ○ ■ ✨
20	205825*	Boule Miniz	3D Floorstanding decor	H:1.2 W:1.55 D:0.3 m	💡 ○ ■ ✨
21	205826*	Cadeau Miniz	3D Floorstanding decor	H:1.2 W:1.8 D:0.3 m	💡 ○ ■ ✨
22	205827*	Ginger Miniz	3D Floorstanding decor	H:1.2 W:0.85 D:0.3 m	💡 ○ ■ ✨


* NEW


Please note: optional accessories required for installation

2D arches



Discover our 2D arches creations
by scanning this QR-Code.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204676-24V	Renne	2D Floorstanding decor	H:2 W:1.6 m	☀️ ⬇️ 🟡 ❄️
2	205805*	Pop up Ginger	3D Floorstanding decor	H:2.2 W:1.5 D:0.6 m	☀️ 🟡 🟡 ❄️
3	204682-24V	Sapin L	2D Floorstanding decor	H:2 W:1.2 m	☀️ 🟡 🟡 ❄️
4	204680-24V	Sapin M	2D Floorstanding decor	H:1.5 W:0.95 m	☀️ 🟡 🟡 ❄️
5	204678-24V	Sapin S	2D Floorstanding decor	H:1 W:0.65 m	☀️ 🟡 🟡 ❄️
6	203912-24V	J'M ma ville M	2D Floorstanding decor	H:2.5 W:4.3 m	☀️ ⬇️ ❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	204661-24V	Boule Star	2D Floorstanding decor	H:0.8 W:0.8 m	☀️ ⬇️ 🟡 ❄️
8	204669-24V	Flake	2D Floorstanding decor	H:0.8 W:1.4 m	☀️ ⬇️ 🟡 ❄️ ❄️
9	204672-24V	Etoile Nova	2D Floorstanding decor	H:1.5 W:2.15 m	☀️ ⬇️ 🟡 ❄️
10	204665-24V	Boule Arty	2D Floorstanding decor	H:0.8 W:0.8 m	☀️ ⬇️ 🟡 ❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	205349	Arceau Alpi	2D Floorstanding decor	H:2 W:3.5 m	☼ ○ □ ✨
12	203323-24V	Arceau Boule	2D Floorstanding decor	H:1.75 W:3.5 m	☼ ○ ■ ✨
13	205804*	Pop up Bougie	3D Floorstanding decor	H:2.2 W:1.5 D:0.6 m	☼ 🇫🇷 🇮🇹 ✨
14	203309-24V	Arceau Cadeau	2D Floorstanding decor	H:2.5 W:3.5 m	☼ ○ ■ ✨ ☼
15	205803*	Pop up Banquise	3D Floorstanding decor	H:2.2 W:1.5 D:0.6 m	☼ 🇫🇷 □ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
16	203352-24V	Arceau Millésime	2D Floorstanding decor	H:2.5 W:3.5 m	☼ ○ ■ ✨ ☼
17	204684-24V	Snowman	2D Floorstanding decor	H:1.5 W:1.25 m	☼ ○ □ ✨
18	205350	Arceau Alpi	2D Floorstanding decor	H:1 W:2 m	☼ ○ □ ✨
19	203324-24V	Arceau Boule	2D Floorstanding decor	H:1.3 W:2 m	☼ ○ ■ ✨
20	203322-24V	Arceau Boule	2D Floorstanding decor	H:1.5 W:2.15 m	☼ ○ ■ ✨

* NEW

Please note: optional accessories required for installation

Photoboosts & Frames



Scan this QR-Code to find out more
about our photoboosts and frames.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	202679-24V	Pôle Nord	3D Floorstanding decor	H:3 W:1.3 D:1.45 m	☼ ○ 🇫🇷 ❄️
2	203730-24V	Cadeau photo	3D Floorstanding decor	H:2.25 W:2.55 D:1 m	☼ 🟡 🇫🇷 ❄️ ⦿
3	203308-24V	Cadeau Ruban	3D Floorstanding decor	H:3 W:6.3 D:1 m	☼ 🟡 🟡 ❄️ ⦿

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205589	Cadre Père Noël	3D Floorstanding decor	H:2.75 W:1.95 D:1.08 m	☼ ○ 🇫🇷 ❄️
5	204645-24V	Lutin photo	3D Floorstanding decor	H:1.7 W:1.3 D:0.7 m	☼ 🇫🇷 🇩🇪 ❄️
6	205587	Cadre Pingouin	3D Floorstanding decor	H:2.55 W:1.95 D:1.08 m	☼ ○ 🇫🇷 ❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	204702-24V	Kiosque	3D Floorstanding decor	H:3 Ø:2.4 m	☼ ○ ■ ✨
8	205807*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	☼ ○ □ ✨
9	205808*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	☼ ● ■ ✨
10	204685-24V	Cadre Photo	3D Floorstanding decor	H:2.55 W:1.95 D:1 m	☼ ● ■ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	204711	Joyeux Noël	2D Suspension	H:0.83 W:1.6 m	✖ □
12	205586	Cadre Renne	3D Floorstanding decor	H:2.8 W:1.95 D:1.08 m	☼ ● ■ ✨
13	204659-24V	Cadre de Noël	2D Floorstanding decor	H:2.6 W:4 m	☼ ● ■ ✨
14	205588	Cadre Ours	3D Floorstanding decor	H:2.7 W:2 D:1.1 m	☼ ● ■ ✨

* NEW

Please note: optional accessories required for installation

Armchairs & Seats



Scan this QR-Code to discover our armchairs & seats creations.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205624	Eclair	3D Floorstanding decor	H:1.95 W:1.25 D:0.33 m	☀ ○ ■ ✨
2	205622	Tornade	3D Floorstanding decor	H:1.95 W:1.25 D:0.33 m	☀ ○ ■ ✨
3	205623	Tonnerre	3D Floorstanding decor	H:1.95 W:1.25 D:0.33 m	☀ ○ ■ ✨
4	205621	Traineau de Laponie	3D Floorstanding decor	H:1.7 W:3.1 D:1.1 m	☀ ○ □ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	205373	Traineau E-Deco	3D Floorstanding decor	H:1.2 W:2.6 D:1.1 m	☀ ○ ■ ✨
6	205372	Rennes E-Deco	3D Floorstanding decor	H:1.5 W:1.12 D:1 m	☀ ○ ■ ✨
7	202798-24V	Bauble Chair	3D Floorstanding decor	H:1.7 W:1.2 D:1.2 m	☀ ○ ■ ✨



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
8	204639-24V	Fauteuil Renne	3D Floorstanding decor	H:2.2 W:2 D:2 m	☼ ○ ■ ✨
9	204638-24V	Fauteuil Ours	3D Floorstanding decor	H:1.8 W:2 D:2 m	☼ ○ ■ ✨
10	204640-24V	Fauteuil Noël	3D Floorstanding decor	H:2 W:2 D:2 m	☼ ○ ■ ✨
11	205620	Petit traîneau	3D Floorstanding decor	H:2 W:1.8 D:1.83 m	☼ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
12	202673-24V	Fauteuil cadeau	3D Floorstanding decor	H:1 W:1.2 D:0.8 m	☼ ○ ■ ✨
13	203176-24V	Renne Comète	3D Floorstanding decor	H:2 W:1.49 D:0.63 m	☼ ○ □ ✨
14	203131-24V	Traineau Cristal	3D Floorstanding decor	H:1.87 W:4.14 D:1.45 m	☼ ○ □ ✨

Playful Decors



Scan this QR-Code to discover our playful decor creations.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204634-24V	Avion	3D Floorstanding decor	H:1.4 W:2.65 D:2.6 m	💡🇫🇷🇮🇹🇪🇺
2	204635-24V	Maison Biscuit	3D Floorstanding decor	H:2 W:1.8 D:1.6 m	💡🇫🇷🇮🇹🇪🇺

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
3	204636-24V	Train	3D Floorstanding decor	H:1.6 W:2.15 D:1.2 m	💡🇫🇷🇮🇹🇪🇺🌀
4	204637-24V	Wagon	3D Floorstanding decor	H:0.6 W:1.5 D:1 m	💡🇫🇷🇮🇹🇪🇺🌀



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	204633-24V	Fusée	3D Floorstanding decor	H:2.2 W:1.4 D:0.9 m	💡 🇮🇹 🇩🇪 🇬🇧 ❄️
6	205446	Grande roue	3D Floorstanding decor	H:6 W:5.45 D:3.5 m	💡 🇮🇹 🇩🇪 🇬🇧 ❄️ ⚙️
7	204632-24V	Voiture de course	3D Floorstanding decor	H:0.95 W:2.05 D:0.85 m	💡 🇮🇹 🇩🇪 🇬🇧 ❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
8	204650-24V	Luge des Lutins	3D Floorstanding decor	H:1 W:2 D:0.95 m	💡 🇮🇹 🇩🇪 🇬🇧 ❄️
9	204649-24V	Petit renne	3D Floorstanding decor	H:1.4 W:1.35 D:0.6 m	💡 🇮🇹 🇩🇪 🇬🇧 ❄️

Gourmet Decors



Scan this QR-Code to discover our
gourmet decor creations.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205054-24V	Macarons	3D Floorstanding decor	H:2.25 W:2.35 D:1.5 m	💡 🇫🇷 🇮🇹 🇪🇺 ✨
2	205059-24V	Cadeaux festifs	3D Floorstanding decor	H:3 W:2.23 D:2.16 m	💡 🇫🇷 🇮🇹 🇪🇺 ✨
3	205062-24V	Carrousel macarons	3D Floorstanding decor	H:4.4 Ø:4 m	💡 🇫🇷 🇮🇹 🇪🇺 ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205056-24V	Trois Sucettes	3D Floorstanding decor	H:3 W:2 D:1.5 m	💡 🇫🇷 🇮🇹 🇪🇺 ✨ 🌀
5	205057-24V	Sucette	3D Floorstanding decor	H:2.3 W:1.5 D:1.1 m	💡 🇫🇷 🇮🇹 🇪🇺 ✨ 🌀



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205064-24V	Petit cône gourmand	3D Floorstanding decor	H:4 Ø:2.5 m	☀️ 🇫🇷 🇮🇹 ❄️
7	205060-24V	Big Cake	3D Floorstanding decor	H:4.5 W:4.25 D:4.1 m	☀️ 🇫🇷 🇮🇹 ❄️
8	205063-24V	Cône gourmand	3D Floorstanding decor	H:11 Ø:6.5 m	☀️ 🇫🇷 🇮🇹 ❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	205058-24V	Sucres d'Orge	3D Floorstanding decor	H:3.7 W:3.75 D:1.1 m	☀️ 🇫🇷 🇮🇹 ❄️
10	205055-24V	Pomme d'amour	3D Floorstanding decor	H:3 Ø:1.5 m	☀️ 🇫🇷 🇮🇹 ❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205584	M Biscuit	3D Floorstanding decor	H:1.8 W:1.25 D:0.3 m	💡 🍪 🍪 ❄️
2	205061-24V	Cupcake	3D Floorstanding decor	H:6 Ø:5.73 m	💡 🍌 🍌 🍌 🍌 🍌 🍌
3	203270-24V	Maison Pain d'épice	3D Floorstanding decor	H:4.22 W:3.68 D:4.2 m	💡 🍌 🍌 🍌 ❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	203271-24V	Etoile Pain d'épice	3D Floorstanding decor	H:2.1 W:2.5 D:0.8 m	💡 🍌 🍌 🍌 ❄️
5	205053-24V	Boule S	3D Floorstanding decor	H:2.1 Ø:1.8 m	💡 🍌 🍌 🍌 ❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205051-24V	Arceau candy L	2D Floorstanding decor	H:1.5 W:2 m	⚡ 🇮🇹 🇫🇷 ✨
7	205048-24V	Arceau candy XL	2D Floorstanding decor	H:1.75 W:2 m	⚡ 🇮🇹 🇫🇷 ✨
8	205049-24V	Arceau muffin	2D Floorstanding decor	H:1.5 W:1.3 m	⚡ 🇮🇹 🇫🇷 ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	205052-24V	Arceau spirale	2D Floorstanding decor	H:1.4 W:2 m	⚡ 🇮🇹 🇫🇷 ✨
10	205050-24V	Arceau candy M	2D Floorstanding decor	H:1.4 W:1.5 m	⚡ 🇮🇹 🇫🇷 ✨

Letterboxes & Characters



Scan this QR-Code to find out more
about our letterboxes & characters.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204641-24V	Père Noël Funky	3D Floorstanding decor	H:1.7 W:1.3 D:1 m	☼ ○ ■ ❄
2	201744-24V	Boîte aux Lettres	3D Floorstanding decor	H:1.5 W:1 D:0.6 m	☼ ○ ■
3	205267	Santa	3D Floorstanding decor	H:2.8 Ø:1.7 m	☼ ○ ■ ❄
4	205262	Père Noël Cadeau	3D Floorstanding decor	H:2.65 W:1.2 D:1.2 m	☼ ○ ■ ❄
5	203429-24V	M. Noël	3D Floorstanding decor	H:3.4 W:2.55 D:2.6 m	☼ ○ ■ ❄

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205614	Père Noël Choupi	3D Floorstanding decor	H:2.15 W:2 D:1.6 m	☼ ○ ■ ❄
7	204648-24V	Boîte Noël	3D Floorstanding decor	H:1.45 W:0.7 D:0.75 m	☼ ○ ■ ❄
8	205811*	Marin le lutin	3D Floorstanding decor	H:2 W:1.1 D:0.95 m	☼ ○ ■ ❄
9	205809*	Santa Claus	3D Floorstanding decor	H:2.9 W:1.4 D:1.05 m	☼ ○ ■ ❄
10	202675-24V	Trainissimo	3D Floorstanding decor	H:1.8 W:2.1 D:1.1 m	☼ ○ ■ ❄



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	204658-24V	Chapin de Noël	3D Floorstanding decor	H:4.4 W:4.3 D:3.3 m	💡🇫🇷🇮🇹❄️
12	205810*	Gabin le lutin	3D Floorstanding decor	H:2 W:1.1 D:0.95 m	💡🇫🇷🇮🇹❄️
13	205044-24V	Casse-noisette	3D Floorstanding decor	H:2.6 W:0.8 D:0.8 m	💡🇫🇷🇮🇹❄️
14	204657-24V	Augustin le Lutin	3D Floorstanding decor	H:3.7 W:2.35 D:2.45 m	💡🇫🇷🇮🇹❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
15	204647-24V	Boîte Lutin	3D Floorstanding decor	H:1.45 W:1.15 D:0.75 m	💡🇫🇷🇮🇹❄️
16	204654-24V	Neige Oups	3D Floorstanding decor	H:1.3 W:0.8 D:0.8 m	💡🇫🇷🇮🇹❄️
17	202672-24V	La boîte des lutins	3D Floorstanding decor	H:1.8 W:0.8 D:0.8 m	💡🇫🇷🇮🇹❄️

* NEW

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	202709-24V	Pompon	3D Floorstanding decor	H:3.2 W:2.4 D:1.9 m	💡🌈🟩❄️
2	205613	Mr. Neige Choupi	3D Floorstanding decor	H:2 W:2.3 D:2 m	💡🌙🟦❄️
3	202378-24V	Lutin Oups	3D Floorstanding decor	H:1.8 W:1.45 D:0.8 m	💡🌈🇫🇷❄️
5	170754	Kit Rudy	2D Floorstanding decor	H:1.3 W:1 m	❌🇫🇷

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205263	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	💡🟡🟤❄️
7	170755	Kit Frosty	2D Floorstanding decor	H:0.9 W:1.7 m	❌🇫🇷
8	205264	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	💡🟡🟩❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	204656-24V	Père Noël Oups	3D Floorstanding decor	H:1.4 W:0.8 D:0.8 m	💡🇫🇷🇩🇪❄️
10	205609	Boule Choupi	3D Floorstanding decor	H:1.5 Ø:1.35 m	💡🇫🇷🇩🇪❄️
11	205615	Ginger Choupi	3D Floorstanding decor	H:2 W:2 D:1.6 m	💡🇫🇷🇩🇪❄️
12	205611	Etoile Choupi	3D Floorstanding decor	H:1.8 W:1.95 D:0.5 m	💡🇫🇷🇩🇪❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
13	205261	Boîte du Père Noël	3D Floorstanding decor	H:1.5 W:1 D:1 m	💡🇫🇷🇩🇪❄️
14	203430-24V	Boîte Santa	3D Floorstanding decor	H:1.5 W:0.7 D:0.5 m	💡🇫🇷🇩🇪❄️
15	205610	Cadeau Choupi	3D Floorstanding decor	H:1.5 W:1.2 D:1.3 m	💡🇫🇷🇩🇪❄️

Animals



Discover our animal creations by scanning this QR-Code.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203121-24V	Bouquetin Glacé	3D Floorstanding decor	H:5 W:4.47 D:1.93 m	⚡ ○ □ ✨
2	203117-24V	Igloo	3D Floorstanding decor	H:1.3 Ø:3 m	⚡ ○ □ ✨
3	203176-24V	Renne Comète	3D Floorstanding decor	H:2 W:1.49 D:0.63 m	⚡ ○ □ ✨
4	203122-24V	Renne	3D Floorstanding decor	H:3 W:2.2 D:0.95 m	⚡ ○ □ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	204792-24V	Cheval	3D Floorstanding decor	H:2.1 W:2.6 D:0.6 m	⚡ ○ □ ✨
6	205271	Rennes E-Deco	3D Floorstanding decor	H:1.5 W:1.12 D:1 m	⚡ ○ □ ✨
7	205269	Traineau E-Deco	3D Floorstanding decor	H:1.2 W:2.6 D:1.1 m	⚡ ○ □ ✨ Ⓢ
8	203118-24V	Chamois	3D Floorstanding decor	H:2.6 W:2.2 D:0.7 m	⚡ ○ □ ✨



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	203436-24V	Renne fantastique	3D Floorstanding decor	H:6 W:5.2 D:4.3 m	⚡ ○ ■ ✨ ☼
10	203428-24V	Carrousel de Noël	3D Floorstanding decor	H:3 Ø:2.5 m	⚡ ○ ■ ✨
11	205046-24V	Daim	3D Floorstanding decor	H:3 W:1.9 D:0.8 m	⚡ ○ ■ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
12	551212	Renne féérique	3D Floorstanding decor	H:1.52 W:0.6 D:0.2 m	⚡ ○ ■
13	551271	Faon féérique	3D Floorstanding decor	H:100 W:76 D:24 m	⚡ ○ ■
14	551272	Cerf féérique	3D Floorstanding decor	H:1.66 W:1.35 D:0.35 m	⚡ ○ ■
15	551361	Biche féérique	3D Floorstanding decor	H:130 W:110 D:32 m	⚡ ○ ■



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205274	Grand Pingou	3D Floorstanding decor	H:5 W:3.75 D:2.83 m	💡🇫🇷🇮🇹❄️
2	205275	Grand Rudolphe	3D Floorstanding decor	H:5.91 W:3.66 D:3.13 m	💡🇫🇷🇮🇹❄️
3	205841*	Chat Choupi	3D Floorstanding decor	H:3.8 W:2.3 D:2.4 m	💡🇫🇷🇮🇹❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205813*	Renne Choupi	3D Floorstanding decor	H:2.4 W:2 D:1.6 m	💡🇫🇷🇮🇹❄️
5	205616	Ours Choupi	3D Floorstanding decor	H:3.3 W:3.3 D:2.4 m	💡🇫🇷🇮🇹❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	202884-24V	Pingoo	3D Floorstanding decor	H:3 W:2.25 D:1.7 m	💡 ○ ■ ❄️
7	203230-24V	Rudolphe	3D Floorstanding decor	H:3.55 W:2.2 D:1.88 m	💡 ○ ■ ❄️
8	205814*	Oursou Choupi	3D Floorstanding decor	H:2 W:2 D:1.8 m	💡 🔴 ○ □ ❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	202708-24V	Nougat	3D Floorstanding decor	H:3.3 W:2.35 D:2.5 m	💡 ○ ■ ❄️
10	205612	Pingouin Choupi	3D Floorstanding decor	H:2.6 W:2 D:2 m	💡 🔴 🇫🇷 ❄️

*** NEW**

Please note: optional accessories required for installation

Gifts & Baubles



Scan this QR-Code to find out more about our gifts and baubles.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203185-24V	Bulle Dorée	3D Floorstanding decor	H:4.5 W:4.5 D:4.05 m	💡🕒🟡❄️🌀
2	202810-24V	Christmas Bauble XL	3D Floorstanding decor	H:3.4 Ø:2.95 m	💡🕒🟡❄️
3	204707-24V	Boule Etoilée	3D Floorstanding decor	H:3.15 Ø:4 m	💡🕒🟡❄️🌀
4	203885-24V	Boule L	3D Floorstanding decor	H:3 Ø:3 m	💡🕒🟡❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	205576	Gros cadeau	3D Floorstanding decor	H:3 W:2 D:2 m	💡🕒🟡📦❄️
6	205578	Cadeau couché	3D Floorstanding decor	H:1.5 W:2 D:0.8 m	💡🕒🟡📦❄️
7	202724-24V	Cadeau	3D Floorstanding decor	H:1 W:1.35 D:1 m	💡🕒🟡📦❄️
8	203880-24V	Boule M	3D Floorstanding decor	H:2.1 Ø:2 m	💡🕒🟡❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	204754-24V	Cadeau M	3D Floorstanding decor	H:7.8 W:3.55 D:3.55 m	💡 ○ □ ✨
10	203837-24V	Cadeau	3D Floorstanding decor	H:3.8 W:3.75 D:3.75 m	💡 ○ ■ ✨
11	205573	Maxi Cadeau	3D Floorstanding decor	H:4 W:3.4 D:3.4 m	💡 ○ □ ✨
12	203874-24V	Boule S	3D Floorstanding decor	H:2.1 Ø:1.8 m	💡 ○ ■ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
13	205581	Mini Cadeau	3D Floorstanding decor	H:1 W:1 D:1 m	💡 ○ ■ ✨
14	203891-24V	Boule déco	3D Floorstanding decor	H:3 W:1.5 D:1.4 m	💡 ○ ■ ✨
15	204753-24V	Cadeau S	3D Floorstanding decor	H:3.8 W:3.2 D:3.2 m	💡 ○ □ ✨

Trees



Scan this QR-Code to find out more about our tree projects.







N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204769-24V	Sapin Diamant L	3D Floorstanding decor	H:8 Ø:6.15 m	💡 ○ □ ✨
2	205235	Cimier Givre	2D decor	H:1.4 W:0.5 m	💡 ○ □ ✨
3	205433	Sapin 8p Givre	3D Floorstanding decor	H:6 Ø:3.6 m	💡 ○ □ ✨ ⦿

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	203189-24V	Cimier Cône Givré	2D decor	H:0.85 W:0.87 m	💡 ○
5	203756-24V	Sapin Louise	3D Floorstanding decor	H:6.1 Ø:4 m	💡 ○ ■ ✨ ⦿



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	203364-24V	Petit Alya	3D Floorstanding decor	H:3 W:2 D:2 m	💡🟡🟢❄️🌀
7	205820*	Oriane	3D Floorstanding decor	H:10 W:6.5 D:6 m	💡🟡🟢❄️
8	205628	Cône arlequin	3D Floorstanding decor	H:3.8 Ø:2.47 m	💡🟡🟢❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	203374-24V	Petit Amaya	3D Floorstanding decor	H:1.5 Ø:1 m	💡🟡🟢❄️🌀
10	205629	Cône arlequin	3D Floorstanding decor	H:2 Ø:1.3 m	💡🟡🟢❄️

*** NEW**

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203258-24V	Arbre Magique	3D Floorstanding decor	H:5 Ø:4 m	☼ ○ □ ✨
2	205625	Cône essentiel	3D Floorstanding decor	H:10.17 W:3.82 D:3.82 m	☼ ○ □ ✨
3	170866	Kit cône essentiel	Accessories	H:10.17 W:3.82 D:3.82 m	✂ □
4	205824*	Sapin cubes	3D Floorstanding decor	H:4.75 W:3.3 D:2.9 m	☼ ○ □ ✨

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	205821*	Cimier Naos	3D Floorstanding decor	H:0.75 W:0.75 D:0.45 m	☼ ○ □
8	205822*	Naos	3D Floorstanding decor	H:5.7 Ø:3.8 m	☼ ○ □ ✨
9	204793-24V	Cimier Etoilé	3D Floorstanding decor	H:1 W:1 D:1 m	☼ ○ □ ✨
10	203187-24V	Cône Givré	3D Floorstanding decor	H:6 Ø:3 m	☼ ○ □ ✨



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	205284	Cimier Magie	2D decor	H:1.4 W:0.6 m	💡 ○ ■ ✨
12	205382	Sapin 8p Magie	3D Floorstanding decor	H:12 Ø:6.15 m	💡 ○ ■ ✨ ⚙️
13	205823*	Sapin étoiles	3D Floorstanding decor	H:6.5 W:4.7 D:3.9 m	💡 ○ ■ ✨ ⚙️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
14	202499-24V	Sapin Ruban	3D Floorstanding decor	H:8 Ø:6.4 m	💡 ○ ■ ✨
15	203138-24V	Sapin Pailleté M	3D Floorstanding decor	H:6 Ø:3 m	💡 ○ ■ ✨

*** NEW**

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203435-24V	Grand Sylvestre	3D Floorstanding decor	H:7.35 Ø:5.8 m	💡🟡🟢❄️
2	204748-24V	Sylvestre cadeaux	3D Floorstanding decor	H:11.25 W:7.45 D:9.1 m	💡🟡🟢❄️
3	205417	Sapin 8p Holly	3D Floorstanding decor	H:10 Ø:5.45 m	💡🟡🟢❄️🌀
4	205225	Cimier Holly	2D decor	H:1.4 W:0.4 m	💡🟡🟢❄️

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	205585	Cône Funky	3D Floorstanding decor	H:5 Ø:3 m	💡🟡🟢❄️🇫🇷
6	205819*	Oriane	3D Floorstanding decor	H:10 W:6.5 D:6 m	💡🟡🟢❄️
7	203174-24V	Sapin Couronnes vert	3D Floorstanding decor	H:6 Ø:3 m	💡🟡🟢❄️



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
8	205643	Sapin Abby XL	3D Floorstanding decor	H:7.8 Ø:5.15 m	💡 🟡 🟢 ❄️ 🌀
9	170871	Kit noeuds Abby XL	Accessories		❄️ 🟡
10	205644	Sapin Abby L	3D Floorstanding decor	H:5.75 Ø:3.75 m	💡 🟡 🟢 ❄️ 🌀
11	170868	Kit boules Abby L	Accessories		❄️ 🟡
12	205646	Sapin Abby S	3D Floorstanding decor	H:2 Ø:1.35 m	💡 🟡 🟢 ❄️ 🌀

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
13	170874	Kit noeuds Abby S	Accessories		❄️ 🟡
14	205816*	Demi cône tradi S	3D Floorstanding decor	H:3 W:1 D:0.5 m	💡 🟡 🟢 ❄️ 🌀
15	205818*	Demi cône tradi M	3D Floorstanding decor	H:5 W:1.7 D:0.85 m	💡 🟡 🟢 ❄️ 🌀
16	205817*	Demi cône chic M	3D Floorstanding decor	H:5 W:1.7 D:0.85 m	💡 🟡 🟢 ❄️ 🌀
17	205815*	Demi cône chic S	3D Floorstanding decor	H:3 W:1 D:0.5 m	💡 🟡 🟢 ❄️ 🌀

* NEW


Please note: optional accessories required for installation

Infinity range



**Discover our Infinity creations
by scanning this QR code!**











Carcassonne • France



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204706-24V	Kiosque Infinity	3D Floorstanding decor	H:3 Ø:2.4 m	💡🌈🗨️❄️🌀
2	203902-24V	Ruban Infinity	3D Floorstanding decor	H:5.25 Ø:4.5 m	💡🌈🗨️❄️❄️
3	204788-24V	Crystal M Infinity	3D Floorstanding decor	H:7.8 Ø:5 m	💡🌈🗨️❄️❄️
4	204790-24V	Carrosse Infinity	3D Floorstanding decor	H:3.85 W:5.1 D:3.1 m	💡🌈🗨️❄️❄️
5	203879-24V	Boule M Infinity	3D Floorstanding decor	H:2.1 Ø:2 m	💡🌈🗨️❄️❄️

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	203873-24V	Boule S Infinity	3D Floorstanding decor	H:2.1 Ø:1.8 m	💡🌈🗨️❄️❄️
7	203847-24V	Sapin Infinity	3D Floorstanding decor	H:6.7 Ø:3.2 m	💡🌈🗨️❄️❄️
8	203713-24V	Alya	3D Floorstanding decor	H:5 Ø:3 m	💡🌈🗨️❄️❄️
9	203836-24V	Cadeau Infinity	3D Floorstanding decor	H:3.8 W:3.75 D:3.75 m	💡🌈🗨️❄️❄️
10	203868-24V	Sphère S infinity	3D suspension	Ø:0.5 m	💡🌈🗨️❄️❄️



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
11	203834-24V	Spirale Infinity	3D Floorstanding decor	H:5.2 W:8.4 D:5.2 m	💡🌈❄️
12	203722-24V	Renne fantastique	3D Floorstanding decor	H:6 W:5.2 D:4.3 m	💡🌈🏠❄️
13	203835-24V	Etoile Infinity	3D Floorstanding decor	H:5.2 W:7.85 D:4 m	💡🌈❄️
14	203900-24V	Charmil Infinity B	3D Floorstanding decor	H:2.5 W:1.2 D:0.85 m	💡🌈🟩❄️
15	203857-24V	Cône Infinity	3D Floorstanding decor	H:4.8 Ø:3.2 m	💡🌈❄️
16	203899-24V	Charmil Infinity A	3D Floorstanding decor	H:2.5 W:1.2 D:1 m	💡🌈🟩❄️

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	203901-24V	Charmil Infinity C	3D Floorstanding decor	H:2.5 W:1.2 D:1 m	💡🌈🟩❄️
18	203890-24V	Boule déco Infinity	3D Floorstanding decor	H:3 W:1.5 D:1.4 m	💡🌈🏠❄️
19	205312	Fontaine E-Deco	3D Floorstanding decor	H:2.5 Ø:3.73 m	💡🌈🏠❄️
20	203884-24V	Boule L Infinity	3D Floorstanding decor	H:3 Ø:3 m	💡🌈🏠❄️
21	203870-24V	Sphère L infinity	3D suspension	Ø:1 m	💡🌈❄️
22	203869-24V	Sphère M infinity	3D suspension	Ø:0.7 m	💡🌈❄️

Installation

All our decorations are made with 100% LED.

They come with power cables, but without bulbs or satilights.
All our floorstanding 3D decorations are wired in SELV.






FASTENING ACCESSORIES FOR ACROSS STREET

ACCROSS STREET


REF.	DESCRIPTION	COMPOSITION
113010	Wall/wall kit (for Ø 6 mm cable)	2 capstan screws M12, 2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 wall plates - Kits delivered without cable
113020	Wall/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 1 post plate + 1 wall plate + 2 capstan screws - Kits delivered without cable
113030	Lamp column/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 post plates + 2 capstan screws M12 - Kits delivered without cable
031855	Wall plate	Supplied by unit
031852	Capstan screws	1 ring, 1 screws de 12 x 20 mm
100504	Tensioner	Supplied by unit - 235 kg maxi
031895	Alpine karabiners 100 mm	Supplied by 10, Ø 10 mm
122900	Shackles	Supplied by 10 for 6 mm cable
101500	Cable grips 6 mm	Supplied by 10
060726	Steel cable 4 mm (sleeve at 6 mm)	Length 100 m - 1 260 kg maxi. break load
100503	Shackles	Supplied by 10
031990	Fastening kit	1 nut, 1 washer, 1 capstan screw M12, 1 alpine karabiner 100 mm - 930 kg max.



113010



113020



113030



031855

031852

100504

031895

122900



101500

060726

100503

031990

SUSPENSIONS

REFERENCE	DESCRIPTION	COMPOSITION
032197	Rapid fix clip	1 self-locking system, 1 Gripple, 1 M10 tip fillet, 2 nuts, 2 Ø 10 mm washers, 1 Ø 2 mm x 1.15 m galvanised cable, 1 flag Key (Griipple). For use with 6 mm galvanised cable (sleeved or unsleeved) - 45 kg max
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor
032198	Suspension clip	1 self-locking system, 1 Ø 65 mm galvanised cable ring Ø 2 mm For use with 6 mm galvanised cable (sleeved or unsleeved). 45 kg maxi.



032197



050768 / 050769



051039



032198



Bordeaux • France


FASTENING ACCESSORIES FOR LAMP COLUMN

Assemble in 3 stages :


- Choose a bracket according to the decoration width.
- Plan the hanging kit.
- Plan on the metal band and the clips.

BRACKETS

REFERENCE	DESCRIPTION	COMPOSITION
792001	Aluminium bracket 1 m	Supplied by unit - Maximum load 10 kg
792101	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 10 kg
792201	Aluminium bracket 2 m	Supplied by unit - Maximum load 10 kg
032289	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 40 kg



792001 / 792101 / 792201



032289

SUSPENSIONS

REFERENCE	DESCRIPTION	COMPOSITION
792002	Hanging kit	4 alpine karabiners 60 mm, 2 eye hooks M6, 2 x 1 m chain, 2 washers Ø 6 mm, 2 nuts M6
032233	Suspension Kit M6	1 alpine karabiner 60 mm, 1 eye hook M6, 2 washers, 2 nuts M6
032220	Suspension Kit M10	1 alpine karabiner 100 mm, 2 Ø 10 mm washers, 2 nuts M10, 1 eye hook M10x70 mm
101640	Chain with soldered links	Length 1 m - 164 kg maxi
031894	Alpine karabiners 60 mm	Supplied by 10, Ø 6 mm



792002



032233 / 032220



101640



031894

STRAPS

REFERENCE	DESCRIPTION	COMPOSITION
032180	Strap	L 1 m x l 25 mm - Thickness : 2 mm -Tensioner included - 1 600 kg max
032361	Pliers for metal necklace	Pliers for metal necklace - Supplied by unit
032362	Metal necklaces	L 831 mm x l 19 mm - Supplied by 50



032180



032361



032362

PROTECTION AND SAFETY

REFERENCE	DESCRIPTION	COMPOSITION
722101	Support for concrete post	H 100 mm x W 300 mm - L element, shaped, suitable for any concrete post
032370	Silenbloc	Can be added to conventional attachments in the event of strong wind. Maximum load 10 kg
060637	Post plate protection	One side self-adhesive rubber foam strip - W 10 m x l 19 mm



722101




032370



060637


RAPID FIX SYSTEM



REFERENCE	DESCRIPTION	COMPOSITION
032242	4 sides Rapid Fix	4 plates with protection, 4 fastening parts, 4 washers, 8 nuts M10, 4 screws HM10x70, 8 washers Ø 10, 4 screws HM10x110
032094	Rapid Fix	1 plate, 1 fastening parts, 1 washer, 2 nuts M10, 1 screws HM10x70, 2 Ø 10 mm washers
032235	Wall plate Rapid Fix	1 plate, 1 fastening parts, 1 washer, 1 nut M10
032341	Multiple sides plate	Use to install a decoration in 4 or 8 sides, without a central pole.
370065*	Multiple sides plate	Use to install a decoration in 3 or 6 sides, without a central pole.


The 4-sided Rapid Fix is suitable for cylindrical, hexagonal, or octagonal lamp columns with a diameter ranging from 100 mm to 200 mm. For other types of lamp columns, please contact us.

Plate to fix on the pole with the metal band




032094

Plate to fix on the pole with screws provided




032242



032235



032341



370065



Aix en Provence • France

GRID CONNECTION

REF.	DESCRIPTION	COMPOSITION
300038	Extension cable B+T	Bipolar + ground extension cable L 5 m - IP 44 Cable 3G1.5 mm² H07RNF black - 16 A max.
300039	Octopus B+T	Bipolar + ground octopus extension lead : 1 male end, 3 female ends. L 0.80 m - IP 44 Cable 3G1.5 mm² H07RNF black - 16 A max.
059556	Angled connector cable	Cable with angled female connector for lamp column with connecting cable with bared end. L 6 m - ID 68 - Cable 3G1.5 mm² H07RNF black - 20 A max.
059557	Cap for female connector	Cap for female connector, black with safety lead.
059558	Connecting cable L 2 m	Male cable with connecting cable with bared.

All Leblanc Illuminations decorations are delivered with power supply cables. You can find our various cables and accessories on the Plug & Light section p(266)



059556



059557



059558



300038




300039

* NEW

FASTENINGS FOR CIRCULAR DECORATIONS ON LAMP COLUMNS

REFERENCE	DESCRIPTION	COMPOSITION
031937	Simple crown Ø 600 mm	For pole Ø between 60 and 200 mm maximum.
031938	Simple crown Ø 800 mm	For pole Ø between 60 and 200 mm maximum.
031939	Crown extension Ø 600 mm	For pole Ø between 60 and 200 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031940	Crown extension Ø 800 mm	For pole Ø between 60 and 350 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031941	Big simple crown Ø 2 m	For pole Ø between 60 and 350 mm maximum.
031942	Big simple crown Ø 4 m	For pole Ø between 60 and 350 mm maximum.





Bar le Duc • France

WEIGHT AND PACKING

REFERENCE	DESCRIPTION	COMPOSITION
600595	Gold oval steel plate	Mounting base. L 190 x l 90 cm. 100 Kg. Gold. Provide 1 ref.370014 per plate.
600596	White oval steel plate	Mounting base. L 190 x l 90 cm. 100 Kg. White. Provide 1 ref.370014 per plate.
600738	Black circular steel plate	Mounting base. Ø 80 cm. 39 Kg. Black. Provide 1 ref.370014 per plate.
600700	Black rectangular steel plate	Mounting base. L 100 x l 33 cm. 26 Kg. Black. Provide 1 ref.370014 per plate.
370014	Steel plate screws	4 slings + screws - One Ref.370014 per steel plate.
300003	Square concrete pad - grey	Concrete pad - H 170 x W 700 mm - 200 Kg
300004	Sling	Sling for lifting of concrete pad 700x700, 1.2T max
032241	Concrete pad fastening kit	4 threaded studs M24, 8 nuts M24, 8 washers M24 Enables to set a pole on one or more blocks ref.032392 or ref.300003
032327	Rectangular concrete pad	H 170 x W 200 x D 400 mm - 28 kg - Grey
370127	Stake / Peg	Set of 4 - W 500 mm
550495	Fastening line	Set of 10 - W 600 mm
550496	Securing tool kit	Driving tool, mandrin, laying plate and bracket
001949	Storage rack	Effective dimensions : W 1.78 x D 0.96 m
001948	4 candles	Height : 1.68 m

The mooring line is strong, economical and quick to install.

Specially designed for stony ground, it avoids all the disadvantages of traditional anchoring systems.



CREAFX FLEXIBLE BARS

REFERENCE	DESCRIPTION	LARGEUR	LONGUEUR
032275	Set of 4 Creafix bars	0,05 m	0,95 m
032274	Set of 10 multipurpose sliders for Creafix bars	-	-
059986	Threaded end for Creafix bars (2 ends + 1 threaded stud)	-	-
050475	Connector for Creafix flexible bar	-	-




Patented system

- Flexible mounting system for decorative lighting and/or items to be hanged.
- Quicker, easier installation.
- Makes it easy to lay Plug & Light cables.
- Invisible cables.
- Sturdy.
- Can be used to create curtains, canopies and innovative shapes.



INDOOR FASTENINGS ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
100117	Spring double hook	Supplied by 50 - Perfect for attaching Xmas balls on motives (Ø 30 cm max)
100118	Chain	L 25 m - Maximum load 35 kg - Adaptable height
100119	Hooks C shape	Supplied by 100 - Quick and discreet fixing of hanging kits
100120	Hooks 8 shape	Supplied by 100 - For every hanging kit
401667	White barrier	Supplied by unit - White lacquered - W 1 x H 0.70 m
032358	Water bag	Perfect to stabilize floorstanding decorations without drilling (filled: 38 Kg)



401667



FAULT-DETECTING SWITCH

FAULT-DETECTING PROTECTION CASE

REFERENCE	DESCRIPTION
010011	Fault-detecting protection case with manual reset



010011

- 1 bipolar plug + earth
- 30 mA circuit breaker
- 10 A fuse holder
- 1 earth terminal

ENERGY SAVER

REFERENCE	DESCRIPTION
010014	Energy saver



010014

- Enables stopping and restarting the illuminations in predefined periods : 7h stop after power, reset 6h (steady) after stopping.
- Automatic disconnection, automatic reset (guide UTE NF C17-210).
- 10 A - 2300 W - 300 mA.
- This product is designed to be mounted directly on plexo box sets, by yourself or in our factory.

IP54 ANIMATION CONTROLLERS

ANIMATION CONTROLLERS

REFERENCE	DESCRIPTION
105000	Flasher 1 x 5 A - Flasher with adjustable frequency
205000	Flasher 2 x 5 A - Flasher with adjustable frequency
010001	4 channels controller 5A - 10 programmes with adjustable frequency (from P0 to P9)
059708	2 channels controller with rectifier



Controller



Flasher

Programs :

- Coming and going between the two directions.
- Flashing between the two directions.
- Alternate blinking between the two directions, then simultaneous.
- Alternate flashing between the two directions, then simultaneous.

4 channels controller programs :

- P0 : scrolling
- P1 : P0 + Flash
- P2 : stacking
- P3 : P2 + Flash
- P4 : reverse scrolling
- P5 : P4 + Flash
- P6 : forward / back
- P7 : stacking / unstack
- P8 : reverse forward / back
- P9 : clignotement 1/2 et 3/4
- PA : P0+P2+P4+P1+P3
- PB : P5+P6+P7+P8+P9
- PC : flashing 1/2 and 3/4
- PD : PC + flash
- PE : 4 forward / back + flash
- PF : alternating scrolling

CABLE GLAND

REFERENCE	DESCRIPTION
031858	Cable gland - 1 seal and 1 nut



031858



FROM FRANCE WITH LOVE

Leblanc illuminations designs, manufactures and hand-builds decorations in-house to create a bespoke scheme for your place. We use high-quality materials and energy-efficient LED lights, which helps customers meet environmental and sustainable commitments.

We are operating as a Carbon Neutral Company throughout our global operations and are proud to be the most certified company in our sector.

Social Value is part of our everyday activity. We are a responsible and ethical company which has a positive impact on the world around it and treats its employees, suppliers and customers with respect.

We look forward to working with you on your next scheme, whether it's for Christmas or a seasonal display!





-  Connectable
230V Plug & Light
-  Connectable
24V Plug & Light
-  DMX changing colour
-  Optima range
-  Steady
-  Glittering
-  Flash / Crackling
-  Chasing
-  Flame effect
-  Confetti effect
-  SMD LED
-  Indoor only
-  International Protection
-  LED colour
-  Cable colour
-  New product

Lighting Solutions

FESTOON LIGHTS



TIMELESS AND WARM...

String lights illuminate spaces all year round, both indoors and outdoors.

Chromex by Leblanc illuminations, a long-standing manufacturer of string lights since 1943, continues this renowned French expertise in professional decorative lighting.



TRADITIONAL FILAMENT FESTOON LIGHTS


230V

P&L
230V IP44 ● DC

REF.	LGT.	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551137	20 m	40 ∅	40 ○ filament	—	22 W	100 m
551138	20 m	40 ∅	40 ○ filament	—	22 W	100 m

LED filament. Extendable.


Transparent polycarbonate globes Ø 45 mm, unbreakable. Non-removable bulbs. Traditionnal effect. One filament per globe.



Requires a rectified power cable.

P&L
230V IP44 ● AC

REFERENCE	LGT.	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551081	5 m	10 ∅	10 ○ filament	—	4 W	100 m
551082	5 m	10 ∅	10 ○ filament	—	4 W	100 m
551083	5 m	10 ∅	10 ○ filament	—	4 W	100 m
551084	5 m	10 ∅	10 ○ filament	—	4 W	100 m
551085	5 m	10 ∅	10 ●●●●● filament	—	4 W	100 m



Ref. 551085 : 2 red, 1 blue, 2 green, 1 violet, 1 orange, 1 pink and 2 yellow filaments.




TRADITIONAL FESTOON LIGHTS

230V

P&L
230V IP44 ● AC

REF.	LGT.	GLOBES	EFFECT	NB LED	LED	CABLE	P. / 230V	EXTEND.
550634	5 m	10 ○	milky	60	○	—	5 W	100 m
550635	5 m	10 ○	milky	60	○	—	5 W	100 m
051026	5 m	10 ∅	filament	60	●●●●●	—	4 W	100 m
051072	5 m	10 ∅	filament	60	●●●●●	—	4 W	100 m



Filament or milky effect.

Unbreakable polycarbonate globes. Non-removable bulbs. Traditionnal effect.

Ref.051026 et 051072 : 3 red, 2 blue, 3 green and 2 yellow bulbs.



Milky effect

Filament effect



Versailles, Guinguette Open Air • France



E27 JAVA FESTOON LIGHTS

230V


P&L
230V

IP44

●

AC

REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. BULB	EXTEND.
550300	5 m	10 A60	10 E27	○	—	2.5 W / 44 mA	100 m
550472	5 m	10 A60	10 E27	●	—	2.5 W / 44 mA	100 m
550299	5 m	10 A60	10 E27	●●●●●	—	2.5 W / 44 mA	100 m



Extendable festoon light, supplied with plug and bulbs.
E27 LED bulbs Ø 60 mm. Sockets equipped with seals. Fastening rings included. Ref.550299 : 2 red, 2 blue, 2 green, 2 violettes and 2 yellow bulbs.


P&L
230V

IP44

●

AC

REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551070	5 m	10 E27	—	2 x 1.5 mm²	15 W max	100 m
551069	5 m	10 E27	—	2 x 1.5 mm²	15 W max	100 m



Extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals. Fastening rings included.

E27 JAVANESE FESTOON LIGHTS WITHOUT BULBS


230V

P&L
230V

IP44

AC

REFERENCE	DIMENSIONS	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551075	H 0.35 x W 5 m	10 E27	—	2 x 1.5 mm²	15 W max	100 m



Extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals. 10 falls of different heights. Fastening rings included.




E27 FESTIVAL FESTOON LIGHTS

230V



REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P./230 V	EXTEND.
550161*	3.5 m	10 G45	10 E27			13 W	100 m
550162*	3.5 m	10 G45	10 E27			5 W	100 m



Extendable festoon light, supplied with plug and bulbs.

E27 LED bulbs (Ø 45 x H 65 mm) in unbreakable polycarbonate. Sockets equipped with seals and 4 fastening rings. Round rubber cable.

Ref.550162 : 3 red, 2 blue, 2 green and 3 yellow bulbs.





E27 FESTIVAL FESTOON LIGHTS WITHOUT BULBS

230V



REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551071*	5 m	10 E27		2 x 1.5 mm ²	15 W max	100 m
551072*	5 m	10 E27		2 x 1.5 mm ²	15 W max	100 m
550236	10 m	20 E27		2 x 1.5 mm ²	15 W max	100 m
551074*	10 m	20 E27		2 x 1.5 mm ²	15 W max	100 m
551077*	20 m	60 E27		2 x 1.5 mm ²	15 W max	100 m



Extendable festoon light, supplied with plug, without bulbs.

Sockets equipped with seals and 4 fastening rings. Round rubber cable.



E27 FESTOON LIGHTS TO ASSEMBLE

230V



FLAT CABLE FESTOON LIGHT TO ASSEMBLE

REFERENCE	DESCRIPTION	LGT.	COL.	P. / 230 V
057032NRB	Flat cable H05RNH2F 2 x 2.5 mm ²	100 m	—	5000 W max
059763	100 E27 sockets	—	—	25 W max
059838	100 seals for E27 sockets	—	—	—
058260	10 protective end caps	—	—	—



For professional use only.

These festoon lights can be assembled according to your requirements with a 100 m cable roll and 200 sockets maximum (100 pieces in a box). Use non-removable screws.



E27 SOCKET SUSPENSION

230V

P&L
230V

IP44



AC

REFERENCE	LGT.	SOCKET	CABLE	SECT° CABLE	P. SOCKET
550180	1.50 m	E27	—	2 x 1.5 mm ²	15 W max

**Perfect as suspensions
in a tree or ceiling lights.**

Suspension supplied without bulb.
Requires an unrectified power cable.




B22 FILAMENT FESTOON LIGHTS

230V



REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. / 230 V	EXTEND.
551274	10 m	10 ST45	10 B22			22 W	100 m



Extendable festoon light, supplied with plug and bulbs.


Optimised B22 2 LED filament bulbs (Ø 45 x H 80 mm) in unbreakable polycarbonate. Sockets equipped with seals. Round rubber cable.

B22 FESTOON LIGHTS

230V



REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. / 230 V	EXTEND.
551273	10 m	10 G45	10 B22			14 W	100 m



Extendable festoon light, supplied with plug and bulbs.


Optimised B22 3 LED bulbs (Ø 45 x H 65 mm) in unbreakable polycarbonate. Sockets equipped with seals. Round rubber cable.

B22 COLOURED FESTOON LIGHTS

230V



REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. BULB	EXTEND.
059783	10 m	10 G45	10 B22			0.5 W	No



Non-extendable Festoon light supplied with plug and bulbs.

Ref. 059783 : 3 red, 2 blue, 2 green and 3 yellow bulbs.

Sockets equipped with seals.





B22 FESTOON LIGHTS WITHOUT BULBS

230V

P&L
230V


IP44

●

AC

★
NEW

REFERENCE	LGT.	SOCKETS	CABLE	SECT* CABLE	P. SOCKET	EXTEND.
551398*	10 m	30 B22	—	2 x 1.5 mm ²	15 W max	100 m



Extendable festoon light, supplied with plug, without bulbs.

Sockets equipped with seals and 4 fastening rings. Round rubber cable.




B22 FESTOON LIGHTS WITHOUT BULBS

230V

IP44 **●** **AC**

REFERENCE	LG.T.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
058772	9 m	20 B22	—	2 x 1.5 mm ²	15 W max	No
058776	15 m	40 B22	—	2 x 1.5 mm ²	15 W max	No




Non-extendable festoon light, supplied with plug, without bulbs.

Sockets equipped with seals.

230V

IP44 **●** **AC**

REFERENCE	LG.T.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
058785	50 m	140 B22	—	2 x 1.5 mm ²	15 W max	No
058828	50 m	200 B22	—	2 x 1.5 mm ²	15 W max	No
058810	100 m	100 B22	—	2 x 1.5 mm ²	15 W max	No
058811	100 m	200 B22	—	2 x 1.5 mm ²	15 W max	No
058242	100 m	300 B22	—	2 x 1.5 mm ²	15 W max	No



Non-extendable festoon light, supplied without plug nor bulbs.

Sockets equipped with seals.

ACCESSORY

REFERENCE	DESCRIPTION
050989	100 black seals for B22 sockets

B22 FESTOON LIGHTS TO ASSEMBLE

230V

● **AC**

FLAT CABLE FESTOON LIGHT TO ASSEMBLE

REFERENCE	DESCRIPTION	LG.T.	COL.	P. / 230 V
057032NRB	Flat cable H05RNH2F 2 x 2.5 mm ²	100 m	—	4600 W max
031873	100 B22 sockets	-	—	15 W max
058965	100 seals for B22 sockets	-	—	-
058260	10 protective end caps	-	—	-


● **AC**

SINGLE WIRE FESTOON LIGHTS TO ASSEMBLE

REFERENCE	DESCRIPTION	LG.T.	COL.	P. / 230 V
060255NR	Single wire H05RN-F 1.5 mm ²	300 m	—	3680 W max
070008BL	100 B22 sockets	-	—	15 W max
059546	100 seals for B22 sockets	-	—	-



For professional use only.


These festoon lights can be assembled according to your requirements with a 100 m cable roll and sockets (100 pieces in a box). Use non-removable screws.



BULB LIGHTS




What are the differences between E27 and B22 bulbs?



E27 and B22 bulbs differ in their base type. The E27, with its 27 mm screw base, is the most commonly used model. The B22, on the other hand, has a 22 mm bayonet base.

What are the differences between A60, G45, G50 and ST45 bulbs?

These bulbs differ in size and shape. The A60, with its 60mm diameter, adopts a classic pear-shaped silhouette, ideal for Java or Javanaise style garlands. The more compact G45 (45mm) has a globe shape, ideal for garlands or light displays. The G50, with a diameter of 50mm, offers a slightly larger globe shape, ideal for decorative and vintage lighting. Finally, the ST45, also 45mm in diameter, adopts an elongated Edison-type shape, perfect for warm, designer lighting.



All our bulbs are 100% LED.

What is an optimised bulb?

Our optimised bulbs are designed to maximise energy efficiency while guaranteeing outstanding visual performance.

They combine energy savings, durability and respect for the environment, without compromising on luminosity.

E27 BULBS A60 FILAMENT



REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
551078	5 bulbs	E27	60 mm	2	Ø	2 W




Filament LED.
Large size bulbs,
very high luminosity.

Set of 5 bulbs, transparent polycarbonate globe.
Coloured packaging.

 **Optimised
SMD LED bulbs**


The power displayed corresponds
to the real power consumption.



E27 BULBS A60 WARM COLOURS



REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
551079	5 bulbs	E27	60 mm	5	5	2.5 W



Large size bulbs,
very high luminosity.

Set of 5 bulbs, tinted polycarbonate globe. Warm colours:
1 red, 1 violet, 1 orange, 1 pink and 1 yellow bulb).
Coloured packaging.



551079

 **Optimised
SMD LED bulbs**

The power displayed corresponds
to the real power consumption.



E27 BULBS A60

IP44/
IP20 SMD LED ● AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
550473	1 bulb	E27	60 mm	11 ○	○	2.5 W - 44 mA
551142	1 bulb	E27	60 mm	5 ●	○	2.5 W
551145	1 bulb	E27	60 mm	5 ●	●	2.5 W
551144	1 bulb	E27	60 mm	5 ●	●	2.5 W
550475	1 bulb	E27	60 mm	5 ●	●	2.5 W
551147	1 bulb	E27	60 mm	11 ●	○	2.5 W - 44 mA
550478	1 bulb	E27	60 mm	11 ●	○	2.5 W - 44 mA



Large size bulbs, very high luminosity.
Tinted polycarbonate bulb.



E27 AND B22 BULBS DIMMABLE ST45 FILAMENT

IP44/
IP20 SMD LED ● AC ★ NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
551397*	5 bulbs	E27	45 mm	2 ●	○	2 W
551396*	5 bulbs	B22	45 mm	2 ●	○	2 W

Dimmable SMD LED filament.
Set of 5 bulbs, transparent polycarbonate globe.
A dimmer switch is required.




Optimised SMD LED bulbs

The power displayed corresponds to
to the real power consumption.



ACCESSORY

REFERENCE	DESCRIPTION
551399*	Dimmer switch 500W + remote control



Compatible with our P&L 230V products.

E27 BULBS G45 FILAMENT

IP44/
IP20



AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
550167	20 bulbs	E27	45 mm	1	○	3.22 W - 14 mA
550775	20 bulbs	E27	45 mm	1	○	1.4 W - 6 mA
550210	20 bulbs	E27	45 mm	1	○	3.22 W - 14 mA

Filament LED.

Set of 20 bulbs, transparent polycarbonate globe.
Ref.550210 : 5 red + 5 blue + 5 green + 5 yellow bulbs.



E27 BULBS G45

IP44/
IP20

SMD
LED



AC

NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
550190*	5 bulbs	E27	45 mm	3	○	1.3 W
550191*	5 bulbs	E27	45 mm	3	○	1.4 W
551080	5 bulbs	E27	45 mm	3	○	1.3 W

High brightness SMD LED.

Set of 5 bulbs, white or tinted polycarbonate globe.
Ref.550191 : 2 red, 1 blue, 1 green and 1 yellow bulb.
Ref.551080 : 1 red, 1 violet, 1 orange, 1 pink and 1 yellow bulb. Coloured packaging.



551080



Optimised SMD LED bulbs

The power displayed corresponds to the real power consumption.



E27 BULBS FLAME



REFERENCE	DESCRIPTION	CAP	DIAMETER	HEIGHT	NB LED	GLOBE	P. / 230 V
550122	1 bulb	E27	60 mm	134 mm	96	○	4.4 W - 38 mA



The flame will always burn upwards, no matter which way up you use the bulb.

White polycarbonate globe.
Works on 120V to 230V.
P. / 120V: 4.4 - 69 mA.



Watch the animation

AMPOULE E27 SUPER FLASH



REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
050857	1 bulb	E27	45 mm	18	○	2 W - 7 mA

Works on 120V to 230V.
Approximately 30 flashes/minute on 120 V.
Approximately 45 flashes/minute on 230 V.



E27 BULBS CANDLE



REFERENCE	DESCRIPTION	CAP	HEIGHT	NB LED	P. / 230 V
551376*	1 bulb	E27	25 cm	40	2.5 W



Flame effect candle bulb.

White and transparent polycarbonate body.



Watch the animation





Courtenay • France

B22 BULBS G50

IP44/
IP20 SMD LED ● AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050992	1 bulb	B22	50 mm	18 ○	○	1.8 W - 27 mA
551149	1 bulb	B22	50 mm	5 ●	○	2 W
551151	1 bulb	B22	50 mm	5 ●	○	2 W



High brightness SMD LED.

White polycarbonate globe.
works on 120V to 230V.

B22 BULBS G50 SPHERES

IP44/
IP20 SMD LED ● AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050744	1 bulb	B22	50 mm	32 ●	○	2 W - 20 mA
050745	1 bulb	B22	50 mm	32 ○	○	2 W - 20 mA



High brightness SMD LED.

White polycarbonate globe.

B22 BULBS G45 FILAMENT

IP44 /
IP20



AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
550166	20 bulbs	B22	45 mm	1		3.2 W - 14 mA
551290	20 bulbs	B22	45 mm	1		3.2 W - 14 mA
550201	20 bulbs	B22	45 mm	1		3.2 W - 14 mA
550203	20 bulbs	B22	45 mm	1		3.2 W - 14 mA
550205	20 bulbs	B22	45 mm	1		3.2 W - 14 mA
550207	20 bulbs	B22	45 mm	1		3.2 W - 14 mA
550209	20 bulbs	B22	45 mm	1		3.2 W - 14 mA



Filament effect.

Set of 20 bulbs, transparent polycarbonate globe.
Ref.550209 : 5 red, 5 blue, 5 green et 5 yellow bulbs.



B22 BULBS G45

IP44 /
IP20

SMD
LED



AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050883	20 bulbs	B22	45 mm	3		0.5 W - 24 mA
550933	20 bulbs	B22	45 mm	3		1.4 W
050884	20 bulbs	B22	45 mm	3		0.5 W - 24 mA
050885	20 bulbs	B22	45 mm	3		0.5 W - 24 mA
050887	20 bulbs	B22	45 mm	3		0.5 W - 24 mA
050888	20 bulbs	B22	45 mm	3		0.5 W - 24 mA
550937	20 bulbs	B22	45 mm	3		1.4 W



High brightness SMD LED.

Set of 20 bulbs, tinted polycarbonate globe.

IP44 /
IP20



AC

NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050178*	5 bulbs	B22	45 mm	3		1.4 W
059828*	5 bulbs	B22	45 mm	3		1.4 W



Set of 5 bulbs, white polycarbonate globe.
Ref.059828 : 2 red + 1 blue + 1 green + 1 yellow bulb.




B22 BULBS G45 COLOUR-CHANGING



REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
059080	4 pre-programmed bulbs	B22	50 mm	14		1.5 W - 47 mA

Changing colours animation.

Tinted polycarbonate globe. Works on 120V to 230V.
14 synchronised animations, without animator.



Watch the animation



B22 BULBS FLAME



REFERENCE	DESCRIPTION	CAP	DIAMETER	HEIGHT	NB LED	GLOBE	P. / 230 V
550087	1 bulb	B22	60 mm	134 mm	96		4.4 W - 38 mA



**The flame will always burn upwards,
no matter which way up you use
the bulb.**

White polycarbonate globe.
Works on 120V to 230V.
P. / 120V: 4.4 - 69 mA.



Watch the animation



B22 BULBS SUPER FLASH



REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
550235	1 bulb	B22	45 mm	6	○	5 W - 20 mA

Works on 120V to 230V.
Approximately 30 flashes/minute on 120 V.
Approximately 45 flashes/minute on 230 V.



B22 BULBS FLASH



REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
051289	1 bulb	B22	45 mm	4	○	0.9 W - 5 mA
051266	1 bulb	B22	45 mm	4	○	0.9 W - 5 mA
059905	1 bulb	B22	45 mm	4	●	0.9 W - 5 mA
051268	1 bulb	B22	45 mm	4	●	0.9 W - 5 mA
051267	1 bulb	B22	45 mm	4	●	0.9 W - 5 mA



High brightness SMD LED.

Approximately 45 flashes/minute on 230 V.



REFERENCE	DESCRIPTION	DIAMETER	NB LED	GLOBE	CABLE	P. / 230 V
050761	1 bulb	40 mm	24	○	—	0.8 W - 3.5 mA
050762	1 bulb	40 mm	24	○	—	0.8 W - 3.5 mA

High brightness SMD LED.

Suitable for garlands with B connector.
Approximately 60 flashes/minute.
Works on 120V to 230V.



CONNECTOR BULBS FLASH

TWINKLY PRO RANGE

twinkly™ PRO



Discover
breathtaking
animations.



This is a major innovation in the lighting industry.

100% LED and point-to-point controllable,

Twinkly Pro represents the most significant technological advancement in the lighting decoration market in recent years.



Easily find all the products in the Twinkly Pro range thanks to this pictogram.

Module Twinkly Pro Music

This box allows you to precisely synchronise light animations with music to create dynamic and immersive effects.

It enhances Twinkly Pro installations by adding a perfectly coordinated sound dimension to the light shows.


To bring a fully customised project to life, please **don't hesitate to contact us.**

In Saint Jean de Luz, Santa Claus honors the Basque Country and goes in search of the colours of Christmas



There are 3 different types of Twinkly Pro connectors:

- T10 connectors plug together (24V).
- T13 connectors plug together (24V).
- T15 connectors plug together (24V).



Find out more about Twinkly Pro controllers and connectors on the following pages.

SPI and PLC technologies, two complementary solutions



SPI

SPI technology allows LEDs to be controlled point by point via Ethernet or WiFi, with a large number of pixels and scalable installations suitable for large-scale projects. It is ideal for creating complex and perfectly synchronised light shows.



PLC

PLC technology, based on embedded Wi-Fi, offers point-to-point control with simple and flexible implementation.





These two complementary technologies allow your project manager to select the solution best suited to your installation.

CONTROLLABLE MODULES

24V



REFERENCE	DESCRIPTION	LGT.	SPACING	NB MODULES	NB LED	LED	CABLE	P. / 230V
551178	A modules	60 cm	15 cm	5	10	●	≡	10 W
551179	B modules	3.60 m	15 cm	25	50	●	≡	38 W
551180	C modules	1.20 m	30 cm	5	10	●	≡	10 W
551181	D modules	7.20 m	30 cm	25	50	●	≡	38 W



These products require additional connection components and accessories that are essential for their operation. Our teams will assist you in defining the configuration best suited to your project.



Point-by-point controllable modules.


An infinite number of fully customisable effects.

Connect up to 2,000 LEDs per controller via Ethernet. Easily extend your installation by 15 metres by adding a power supply and an Ethernet controller. With Wi-Fi, you can connect up to 750 LEDs per controller. Extend your installation by 9 metres by adding a power supply and a Wi-Fi controller.




CONTROLLABLE CURTAINS

24V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550741	H 4 x W 0.40 m	250			34.5 W
550742	H 4 x W 0.40 m	250			34.5 W
550743	H 4 x W 0.40 m	250			34.5 W




CONTROLLABLE ICICLE LIGHTS

24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550966	H 0.70 x W 5 m	250			34.5 W
550968	H 0.70 x W 5 m	250			34.5 W
550967	H 0.70 x W 5 m	250			34.5 W




CONTROLLABLE STRING LIGHTS

24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
550744	25 m	250			30 W
550745	25 m	250			30 W
550746	25 m	250			25 W
550748	25 m	250			35 W
550749	25 m	250			35 W



These products require additional connection components and accessories that are essential for their operation. Our teams will assist you in defining the configuration best suited to your project.

STRINGS OF LIGHT



The majority of our products are available in both 230V and SELV*.

All our 230V products are rubber-wired to ensure optimal insulation.
All our 24V products are wired with durable PVC (except for the 24V Titan range, which is rubber-wired).

All our products feature 100% LED technology.


For all glittering products, one LED in every five shines with a white glitter effect. For Confetti products, each LED gradually and randomly changes colour.

* SELV: Safety Extra Low Voltage, lower than 50V.

There are 4 different types of connectors Plug & Light:

- A connectors plug together (230V).
- B connectors plug together (230V).
- C connectors plug together (230V).
- D connectors plug together (24V).

For all our products, the specified dimensions do not include connectors.



Optima Range

With its IP67 rating, the Optima range is highly reliable.

Built without a rectifier, the Optima range requires less plastic in its manufacture: One ton of plastic is saved in its design.

Optima also uses approximately 20% less energy, saving four tonnes of CO₂. It requires a non-rectified power cable (ref. 550734 or 550735).



This pictogram makes it easy to identify all the products in the Optima range.

MicroLED range, 3 times brighter.

All our products are made with 100% LED. For all glittering microLED products, every fourth LED is animated.


We advise you to connect microLED products **in parallel rather than in series**, to maximise their extendability. By default, it is the serial value that is noted in the tables.

STRING LIGHTS

230V




REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550885	20 m	200	○	□	13 W	100m
550886	20 m	200	●	□	13 W	100m
550887	20 m	200	●	□	15 W	100m
550888	20 m	200	●	□	13 W	100m
550889	20 m	200	○	■	13 W	100m
550890	20 m	200	●	■	13 W	100m
551020	20 m	200	●	■	13 W	100m
550891	20 m	200	●	■	13 W	100m
550892	20 m	200	●	■	13 W	100m



Requires an unrectified power cable.
For ref. 551020, the glittering LEDs are warm white.




REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550827	20 m	200	●	□	17 W	100m



Requires a rectified power cable ref. 058989BL.
Sold in sets of 12.



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550828	20 m	200	●	□	17 W	100m
550829	20 m	200	●	■	17 W	100m



Includes a rectified power cable.



Cyprus




Sainte Maxime • France

STRING LIGHTS

230V




REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550689	20 m	200	○	—	13 W	100m
550690	20 m	200	○	—	13 W	100m
550691	20 m	200	○	—	13 W	100m
550692	20 m	200	○	—	13 W	100m
550693	20 m	200	●	—	13 W	100m
550694	20 m	200	●	—	13 W	100m
550695	20 m	200	●	—	15 W	100m
550696	20 m	200	●	—	13 W	100m
550698	20 m	200	●	—	13 W	100m
550699	20 m	200	●	—	13 W	100m
550700	20 m	200	●	—	13 W	100m



Requires an unrectified power cable ref.550735.


24V



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
051097	20 m	200	○	—	9 W - 380 mA	80m
051098	20 m	200	○	—	9 W - 380 mA	80m
051099	20 m	200	●	—	9 W - 380 mA	80m
051100	20 m	200	●	—	6 W - 250 mA	80m
051101	20 m	200	●	—	9 W - 380 mA	80m
051103	20 m	200	●	—	9 W - 380 mA	80m
550468	20 m	200	○	—	11.5 W - 240 mA	80m
550469	20 m	200	○	—	9 W - 380 mA	80m
551345	20 m	200	○	—	9 W - 380 mA	80m
551344	20 m	200	●	—	9 W - 380 mA	80m
551343	20 m	200	●	—	9 W - 380 mA	80m



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
051105	20 m	200	○	—	9.5 W - 395 mA	80m
051106	20 m	200	○	—	9.5 W - 355 mA	80m
051107	20 m	200	○	—	9.5 W - 395 mA	80m
051108	20 m	200	●	—	7.5 W - 310 mA	80m
051109	20 m	200	●	—	9.5 W - 395 mA	80m
051111	20 m	200	●	—	9.5 W - 395 mA	80m




P&L 24V range: requires a power supply and transformer.

SPARKLING STRING LIGHTS


230V




REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550568	20 m	140	○	—	17 W	100m
550570	20 m	140	●	—	17 W	100m
550569	20 m	140	○	—	17 W	100m
550656	20 m	140	●	—	17 W	100m



24V



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550556	20 m	140	○	—	7.2 W - 300 mA	80m
550557	20 m	140	●	—	7.2 W - 300 mA	80m



All LED string light sparkle.

P&L 24V range: requires a power supply and transformer.

CLASSIC'LINE STRING LIGHTS

230V




REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550009	20 m	200	●	—	16 W	100m
550016	20 m	200	●	—	16 W	100m



550016

High brightness SMD LED.

All the advantages of SMD LEDs combined with a classic design.
Preprogrammed glittering effect (1/5 LED).



Beverly Hills • U.S.A.

CRACKLING STRING LIGHTS

230V

P&L
230V

IP44/
IP67


DC



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550643	20 m	136			13 W	100m
550644	20 m	136			13 W	100m

The perfect garland to cover tree branches.

Preprogrammed crackling effect (1/5 LED).



Park Ridge • U.S.A.



FLAME EFFECT STRING LIGHTS

24V


P&L
24V

IP65

DC



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550565	20 m	192			4.8 W - 200 mA	80m



Flame effect.

One in every two LEDs twinkles like a candle to create the effect.
Requires a power supply and transformer.

TITAN STRING LIGHTS


24V



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550213	10 m	100	○	—	5.5 W - 229 mA	80m
550214	10 m	100	●	—	5.5 W - 229 mA	80m




REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550211	10 m	100	○	—	5.5 W - 229 mA	80m
550212	10 m	100	●	—	5.5 W - 229 mA	80m



Light strings in black rubber cable, to decorate trees safely.


Preprogrammed glittering effect (1/5 LED).
P&L 24V range: requires a power supply and transformer.




Cyprus

CONFETTI STRING LIGHTS

24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550558	20 m	168			4.1 W - 170 mA	80m




New pastel hues.

Each LED is gradually and randomly colourchanging.
P&L 24V range; requires a power supply and transformer.



AQUARELLE STRING LIGHTS

230V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550315	20 m	200			12 W	100m
550316	20 m	200			17 W	100m
550317	20 m	200			12 W	100m

Garlands in soft pastel colours.

Includes a power cable.



RGB STRING LIGHTS & ROPE LIGHTS REMOTE-CONTROLLED

Change the colour or animation as you wish with a simple remote control.

Choose your colour and pre-programmed animation: glittering, steady, or automatic colour change.

A controller is required before installation to control the garland or rope lights. One remote control can manage all the decorations up to 10 metres.



Consult us for the implementation
of your projects.



230V




REFERENCE	DESCRIPTION	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550222	RGB string light	10 m	100			37 W	3 000 LED

230V CONTROLLER

REFERENCE	DESCRIPTION	CABLE
032376	230V power cable	
550220	230V controller	

Example of 230V cabling plan:




230V Range : requires an unrectified power supply and a controller. Compatible with Plug & Light accessories.

REMOTE CONTROL

REFERENCE	DESCRIPTION
550575	Remote control

RGB STRING LIGHTS & ROPE LIGHTS REMOTE-CONTROLLED

36V

IP44/
IP67 DC

REFERENCE	DESCRIPTION	LGT.	NB LED	LED	CABLE	EXTEND.
550240	RGB string light	10 m	100			350 LED
550241	RGB rope light	30 m	36 LED /m		-	350 LED


36V CONTROLLER

REFERENCE	DESCRIPTION	CABLE
032371	Bipolar power cable + earth	
550239	36V controller	
550242	36V transformer 150W	

ACCESSORIES BEYOND 36V TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE
032367	T-connector	25 cm	
032366	Extend power cable	1 m	
550244	Extend power cable	2 m	
032368	Connector 6 falls	1 m	
032365	Connection rope light to string light	30 cm	
032364	Connection string light to rope light	30 cm	

Example of 36V cabling plan:



36V Range : Requires a power supply cable, a transformer and a controller.
 RGB rope light : 36 LED/m, Ø 13 mm, anti-UV treated, extendable, cuttable every 0.27 m.




REMOTE CONTROL

REFERENCE	DESCRIPTION
550575	Remote control

MICROLED STRING LIGHTS


24V



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550811	10 m	100	○	—	5.5 W - 227 mA	1+3



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550810	10 m	100	○	—	7 W - 290 mA	1+3



Extendable 24V range: find all accessories on p.271.


Reinforced cable. Pre-programmed glittering effect (1/4 LED).

Ideal for indoor or outdoor use. Ivory white LED. Requires a power cable and a 24V transformer. Max length in series: 40m of wire.



MICROLED VOLUME STRING LIGHTS

230V/12V



REF.	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550993	6 m	240	○	—	10 W	No



REF.	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550266	6 m	240	○	—	17 W	No
550267	6 m	240	○	—	17 W	No
550268	6 m	240	●	—	17 W	No

230V/6V




REF.	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550263	3 m	120	○	—	4 W	No
550264	3 m	120	○	—	4 W	No
550265	3 m	120	●	—	5 W	No

MicroLED 3 times brighter.

Suitable for indoor and outdoor use. 40 LED /m, power supply included.

Ref. 550264 & 550267: ivory white LED. Coloured packaging.

Not compatible with 24V P&L.



FIR GARLANDS

230V



REFERENCE LGT. NB LED LED CABLE P. / 230V EXTEND.

551342 2.70 m 200 15 W 1+4


24V



REFERENCE LGT. NB LED LED CABLE P. / 24V EXTEND.

550989 2.70 m 200 7 W - 291 mA 1+3

551350 2.70 m 200 8 W - 334 mA 1+3



Traditional and natural effect.

Ref.551342 and 551350: gold glitter trim and warm white glittering LEDs.

P&L 230V range: requires a rectified or unrectified power supply.


P&L 24V range: requires a power supply and transformer.



551350

FIR RIBBON LIGHTS FOR POLE

24V



REFERENCE LGT. WIDTH NB LED LED MAT P. / 24V EXTEND.


550170 4 m 20 cm 104 4.3 W - 179 mA 80m

550171 4 m 20 cm 104 4.7 W - 195 mA 80m

550548 4 m 20 cm 104 3.8 W - 158 mA 80m

Pole decoration, quick and easy to set up.

Preprogrammed glittering effect (1/5 LED).
Green or silver PVC mat. Suitable for indoor and outdoor use. Requires a power supply and transformer.



CLUSTER LIGHTS





Angers • France



Dunkerque • France

CLUSTER LIGHTS

230V

P&L
230V

IP67

↑
optima


☀

AC



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
551259	1 m	100	☉	—	7 W	1+47
551263	1 m	100	☉	—	7 W	1+47
551251	6 m	600	○	—	35 W	1+7
551249	6 m	600	☉	—	37 W	1+7
551262	6 m	600	☉	—	35 W	1+7

Requires an unrectified power cable ref.550735.



P&L
230V


IP44/
IP67

☀

DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
059914	1 m	100	○	—	7 W	1+47
550651	1 m	100	○	—	7 W	1+47
550653	6 m	600	○	—	42 W	1+7

Includes a rectified power cable.



P&L
230V

IP44/
IP67

☀

DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550925	1 m	100	○	—	10 W	1+47
550926	1 m	100	☉	—	10 W	1+47

Includes a rectified power cable.

Volume effect.

With self-supporting steel cable.
Preprogrammed glittering effect (1/5 LED),
or crackling effect (all the LED crackle).



Watch the animation

CLUSTER LIGHTS



Czech Republic





24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
551369*	2 m	128	○	≡	6 W	1+11
551368*	2 m	128	●	≡	6 W	1+11



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
551367*	2 m	128	●	≡	6 W	1+11



Volume effect.

With self-supporting steel cable.
Preprogrammed glittering effect (1/5 LED).
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and transformer.




551350



FIREWORK CLUSTER LIGHTS

230V




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
551160	1.20 m	120	○	—	21 W
551161	3 m	145	○	—	26 W
550078	1.20 m	120	○	—	21 W
550079	3 m	145	○	—	26 W
550081	5 m	240	○	—	42 W

Burning wick effect animation.

Requires a rectified power cable.
For horizontal use, a steel cable is required.
Unextendable product.



Watch the animation



Bordeaux • France

MICROLED CLUSTER LIGHTS


24V



REFERENCE	LG.T.	NB LED	LED CABLE	P. / 24V
550217	20 m	1600	○ —	12 W - 500 mA



REFERENCE	LG.T.	NB LED	LED CABLE	P. / 24V
550218	20 m	1600	○ —	12 W - 500 mA



MicroLED 3 times brighter.

Pre-programmed glittering effect (1 in every 4 LEDs).
Suitable for indoor and outdoor use. Ivory white LED.
Requires a power cable and 24V transformer. Not extendable in series.



ICICLE LIGHTS



ICICLE LIGHTS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550872	H 0.50 x W 4 m150		○	□	6 W	100m
550873	H 0.50 x W 4 m150		●	□	6 W	100m
550874	H 0.50 x W 4 m150		●	□	4 W	100m
550875	H 0.50 x W 4 m150		●	□	6 W	100m
550877	H 0.80 x W 4 m200		●	□	13 W	100m
550878	H 0.80 x W 4 m200		●	□	9 W	100m
550879	H 0.80 x W 4 m200		●	□	13 W	100m
550880	H 0.80 x W 4 m200		●	□	13 W	100m
550881	H 1.50x L 4 m 300		○	□	13 W	100m
550882	H 1.50x L 4 m 300		●	□	13 W	100m
550884	H 1.50x L 4 m 300		●	□	13 W	100m

Requires an unrectified power cable
ref.550735.



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
059927	H 0.80 x W 4 m200				17 W	1+19
050540	H 1.50 x W 4 m300				26 W	1+12






Includes a rectified power cable.

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550686	H 0.80 x W 4 m200		○	□	12 W	100m
550687	H 0.80 x W 4 m200		●	□	13 W	100m
550688	H 0.80 x W 4 m200		●	□	12 W	100m




Requires an unrectified power cable
ref.550735.

24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
550914	H 0.50 x W 4 m174				8.2 W - 196 mA	80m
550915	H 0.50 x W 4 m174				8.2 W - 196 mA	80m



Preprogrammed glittering effect (1/5 LED).
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and
transformer.



Bruxelles • Belgium

DUALIS ICICLE LIGHTS


230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551403*	H 0.80 x W 4 m	200			14 W	100m



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551402*	H 0.80 x W 4 m	200			14 W	100m



The last two LEDs on each fall are white.
Requires an unrectified power cable ref.550735.




SPARKLING ICICLE LIGHTS

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551172	H 0.80 x W 3.75 m	132			50 W	1+9



Chasing and sparkling effect.

Sparkling effect on the collector cable, chasing effect on the falls. Requires a non-rectified power supply. Extendable in width.




Watch the animation




ASTRELLA ICICLE LIGHTS

24V



REFERENCE	WIDTH	HEIGHT	NB LED	LED	CABLE	P. / 24V	EXTEND.
551400*	3 m	40 cm	240	○	□	33 W - 1370 mA	1+3



Perfect for decorating trees.

High brightness SMD LED. Chasing effect.

5 chasing rope light mini stars on string light. UV-treated PVC. Fastening points included. Requires a power supply cable and transformer.




Watch the animation




ESTRELLO ICICLE LIGHTS

24V



REFERENCE	WIDTH	HEIGHT	NB LED	LED	CABLE	P. / 24V	EXTEND.
551401*	3 m	45 cm	240	○	□	33 W - 1370 mA	1+3



Perfect for decorating trees.

High brightness SMD LED. Chasing effect.

5 chasing rope light mini sparkle on string light. UV-treated PVC. Fastening points included. Requires a power supply cable and transformer.



Watch the animation




STELLIZ STRING LIGHTS

230V



REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V
050793	3 m	180	○	▢	11 W
050795	3 m	180	●	▢	11 W



Radiant animation.

One hook per star. Requires a power supply cable.



Watch the animation




Velaux • France

MINI DROPLIGHTS STRING LIGHTS

230V/12V



REFERENCE	HEIGHT	LGT.	NB LED	LED	DROPLIGHTS	CABLE	P. / 230V	EXTEND.
059805	0.50 m	11 m	144	○	6	▢	9 W	1+5



Snowfall effect.

Garland of 6 droplights synchronised in pairs.
Not compatible with P&L. Includes a power supply cable.




Biot • France

CANDLES ICICLE LIGHT

24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P./24V	EXTEND.
551277	W 5 x H 54 cm	10			9 W - 36 mA	1+6



Flame animation.

10 falls with hanged candles.
360° visibility. Easy to integrate into a ceiling,
or to alternate with icicle lights.
Requires a power supply and transformer.

Laval • France




Watch the animation

ZEF CURTAIN LIGHTS SPARKLE

230V



REFERENCE	WIDTH	HEIGHT	NB LED	LED	CABLE	P. / 230V	EXTEND.
551174	0.9 m	3.60 m	240	○	—	49 W	1+3
551173	0.9 m	3.60 m	240	●	—	49 W	1+3



**Scrolling animation
for your trees and city entrances.**

Chasing and crackling effect. Ready to use.

Curtain light of 4 chasing rope light mini decorations, with self-supporting steel wire. Anti-UV treated PVC. Fastening points included. Requires an unrectified power cable.



Watch the animation



Bordeaux • France

SUR'LINE MINI DECORS ICICLE LIGHTS


230V



REFERENCE	WIDTH	HEIGHT	NB LED	CABLE	P. / 230V	EXTEND.
550018	4 m	1.50 m	690	○	69 W	1+4
550019	4 m	1.50 m	690	●	69 W	1+4

High brightness SMD LED.

With self-supporting steel cable. Ref.550018 : ivory white LED. Includes a power supply cable.




TRADITIONAL FILAMENT ICICLE LIGHTS

230V

P&L
230V IP44 ● DC

REF.	DIMENSIONS	GLOBES	NB LED	CABLE	P./230V	EXTEND.
551139	H 0.80 x W 4 m 30	30	● filament	—	10 W	1+24



LED filament. Extendable.

Transparent unbreakable polycarbonate globes Ø 45 mm.
Non-removable bulbs. Traditionnal effect. One filament
per globe.

LIGHT NETS & CURTAIN LIGHTS



LIGHT NETS

230V


P&L
230V

IP66


optima



AC



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551311	H 3 x W 2 m	384	○	□	24 W	1+13
551313	H 3 x W 2 m	384	●	□	24 W	1+13
551312	H 3 x W 2 m	384	○	■	24 W	1+13
551314	H 3 x W 2 m	384	●	■	24 W	1+13




Drape your light net over your outdoor and indoor spaces: trees, bushes, trunks, columns, cabins... as well as in windows, on awnings, decorations, etc.

Preprogrammed glittering effect (1/5 LED).

Nets are expandable in width. Very low energy consumption.

Requires an unrectified power cable ref.550735.



CURTAIN LIGHTS

230V





REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550851	H 1.5 x W 2 m	360	○	□	17 W	1+39
550852	H 1.5 x W 2 m	360	●	□	20 W	1+39
550853	H 1.5 x W 2 m	360	●	□	22 W	1+39
550854	H 1.5 x W 2 m	360	●	□	20 W	1+39
550855	H 3 x W 2 m	540	○	□	19 W	1+24
550856	H 3 x W 2 m	540	●	□	25 W	1+24
550857	H 3 x W 2 m	540	●	□	35 W	1+24
550858	H 3 x W 2 m	540	●	□	25 W	1+24
550860	H 5 x W 2 m	900	○	□	50 W	1+12
550861	H 5 x W 2 m	900	●	□	50 W	1+12
550862	H 5 x W 2 m	900	●	□	67 W	1+9
550863	H 5 x W 2 m	900	●	□	50 W	1+12
550864	H 7 x W 2 m	1260	○	□	48 W	1+12
550865	H 7 x W 2 m	1260	●	□	50 W	1+12
550866	H 7 x W 2 m	1260	●	□	67 W	1+12
550867	H 7 x W 2 m	1260	●	□	50 W	1+12
550868	H 10 x W 2 m	1800	○	□	103 W	1+5
550869	H 10 x W 2 m	1800	●	□	101 W	1+5
550870	H 10 x W 2 m	1800	●	□	101 W	1+5
550871	H 10 x W 2 m	1800	●	□	101 W	1+5

Requires an unrectified power cable
ref.550735.



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
550831	H 1.5 x W 2 m	360	●	□	29 W	1+11
550832	H 3 x W 2 m	540	●	□	44 W	1+7
550835	H 10 x W 2 m	1800	●	□	144 W	1+1

Includes a rectified power cable.



Reims • France

CURTAIN LIGHTS

230V





REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550668	H 1.5 x W 2 m	150	○	□	11 W	1+27
550669	H 1.5 x W 2 m	150	●	□	11 W	1+27
550670	H 1.5 x W 2 m	150	●	□	11 W	1+27
550671	H 1.5 x W 2 m	150	●	□	11 W	1+27
550672	H 3 x W 2 m	280	○	□	23 W	1+15
550673	H 3 x W 2 m	280	●	□	19 W	1+15
550675	H 3 x W 2 m	280	●	□	23 W	1+15
550676	H 5 x W 2 m	442	○	□	43 W	1+8
550677	H 5 x W 2 m	442	●	□	43 W	1+8
550681	H 7 x W 2 m	598	●	□	36 W	1+6
550682	H 7 x W 2 m	598	●	□	46 W	1+6
550683	H 7 x W 2 m	598	●	□	46 W	1+6
550685	H 10 x W 2 m	858	●	□	36 W	1+5

Requires an unrectified power cable
ref.550735.



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550042	H 3 x W 2 m	280	●	□	28 W	1+15
550046	H 5 x W 2 m	442	●	□	40 W	1+6
550045	H 5 x W 2 m	442	●	□	40 W	1+6
550047	H 7 x W 2 m	598	○	□	50 W	1+6
550537	H 10 x W 2 m	858	○	□	53 W	1+5

Includes a rectified power cable.



Curtain lights: Ideal for facades & across street.


Preprogrammed glittering effect (1/5 LED).
Extendable curtain lights. Very low energy consumption.
Height max 100 m for height-extendable curtains.




Villeneuve-sur-Lot • France

CURTAIN LIGHTS

24V




REFERENCE	HEIGHT	WIDTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550063	2 m	2 m	240	○	≡	16.5 W - 687.5 mA	1+2
550064	2 m	2 m	240	●	≡	16.5 W - 687.5 mA	1+2
550065	3 m	2 m	360	○	≡	20 W - 834 mA	1+1
550066	3 m	2 m	360	●	≡	20 W - 834 mA	1+1
550067	5 m	2 m	360	○	≡	32 W - 1333 mA	1+1
550068	5 m	2 m	360	●	≡	32 W - 1333 mA	1+1



Preprogrammed glittering effect (1/5 LED).
Extendable in width.
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and transformer.

SPARKLING CURTAIN LIGHTS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550923	H 5 x W 2 m	900	○	≡	82 W	1+3
550924	H 5 x W 2 m	900	●	≡	82 W	1+3

All the LED curtain lights sparkle.
Requires a rectified power supply.



Watch the animation



Carros • France



Bruay sur L'Escaut • France

COMET CURTAIN LIGHTS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550921	H 5 x W 1 m	400	○	—	75 W	1+8
550922	H 5 x W 1 m	400	●	—	75 W	1+8

Chasing and sparkling effects.

Extendable in width.
Requires a rectified power cable.





Watch the animation




BOA MICROLED CURTAIN LIGHTS

24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
550522	H 0.50 x W 6 m	800	○	—	19.6 W - 817 mA	1+2



MicroLED 3 times brighter.

Find all accessories on p.271.

Reinforced cable. Pre-programmed glittering effect (1/4 LED). Ideal for indoor or outdoor use. Ivory white LED. Requires a power cable and a 24V transformer.



Amiens • France

CEILING LIGHTS



CEILING LIGHTS

CEILING LIGHTS WITH SLINGS

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551265	H 30 x W 2 m	480	○	—	24 W	1+9
551250	H 30 x W 2 m	480	●	—	24 W	1+9



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551252	H 30 x W 2 m	480	○	—	28 W	1+9
551268	H 30 x W 2 m	480	●	—	28 W	1+9

Starry sky effect to your streets or town square.

Preprogrammed glittering effect (1/5 LED), and staggered lights any 25 cm intervals (i.e. total interval of 50 cm on the same drop). Height max. 90 m. Requires an unrectified power cable ref.550735.



Dreux • France

230V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551348	H 30 x W 2 m	800	○	—	55 W	1+11
551349	H 30 x W 2 m	800	●	—	55 W	1+11



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551346	H 30 x W 2 m	800	○	—	55 W	1+11
551347	H 30 x W 2 m	800	●	—	55 W	1+11

Designed for quick and easy installation, these light ceilings are wired with one sling for each downlight.

Pre-programmed glittering effect (1 in every 5 LEDs), with staggered light points every 6 cm (total spacing of 12 cm on the same drop). Maximum height: 90m. Requires an unrectified power cable ref.550735.



CEILING LIGHTS WITH SLINGS


24V

P&L
24V

IP65



DC



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	MAX WIDTH.
551308	H 30 x W 2 m	700	○	≡	32 W - 130 mA	1+1
551309	H 30 x W 2 m	700	●	≡	32 W - 130 mA	1+1

P&L
24V

IP65




DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	MAX WIDTH.
551307	H 30 x W 2 m	700	○	≡	32 W - 130 mA	1+1
551306	H 30 x W 2 m	700	●	≡	32 W - 130 mA	1+1

Quick installation thanks to the pre-wired slings on each fall.


Staggered light points every 30 cm (total spacing of 60 cm on the same drop). Expandable in width.
Preprogrammed glittering effect (1/5 LED).
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and transformer.



Narbonne • France


CHROMEX

LUMINOUS SUSPENSIONS



SHINE SUSPENSIONS

24V



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
551316	30 cm	100	○	≡	4 W - 16 mA
551315	30 cm	100	●	≡	4 W - 16 mA

Ideal for hanging on trees.

Gold or silver aluminum ball.
Supplied with sling and fastening ring.
Requires a power supply and transformer.



551316




551315

BEADED BALL SUSPENSIONS

24V



REFERENCE	DIAMETER	NB LED	LED	GLOBE	CABLE	P. / 24V
551329	15 cm	12	○	○	≡	1 W - 36 mA
551330	25 cm	12	○	○	≡	1 W - 36 mA
551327	15 cm	12	●	○	≡	1 W - 36 mA
551328	25 cm	12	●	○	≡	1 W - 36 mA
551331	15 cm	12	●	●	≡	1 W - 36 mA
551332	25 cm	12	●	●	≡	1 W - 36 mA
551333	15 cm	12	●	●	≡	1 W - 36 mA
551334	25 cm	12	●	●	≡	1 W - 36 mA



Perfect on trees, by day or night.

Lightweight, colourful soft ball with glitter effect. Supplied with sling.
Requires a power supply and transformer.



551330




551332

LIGHTING BULBS SUSPENSIONS

230V



REFERENCE	DIAMETER	LED	CABLE	P. / 230V
050754	29 cm	○	—	5 W
050757	40 cm	○	—	5 W
411966	29 cm	●	—	5 W



050754

Intense brightness.

Pearly effects during the day/ light bulbs at night. Supplied with alpine karabiners. Requires an unrectified power cable.




Belgium

BELLIZ SUSPENSIONS

230V



REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
551182	40 cm	296	○	—	16 W
551183	40 cm	296	●	—	16 W



← Ø 40 cm →

Snowfall effect.

Frosted lace covering. Suitable for outdoor use or inside buildings not ruled by ERP. Requires an unrectified power cable. Delivered without sling (ref.051039).



Watch the animation



551182




551183

Cadolive • France

MICROLED GLOBES SUSPENSIONS


24V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550523	Ø 20 cm	80	○	—	4 W - 167 mA
550524	Ø 30 cm	100	○	—	4 W - 167 mA
550525	Ø 40 cm	200	○	—	5.4 W - 220 mA

MicroLED 3 times brighter.

Supplied without sling, with fastening ring.
Requires a power supply and transformer.
Maximum distance between the first and the last product: 80m of wire.



ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor




GAÏA, THE FOLDABLE MICROLED SPHERE

24V


P&L
24V

IP65

DC



REFERENCE	DESCRIPTION.	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550528	Gaia suspension	Ø 30 cm	180	○	≡	5.8 W - 240 mA
550529	Gaia suspension	Ø 60 cm	400	○	≡	12.5 W - 510 mA
550526	Gaia suspension	Ø 30 cm	180	○	≡	5.8 W - 240 mA
550527	Gaia suspension	Ø 60 cm	400	○	≡	12.5 W - 510 mA



MicroLED, 3 times brighter.

Ideal for indoor or outdoor use.
Foldable aluminium structure.

Strengthened cable. Fastening ring.
Requires a power supply and transformer.
Maximum distance between the first and the last product: 80m of wire.




FLOKO SUSPENSIONS

230V



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550077	55 x 42 cm	2 x 48	○	—	6 W



Watch the animation

24V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550555	55 x 42 cm	2 x 48	○	—	9.6 W - 400 mA

Perfect in a small street with icicle lights.

Animated: Blast of light.

P&L 230V range: Provide an unrectified power supply. P&L 24V range: Provide power supply and transformer.



550077




Lorient • France

SHOOTING STAR SUSPENSIONS

24V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
551340	37 x 37 cm	216	○	—	5 W - 210 mA
551341	37 x 37 cm	216	○	—	5 W - 210 mA



Ideal for trees or across streets.

Animated: Blast of light.


Lighting decorations to hang. Milky effect. Fastening ring on each branch. Supplied with sling. Requires a power supply and transformer.



551340



Watch the animation



551341




Watch the animation

STELLY STARS SUSPENSIONS

230V



REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 230V
050791	50 cm	110	○	—	8 W
050792	50 cm	110	●	—	8 W
550233	50 cm	110	●	—	8 W



24V



REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 24V
550552	50 cm	120	○	—	7.2 W - 300 mA
550553	50 cm	120	●	—	7.2 W - 300 mA

Radiant animation to liven up trees and town gateway.

Product mainly designed for outdoor use : PVC anti-UV treated, stainless steel screws. Fastening point included. P&L 230V range : Requires an unrectified power supply. P&L 24V Range : Requires a power supply and transformer. UV-resistant PVC.



550233

050791



Watch the animation




3D STAR SUSPENSION

24V



REFERENCE	DIMENSIONS	NB LED	LED	STRUCTURE	P. / 24V
551166	50 x 55 x 10 cm	240	●	—	10 W - 420 mA



Perfect in suspension or in trees.

3D decoration to suspend. Gold lacquered aluminum frame. Fastening ring included. Requires a power cable and a transformer.



LUMINOUS BOUQUETS SUSPENSIONS

230V



REFERENCE DIAMETER NB LED LED CABLE P. / 230V

050763 50 cm 100 ○ □ 7 W


050764 50 cm 100 ○ □ 7 W



REFERENCE DIAMETER NB LED LED CABLE P. / 230V

051187 50 cm 100 ● □ 5 W

24V




REFERENCE DIAMETER NB LED LED CABLE P. / 24V

550559 50 cm 100 ○ □ 7.2 W - 300 mA



REFERENCE DIAMETER NB LED LED CABLE P. / 24V

550560 50 cm 100 ● □ 9.6 W - 400 mA



20 branches per bouquet


Perfect in suspension or trees.

P&L 230V range : Requires a rectified power supply.
Works on 120V to 230V.

P&L 24V range: requires a power supply and transformer.

SPARKLE SUSPENSIONS


24V



REFERENCE DIAMETER NB LED LED CABLE BRANCHES P. / 24V

551338 80 cm 175 ○ □ 3 W - 120 mA

551339 80 cm 175 ● □ 3 W - 120 mA



80 cm

49 branches per bouquet



Watch the animation



Ideal for hanging in trees or upon a street.

P&L 24V range: requires a power supply and transformer.
With fastening ring.




DROPLIGHTS

230V




REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 230V	EXTEND.
051180	50 cm	50	○	▬	6 W	1+19
550485	50 cm	50	●	▬	6 W	1+19
051181	100 cm	72	○	▬	6 W	1+19
550486	100 cm	72	●	▬	6 W	1+19



24V



REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 24V
550172	50 cm	50	○	▬	2.2 W - 90 mA
550483	50 cm	50	●	▬	2.2 W - 90 mA
550173	100 cm	72	○	▬	2.2 W - 90 mA
550484	100 cm	72	●	▬	2.2 W - 90 mA



Cyprus



Snowfall effect.

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights.

P&L 230V range : Requires a rectified power cable.
Works on 120V to 230V.


P&L 24V range: requires a power supply and transformer.

SPARKLE DROPLIGHTS

230V



REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 230V
550725	50 cm	36	○	—	9 W
550726	100 cm	72	○	—	12 W
550765	50 cm	36	●	—	9 W
550766	100 cm	72	●	—	12 W



24V



REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 24V
550727	50 cm	36	○	—	4 W - 170 mA
550728	100 cm	72	○	—	4 W - 170 mA
550767	50 cm	36	●	—	4.2 W - 170 mA
550768	100 cm	72	●	—	4.2 W - 175 mA



Chasing & crackling effect

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights.

P&L 230V range: Requires a rectified power cable.

Works on 120V to 230V.


P&L 24V range: requires a power supply and transformer.



Watch the animation

ANGEL HAIR SUSPENSIONS


230V




REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
050602	1 m	150	○	—	25 W
050603	1 m	150	●	—	25 W




24V



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550561	1 m	150	○	—	9.6 W - 400 mA
550562	1 m	150	●	—	9.6 W - 400 mA



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550563	1 m	150	●	—	14.4 W - 600 mA



Perfect in suspension or trees.

P&L 230V range : Requires a rectified power supply. Works on 120V to 230V.

P&L 24V range: requires a power supply and transformer.




FREE-STANDING CANDLE

24V




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
551310	H 30 cm	1			1 W - 36 mA	1+79



Flame animation.

Illuminated candle.

Requires a power supply and transformer.



Watch the animation



MICROLED WATERFALL SUSPENSION



24V

P&L
24V


IP44



DC



REFERENCE	LGT.	NB LED	LED CABLE	P. / 24V	EXT.
550219	2.40 m	1152	○ —	31 W - 1290 mA	1+2



MicroLED 3 times brighter.

Pre-programmed glittering effect (1/4 LED). Indoor/outdoor use. Extendable. Ivory white LED. Requires a power supply and transformer. Connect up to 3 products in series.



Watch the animation

MICROLED WATERFALL SUSPENSION WITH LEAVES




24V

P&L
24V


IP44



DC



REFERENCE	LGT.	NB LED	LED CABLE	P. / 24V	EXT.
550530	2.40 m	1152	○ —	31 W - 1290 mA	1+2



BRANCHES, TREES
& FLOORSTANDING DECORS



CEILING LIGHTS BRANCHES

230V

P&L
230V IP44  DC




REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
050541	Ø 0.70 x W 1.50 m	150			9 W	1+39
050508	Ø 0.70 x W 3.50 m	300			20 W	1+16
550821	Ø 0.70 x W 3.50 m	300			20 W	1+16

P&L
230V IP44  DC

REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
059243	Ø 0.70 x W 3.50 m	300			25 W	1+13

Volume effect.

Semi-rigid branches, simple and easy to install.
Preprogrammed glittering effect (1/5 LED).
Includes a rectified power cable.



BRANCH STRING LIGHTS

230V


P&L
230V IP44  DC



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551167	Ø 1 x W 2 m	320			18 W	1+19
551168	Ø 1 x W 2 m	320			18 W	1+19


Volume effect.

Semi-rigid branches, simple and easy to install. Fastening ring at each end. Pre-programmed glittering effect (1/5 LED). Requires a rectified power cable.



MICROLED NAYA BRANCHES


230V/4V



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	NB BRANCHES	LED	CABLE	P. / 230V
551000*	Naya branches	H 93.5 x W 34 x D 15 cm	120	12 branches	○	7 W	
551001*	Naya branches	H 123.5 x W 37 x D 15 cm	240	16 branches	○	7 W	
551002*	Naya branches	H 153.5 x W 40 x D 15 cm	324	18 branches	○	7 W	

Ideal for a reception area.

White lacquered wooden base.
For indoor use only. Not compatible with 24V P&L range. Cannot be extended.
Includes a transformer and power supply cable.



MICROLED CARACAS PALM TREES


230V/4,5V



REFERENCE	DESCRIPTION	HEIGHT	NB LED	LED	ARBRE	P. / 230V
550647	Caracas palm tree	1.82 m	280	○	—	11.5 W
550648	Caracas palm tree	2.13 m	302	○	—	12.5 W


Guaranteed tropical effect.

Floorstanding microLED tree. Indoor/Outdoor use. Suitable for use inside buildings not ruled by ERP. Not compatible with 24V P&L range.
Includes a transformer and power supply cable.



MICROLED CHRISTMAS TREE AND STARS


230V/24V



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550516	Sapin 3D	H 118 x W 94 x D 15 cm	600	○	—	21W
550517	Sapin 3D	H 98 x W 87 x D 12 cm	240	○	—	12 W
550518	Étoile 3D	H 118 x W 118 x D 15 cm	600	○	—	25 W
550519	Étoile 3D	H 98 x W 98 x D 12 cm	240	○	—	16 W
550520	Étoile 3D	H 75 x W 75 x D 7 cm	200	●	—	16 W

Decorations for hanging or standing.

Gold lacquered aluminium frame, except from ref.550520 (brown lacquered).
3 attachment rings. Compatible with our 24V transformers.
Max distance between the first and the last product: 80m of wire.
Includes a transformer and power supply cable.



Zoom ref. 550520



Zoom ref. 550519



550519



550517

MICROLED STARS


230V/12V

IP44

●

DC



★
NEW



REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
551025*	3D star	H 58 x W 58 x D 8 cm	800			12 W
551026*	3D star	H 78 x W 78 x D 12 cm	600			14 W

Decorations for hanging or standing.

Black painted metal structure. 1 fastening ring. Not compatible with 24V P&L range. Includes a transformer and power supply cable.




551025



551026

ROPE LIGHTS



MICROLED ROPE LIGHTS

24V

IP44 ● DC

REFERENCE	LENGTH	LED	P. / 230V	P. / 24V	EXTEND.
550978	2 m	120 ○	18 W	9.6 W - 400 mA	2 m
550979	2 m	120 ●	18 W	9.6 W - 400 mA	2 m
550990	4 m	240 ○	36 W	19.2 W - 800 mA	4 m
550991	4 m	240 ●	36 W	19.2 W - 800 mA	4 m





Ideal for decorating e-deco backdrops or small custom structures.

Non-extendable, non-cuttable.

60 microLED/m, UV-resistant. Requires a power supply cable ref.032371 and a transformer ref.061218.

P&L 24V CONNECTION KIT



CHASING ROPE LIGHTS

230V



REFERENCE	LGT.	NB LED	LED	P. / 230V
550713	1 m	36	○	13 W
550714	1 m	36	●	13 W
550482	1 m	36	●	5.5 W
550716	2 m	60	○	19 W
550717	2 m	60	●	19 W
550226	2 m	60	●	7 W
550719	5 m	120	○	30 W
550132	5 m	120	●	30 W
550227	5 m	120	●	13 W
550722	10 m	240	○	83 W
550133	10 m	240	●	80 W

24V



REFERENCE	LGT.	NB LED	LED	P. / 24V
550701	1 m	30	○	9 W - 375 mA
550702	1 m	30	●	9 W - 375 mA
550254	1 m	30	●	3 W - 125 mA
550704	2 m	60	○	12.5 W - 520 mA
550705	2 m	60	●	12.5 W - 520 mA
550223	2 m	60	●	4 W - 167 mA
550707	5 m	120	○	24 W - 1000 mA
550708	5 m	120	●	24 W - 1000 mA
550224	5 m	120	●	7 W - 291 mA
550710	10 m	240	○	32 W - 1334 mA
550179	10 m	216	●	10 W - 417 mA
550225	10 m	240	●	10 W - 417 mA

Chasing effect.

Anti-UV treated, Ø 13 mm.

P&L 230V range : requires an unrectified power cable.


P&L 24V range: requires a power supply and transformer.



Watch the animation

230V ACCESSORY

REFERENCE	DESCRIPTION	LGT.
032376	White power supply cable	L 3 m



Béziers • France

SPARKLING ROPE LIGHTS

230V



REFERENCE	LGT.	NB LED	LED	P. / 230V
550729	2 m	60	○	19 W
550756	2 m	60	●	19 W

230V ACCESSORY

REFERENCE	DESCRIPTION	LGT.
032376	White power supply cable	L 3 m



Chasing & crackling effect.

Anti-UV treated, Ø 13 mm

P&L 230V range : requires an unrectified power supply cable (ref.032376).

P&L 24V range: requires a power supply and transformer.



Watch the animation




FLASHING ROPE LIGHTS

230V



REFERENCE	LGT.	LED	P. / 230V	CUTTABLE	EXTEND. ⁽¹⁾
550054	30 m	○	3.5 W /m	every 2 m	100 m
550055	30 m	●	3.5 W /m	every 2 m	100 m
550057	30 m	●	3.5 W /m	every 2 m	100 m
550056	30 m	●	3.5 W /m	every 2 m	100 m
550058	30 m	●	3.5 W /m	every 2 m	100 m

⁽¹⁾ Max. length with ref.550732.

Intense brightness 360°

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	□

Flashing animation 1 LED in 2.

36 LED/m, anti-UV treated, Ø 13 mm.

Requires a connection kit (ref.550732 or 550733).



Watch the animation

NEON ROPE LIGHTS

24V



REFERENCE	LGT.	LED	P. / 24V	CUTTABLE
551392*	30 m	○	7 W /m	every 50 cm
551393*	30 m	○	7 W /m	every 50 cm


High brightness SMD LED.

144 LED SMD /m, anti-UV treated.

Requires a power supply cable ref.032371 and a transformer.


Max lenght in serie : 20 m.

P&L 24V CONNECTION KIT



SUR'LINE ROPE LIGHTS

230V





REFERENCE	LGT.	LED	P. / 230V	EXTEND.
051032	3 m	●	21 W	50 m
051033	3 m	●	27 W	50 m
051012	5 m	○	45 W	50 m
051034	5 m	●	35 W	50 m
051035	5 m	●	45 W	50 m
051036	7 m	●	49 W	50 m

High brightness SMD LED.

92 SMD LED/m, extendable.

SUR'LINE ACCESSORIES

REFERENCE	DESCRIPTION	LGT.
032353	Fastening rail	2 m
058989BL	White power supply cable	1.50 m



032353



ROP'LINE ROPE LIGHTS


230V - Without power supply

P&L
230V

IP44

SMD
LED

DC



REFERENCE	LGT.	LED	P. / 230V	CUTTABLE	EXTEND. ⁽¹⁾
051264	30 m	○	6 W /m	every 1 m	100 m
550313	30 m	○	6 W /m	every 1 m	100 m
051265	30 m	●	6 W /m	every 1 m	100 m
550118	30 m	●	3.3 W /m	every 1 m	100 m
550119	30 m	●	3.3 W /m	every 1 m	100 m
550120	30 m	●	3.3 W /m	every 1 m	100 m

⁽¹⁾ Max. length with ref.550732.



High brightness SMD LED.

60 SMD LED/m.

Dual-sided rope light Ø 13 mm, extendable.
Requires a connection kit (ref.550732).

230V CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	□



OPTIMA ROPE LIGHTS

230V - Without power supply




REFERENCE	LGT.	LED	P. / 230V	NB LED/m	CUTTABLE	EXTEND. ⁽¹⁾
551351*	30 m	○	3 W /m	36 LED/m	every 1 m	100 m
551352*	30 m	●	3 W /m	36 LED/m	every 1 m	100 m

⁽¹⁾ Max. length with ref.300063.

Requires a connection kit (ref.300063).

CONNECTION KIT FOR OPTIMA ROPE LIGHTS

REFERENCE	COMPOSITION	CABLE
300063*	Unrectified power supply cable + round tip connector + end cap + heat shrink sleeve	—



**High-quality rope lights.
Intense brightness 360°**

The one you can find on our decorations.
Anti-UV treated, Ø 13 mm.

CHROMEX

HIGH-QUALITY ROPE LIGHTS

230V - Without power supply



REF.	LGT.	LED	P. / 230V	NB LED/m	CUTTABLE	EXTEND. ⁽¹⁾
058911	30 m	○	2.5 W /m	36 LED/m	every 2 m	100 m
058914	30 m	●	1.6 W /m	36 LED/m	every 3.30 m	100 m
550822	30 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
058912	30 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
058913	30 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
058915	30 m	●	1.6 W /m	36 LED/m	every 3.30 m	100 m
059974	30 m	●	3.0 W /m	36 LED/m	every 1.50 m	100 m
059711	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059715	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059712	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059713	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059714	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
550823	90 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
050686	90 m	●	4 W /m	36 LED/m	every 1 m	100 m
050688	90 m	●	4 W /m	36 LED/m	every 1 m	100 m
050687	90 m	●	4 W /m	36 LED/m	every 1 m	100 m

⁽¹⁾ Max. length with ref.550732.

Requires a connection kit (ref.550732).

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—

230V - Includes power supply



REF.	LGT.	LED	P. / 230V	NB LED/m	CUTTABLE	EXTEND.
550307	45 m	○	2.3 W /m	36 LED/m	every 1.5 m	100 m
550308	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m
550311	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m
550309	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m
550310	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m

Supplied with a mounted overmoulded power cable.



HIGH-QUALITY ROPE LIGHTS

24V

IP44

●

DC

REFERENCE	LGT.	LED	P. / 230V	P. / 24V	CUTTABLE	EXTEND. ⁽¹⁾
051079	30 m	○	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
550736	30 m	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051083	30 m	●	2.3 W /m	1.4 W /m - 58 mA	every 33 cm	20 m
051082	30 m	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051081	30 m	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
550577	30 m	●	2.3 W /m	1.4 W /m - 58 mA	every 16.6 cm	20 m

⁽¹⁾ Max. length with transformer ref.061219.



36 LED/m, anti-UV treated, Ø 13 mm.
P&L 24V range : requires a connection kit.

Intense brightness 360°

P&L 24V CONNECTION KIT



Saint Gilles • Reunion Island

CANDY ROPE LIGHTS

230V

IP44

DC

REFERENCE	LGT.	LED	P. / 230V	CUTTABLE	EXTEND.
550126	30 m	○	1.8 W /m	every 2 m	100 m

230V CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	□



Intense brightness 360°

Candy cane effect.

36 LED/m, anti-UV treated, Ø 13 mm.
Requires a connection kit (ref.550732).



ROPE LIGHT QUICK CONNECTION

CONNECTION KITS

REF.	DESCRIPTION	COMPOSITION	CABLE
300063*	230V power supply kit for Optima rope lights	Unrectified power supply cable + round tip connector + end cap + heat shrink sleeve	—
550732	230V power supply kit	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	—
550733	230V power supply kit	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	□
059975	230V power supply kit	Power supply cable with rectifier 1.6 A + round tip connector + end cap + heat shrink sleeve	—



GUARLANDS AND ROPE LIGHTS ACCESSORIES

ROPE LIGHTS ACCESSORIES

REFERENCE	DESCRIPTION
001867	2 m nylon strip light
331300	1 T-connector
720102	transparent heat shrink sleeves ø 19 mm - Lgt: 1.20 m
055193	1 junction kit to connect 2 rope lights together (1 double pin connector + 2 heat shrink sleeves)
201300	10 junction kits 055193
413000	100 nylon clips
351000	100 double pin connectors
354000	100 round tip connectors
513000	100 safety caps
055476	10 safety caps
060959	1.000 white nylon collars 3.6 x 203 mm



060959



001867



331300



720102



550974



513000 / 055476



351000



354000



055193



413000

GUARLANDS ACCESSORIES

REFERENCE	DESCRIPTION
550974	10 white caps

PLUG & LIGHT




Plug & Light modularity

All our ranges of luminous decorations can be interconnected using Plug & Light technology. Mix and match products, colours, and animations to your liking!




Contact us for personalised support.



DECORATING TREES

Whether you prefer 'Champagne glass style' or 'snowfall' installation, you can easily install your light strings and hanging lights with our **extensions** and **collectors**.



CLADDING A FACADE

Adapt your decoration to the architecture of your building by alternating **extension cords**, curtains and friezes according to your needs, all powered by a single **electrical supply**.



INSTALL AN ACROSS-THE-STREET DISPLAY

Use our **T-connectors** to insert decorations between your strings lights. Let your imagination run wild!

How to choose between 230V and 24V?



230V PLUG & LIGHT

These products can be **interconnected and extended**. Powered by transformers, they operate on safety extra-low voltage (SELV $\leq 50V$). They offer enhanced safety for the public, are discreet (transparent PVC cable), and suitable for international use. However, their wiring, whether in series or parallel, can be more complex, requiring precise calculation of total power to select the appropriate transformer.

24V PLUG & LIGHT


These products can be **interconnected and extended**. Powered by transformers, they operate on safety extra-low voltage (SELV $\leq 50V$). They offer **enhanced safety for the public**, are **discreet** (transparent PVC cable), and suitable for international use. However, their wiring, whether in series or parallel, can be more complex, requiring precise calculation of total power to select the appropriate transformer.

230V PLUG & LIGHT CONNECTORS

P&L
230V


RECTIFIED POWER SUPPLY CABLE

REFERENCE	CABLE	LGT.	CONNECTOR
550663		0.25 m A	
550662		0.25 m A	
550665		0.25 m B	
550664		0.25 m B	




RECTIFIED POWER SUPPLY CABLE

REFERENCE	CABLE	LGT.
058989BL		1.50 m



POWER SUPPLY CABLE


REFERENCE	CABLE	LGT.	CONNECTOR	P. / 230 V
550735		1.5 m	Bf	1840 W
300002		3 m	Af	3680 W
300001		3 m	Af	3680 W
050476		3 m	Bf	1840 W
032376		3 m	Bf	1840 W
050477		5 m	Bf	1840 W



CONNECTORS Ø 2.35

BETWEEN STRING LIGHT AND ROPE LIGHT


REFERENCE	CABLE	LGT.
032187		0.30 m
032338		0.30 m



CONNECTORS Ø 2.35


BETWEEN ROPE LIGHT AND STRING LIGHT

REFERENCE	CABLE	LGT.
032375		0.30 m




A-A EXTENSION CABLE

REFERENCE	CABLE	LGT.
058815		2 m
032283		2 m




B-B EXTENSION CABLE

REFERENCE	CABLE	LGT.
032374		1 m
059072		2 m
300034		2 m
031903		3 m
032342		3 m
300036		5 m
300035		5 m




RECTIFIED CONNECTORS TO SUPPLY ROPE LIGHTS

REFERENCE	CABLE	LGT.
032189		0.40 m
032339		0.40 m



ADAPTER FROM A TO B

REFERENCE	CABLE	LGT.
059238		0.15 m




2 WIRE STRIPPED MALE CABLES ALLOWING TO SUPPLY A DECOR

REFERENCE	CABLE	LGT.
058940		3 m
032188		0.30 m



2 WIRE STRIPPED FEMALE CABLES

REFERENCE	CABLE	LGT.
058968		3 m



230V PLUG & LIGHT CONNECTORS



P&L
230V

CHROMEX

CONNECTION CABLE

BETWEEN B-B STRING LIGHT AND SOCKET


REFERENCE	CABLE	LGT.	CAP
059549		0.20 m	B22
032337		0.20 m	B22
050487		0.40 m	E27



ADAPTER


B22 SOCKET TO CONNECTOR B

REFERENCE	CABLE	LGT.
059910		0.37 m




T CONNECTORS

REFERENCE	CABLE	LGT.
032093		0.15 m
032279		0.50 m




Y CONNECTOR

REFERENCE	CABLE	LGT.
058814		1.50 m




COLLECTOR CABLE 4 FALLS

REFERENCE	CABLE	LGT.
058919		1 m
050479		1 m




COLLECTOR CABLE 6 FALLS

REFERENCE	CABLE	LGT.
059241		0.80 m
059240		0.80 m




COLLECTOR CABLE 10 FALLS

REFERENCE	CABLE	LGT.
300069		10 m



REFERENCE	CABLE	LGT.
032357		10 m




Plug & Light 24V: what makes it special?

To connect your P&L 24V decorations safely, please follow these steps:


STEP 1 . Identify the lighting decorations you wish to use for your project.

STEP 2 . Check and carefully follow the maximum recommended length for each type of decoration.

STEP 3 . Add up the wattages of all selected decorations to determine the total wattage. Then use a suitable transformer.



EXAMPLE OF **SERIES** AND **PARALLEL** WIRING




Decorate your shop frontage by combining P&L 24V and P&L 230V.

It's entirely possible to combine Plug & Light decorations operating on 24V with those on 230V. For example, you can dress up a shop window with 24V microLED string lights, whose discreet power cable ensures an aesthetic installation, while using a 230V light decoration to decorate a Christmas tree.

These elements complement each other to create a magical atmosphere and draw visitors into a magical Christmas setting!



EXAMPLE OF MIXED **230V** AND **24V** WIRING



230V / 24V PLUG & LIGHT CONNECTORS

P&L
24V


IP65

CHROMEX

ACCESSORIES AHEAD 230V TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
-----------	-------------	------	-------	--------------


032371 Bipolar power supply cable + grounding 3 m  1840 W



REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
-----------	-------------	------	-------	--------------


032372 Bipolar extension cable + grounding 2 m  1840 W

032286 Bipolar extension cable + grounding 2 m  1840 W




REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
-----------	-------------	------	-------	--------------

551317 Connector adapter C to B 15 cm  1840 W




REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
-----------	-------------	------	-------	--------------

032373 Bipolar T-connector + grounding 50 cm  1840 W



REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
-----------	-------------	------	-------	--------------

551318 Bipolar T-connector + grounding 50 cm  1840 W




This reference is ideal for powering both 24V and 230V decorations.

TRANSFORMERS 230V AC / 24V DC

REFERENCE	DESCRIPTION
-----------	-------------

550514 Transformer 0.5 A max. (12W/24VDC) output



Works in AC or DC.
B connector input.

This reference is ideal for powering our 24V P&L suspensions.

REF.	DESCRIPTION
------	-------------


061218 Transformer 1.25 A max. (30W/24VDC) output

061219 Transformer 2.5 A max. (60W/24VDC) output

061220 Transformer 4 A max. (96W/24VDC) output

550628 Transformer 6.25 A max. (150W/24VDC) output

550336 Transformer 2x 6.25 A max. (2x150W/24VDC) output



ACCESSORIES BEYOND TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE
-----------	-------------	------	-------

032367 T-connector 25 cm 

550471 T-connector 25 cm 


300043 T-connector 25 cm 

300044 T-connector 25 cm 

300045 T-connector 25 cm 

550931 Titan⁽¹⁾ T-connector 25 cm 

⁽¹⁾ Products with rubber cable.



ACCESSORIES BEYOND TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE
-----------	-------------	------	-------

032366 Extension cable 1 m 

550470 Extension cable 1 m 

300040 Extension cable 1 m 

300041 Extension cable 1 m 


300042 Extension cable 1 m 

550244 Extension cable 2 m 

550930 Titan⁽¹⁾ ext. cable 2 m 

550342 Extension cable 10 m 

⁽¹⁾ Products with rubber cable.



REFERENCE	DESCRIPTION	LGT.	CABLE
-----------	-------------	------	-------

032365 Rope light to string light connection 30 cm 

300049 Rope light to string light connection 30 cm 

300046 Rope light to string light connection 30 cm 

300047 Rope light to string light connection 30 cm 

300048 Rope light to string light connection 30 cm 



REFERENCE	DESCRIPTION	LGT.	CABLE
-----------	-------------	------	-------


032364 String light to rope light connection 30 cm 

300053 String light to rope light connection 30 cm 

300050 String light to rope light connection 30 cm 


300051 String light to rope light connection 30 cm 

300052 String light to rope light connection 30 cm 



REFERENCE	DESCRIPTION	LGT.	CABLE
-----------	-------------	------	-------

032368 Connector 6 falls 1 m 



DAY TIME DECORATIONS

e-deco



PRINTED PRODUCTS ACROSS STREET AND LAMP COLUMNS



Made in France, our 3D printed products are 100% recyclable. The material will be transformed into new granules for creating new decorations.

Integrate day-visible decorations into your illuminations. Design by Leblanc Illuminations. UV resistant. Suitable for use in buildings not subject to regulations for public-access buildings.



Learn more

PRINTED PRODUCTS FLOORSTANDING 3D DECORS

3D floorstanding decorations. Delivered flat.

Attachment points included. Non-luminous decors. Available individually. Four colours are available: gold, white, blue or red.

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170738	Cadeau gold	W 0.3 x H 0.43 x D 0.3 m	Mellow
170656	Renne POP gold	W 0.72 x H 1.27 x D 0.37 m	Rainbow
170658	Sapin POP gold	W 0.81 x H 1.52 x D 0.81 m	Rainbow
170662	Barrière POP gold	W 0.7 x H 0.6 x D 0.3 m	Rainbow
170282	Maxi Cadeau Pop gold	H 0.50 x Ø 0.48 m	Rainbow
170278	Petit Cadeau Pop gold	H 0.50 x Ø 0.30 m	Rainbow
170286	Étoile Pop gold	H 0.64 x Ø 0.64 m	Rainbow



170278



170282



170286




170738



170662



170656



170658


Collections of 2D decorations.

Attachment points included. Non-luminous decorations. Available individually. The Lyria collection is available in red, white or gold. The Givre collection is available in white or gold. The Holly collection is available in green or gold.


REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170703	Lyria across street red	H 1.50 x W 5 m	Rainbow
170702	Lyria lamp column red	H 3 x W 1.40 m	Rainbow
170701	Lyria lamp column red	H 2 x W 1.40 m	Rainbow
170786	Givre across street white	H 1 x W 5 m	Rainbow
170785	Givre lamp col. & across str. white	H 3 x W 1.45 m	Rainbow
170784	Givre lamp col. & across str. white	H 2.50 x W 1.20 m	Rainbow
170783	Givre lamp col. & across str. white	H 2 x W 1 m	Rainbow
170782	Givre lamp col. & across str. white	H 1.50 x W 0.75 m	Rainbow
170781	Givre lamp col. & across str. white	H 1 x W 0.50 m	Rainbow
170787	Givre globe white	H 2 x W 1.20 m	Rainbow
170788	Givre suspension white	H 0.80 x W 0.80 m	Rainbow
170809	Holly across street green	H 1 x W 5 m	Rainbow
170808	Holly lamp col. & across str. green	H 3 x W 1.45 m	Rainbow
170807	Holly lamp col. & across str. green	H 2.50 x W 1.20 m	Rainbow
170806	Holly lamp col. & across str. green	H 2 x W 1 m	Rainbow
170805	Holly lamp col. & across str. green	H 1.50 x W 0.75 m	Rainbow
170804	Holly lamp col. & across str. green	H 1 x W 0.50 m	Rainbow
170810	Holly globe green	H 2 x W 1.20 m	Rainbow
170811	Holly suspension green	H 0.80 x W 0.80 m	Rainbow



Collection Givre



Collection Holly



Collection Lyria

PRINTED PRODUCTS LUMINOUS 3D SUSPENSIONS

Snowfall effect droplight. Lighting decorations to hang. Delivered flat.

Attachment points included. Available individually. Four colours are available: gold, white, blue or red. Find our droplights p.248.

230V



REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
205313	Magie gold	H 0.50 x Ø 0.10 m	Mellow
204988	Boule de Noël Pop gold	H 0.50 x Ø 0.37 m	Rainbow
204992	Boule Tradi Pop gold	H 0.50 x Ø 0.39 m	Rainbow
204996	Maxi Cadeau Pop gold	H 0.50 x Ø 0.48 m	Rainbow
205001	Petit Cadeau Pop gold	H 0.50 x Ø 0.30 m	Rainbow
205005	Flocon Étoile Pop gold	H 0.50 x Ø 0.46 m	Rainbow
205009	Flocon Givré Pop gold	H 0.50 x Ø 0.50 m	Rainbow
205013	Étoile Pop gold	H 0.64 x Ø 0.64 m	Rainbow
205017	Éclat Pop gold	H 0.54 x Ø 0.52 m	Rainbow



205313




204988



204992



204996



205001



205005



205009



205013



205017

PRINTED PRODUCTS 3D SUSPENSIONS

3D decorations. Delivered flat.

Attachment points included. Non-luminous decoration. Available individually. Four colours are available: gold, white, blue or red.

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170721	Lanterne POP gold	W 0.27 x H 0.5 x D 0.27 m	Rainbow
170723	Perle	W 0.3 x H 0.6 x D 0.3 m	Mellow
170727	Goutte	W 0.35 x H 0.6 x D 0.12 m	Mellow
170838	Moulin	W 0.65 x H 0.65 m	Mellow
170833	Nœud	W 0.57 x H 0.54 m	Mellow



170721



170723



170727



170838



170833

PRINTED PRODUCTS 2D SUSPENSIONS



2D suspensions.

Attachment points included. Non-luminous decoration. Sold in packs of 5, except for ref.170336. Four colours are available: gold, white, blue or red.

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170304	Cadeau Étoiles gold	W 38.7 x H 65.8 cm	Rainbow
170300	Cadeau Dream gold	W 52.8 x H 42.8 cm	Rainbow
170308	Cadeau Zig gold	W 38.7 x H 40.7 cm	Rainbow
170292	Boule de Noël gold	W 32.7 x H 45.4 cm	Rainbow
170288	Boule Tradi gold	W 31.2 x H 40.7 cm	Rainbow
170296	Petite Boule gold	W 21.3 x H 16 cm	Rainbow
170340	Flocon Givré gold	W 39.7 x H 39.7 cm	Rainbow
170328	Flocon Étoile gold	W 21.7 x H 31.7 cm	Rainbow
170332	Petit Flocon gold	W 18.5 x H 21.3 cm	Rainbow
170320	Éclat gold	W 40.7 x H 31.3 cm	Rainbow
170312	Grande Étoile gold	W 38.7 x H 40.7 cm	Rainbow
170316	Petite Étoile gold	W 19.7 x H 20.7 cm	Rainbow
170324	Flocon Snow gold	W 36.2 x H 40.7 cm	Rainbow
170344	Pain d'Épices gold	W 33.5 x H 40.6 cm	Rainbow
170348	Sucre d'Orge gold	W 21.8 x H 30 cm	Rainbow




DAY TIME DECORATIONS



INFLATABLE SHINING BAUBLES

REFERENCE	DESCRIPTION	DIAMETER	COLOUR
550101	Inflatable bauble	40 cm	Grey
550100	Inflatable bauble	40 cm	Brown
550102	Inflatable bauble	40 cm	Red
550103	Inflatable bauble	40 cm	Green



Inflatable structure covered with fabric.

Suitable for use in buildings not subject to regulations governing use in public spaces. Compressor required.



VOLUME JABOTS

REFERENCE	DESCRIPTION	LGT.	DIAMETER	WEIGHT
051016	Volume jabot	2.70 m	14 to 35 cm	2 kg
051076	Volume jabot	4 m	14 to 50 cm	6 kg


Natural effect.

Supplied with 2 alpine carabiners. Flexible and luxuriant.



FOLDABLE SHINING STARS

REFERENCE	DESCRIPTION	DIAMETER	COLOUR
550094	Foldable star	80 cm	Red
550095	Foldable star	80 cm	Green
550097	Foldable star	150 cm	Grey
550096	Foldable star	150 cm	Brown
550098	Foldable star	150 cm	Red
550099	Foldable star	150 cm	Green




Foldable decoration.

Metal structure covered with fabric. Suitable for use in buildings not subject to public access regulations.



CHRISTMAS BOWS

REFERENCE	DESCRIPTION	DIMENSIONS AXBXC
550938	Red & gold Xmas bow	38 x 45 x 10 cm
550939	Red & gold Xmas bow	60 x 76 x 17 cm
550940	Red & gold Xmas bow	91 x 114 x 23 cm
550941	Red Xmas bow	30 x 38 x 7.5 cm
550942	Red Xmas bow	45 x 58 x 15 cm



Extremely resistant for outdoor use.

Wire fastening on the back. Suitable for use in buildings not subject to regulations governing use in public spaces.



FOLDABLE LANTERNS

REFERENCE	DIMENSIONS	COLOUR
550488	Ø 25 cm	Yellow
550489	Ø 25 cm	Orange
550490	Ø 25 cm	Red
550491	Ø 25 cm	Green
550492	Ø 25 cm	Blue
550493	Ø 25 cm	Pink
550494	Ø 25 cm	White
550572	Ø 25 cm	Red, Yellow, Blue, Green, White
550949	Ø 15 x H 25 cm	White



550491



550949

Foldable decoration. Volume effect, flat storage.

Sold in sets of 5.

Metal structure covered with fabric. Suitable for use in buildings not subject to regulations governing use in public spaces. **UV resistant.**

Designed to be assembled on suspension sockets ref.550180, or B22/E27 festoon lights. Ref.550572: 1 red, 1 yellow, 1 blue, 1 green and 1 white lantern.



FIBERGLASS DECORATIONS

REFERENCE	DESCRIPTION	DIAMETER	HEIGHT	FIBER
050172	Half-sphere	50 cm	25 cm	—
050176	Half-sphere	100 cm	50 cm	—
050683	3D pot	100 cm	100 cm	—

Non-combustible. Light and strong structures. Suitable for use in buildings not subject to regulations governing use in public spaces. Visible in daylight and easy to highlight at night.



050683



050176



RIFLETTI SUSPENSIONS

REFERENCE	DESCRIPTION	DIAMETER
051066	Golden Rifletti mini star	280 mm
051067	Golden Rifletti disc	500 mm
051069	Silver Rifletti disc	500 mm

Delivered flat. Swivelling in the wind.

Gold or silver stainless steel suspensions. Delivered flat. Swivel hook included. Mini stars packed by 5. Stars and discs available individually.



Swivel hook



051069



051067



051066

DECORATIVE GARLANDS

REFERENCE	DESCRIPTION	LGT.
050579	Brilliant metal beads	10 m

Extra daytime effect...

Integrate daytime details into your illuminations. Suitable for use in public spaces, on buildings, across streets and in floorstanding decorations.



050579

CHRISTMAS BALLS


DIAMETER	PEARL	SILVER	GOLD	BLUE	RED	PINK
100 mm	060742	060743	061052	001814	061024	061020
140 mm	060820	060759	060812	001813	060808	061030
200 mm	060821	060745	060813	060856	060809	061061
280 mm	060822	060817	061056	060857	000002	061107
400 mm	060823	060818	060814	001242	060810	060980




Outdoor drilled balls (from Ø 200 mm). Attachment included. Glossy finish (except from pearly). Choose your diameter.

SUSPENSIONS WITH MIRROR EFFECT

REFERENCE	DESCRIPTION	DIAMETER	Reflects light.
050562	Mirror flakes	26 cm	Mirrored surfaces on both sides. 2 attachment points. Suitable for use in buildings not subject to regulations governing use in public spaces. Packed by 10.
050563	Mirror sparkles	25 cm	



050562



050563

ROUNDED SPANGLES

DIAMETER	SET OF	WHITE	GOLD	BLUE	RED
100 mm	10	600439	600434	600449	600444
140 mm	10	600440	600435	600450	600445
200 mm	5	600441	600436	600451	600446
280 mm	5	600442	600437	600452	600447
400 mm	4	600443	600438	600453	600448




600449

Beautiful glitter effect on both sides.

Sold in lots.



600439




600434

GOLDEN / SILVER SPANGLES

REFERENCE	DESCRIPTION	DIAMETER
050772	Silver and golden spangles	10 cm

Gold on the front, silver on the back.

Packed by 10.



FEATHERS AND LEAVES

REFERENCE	DESCRIPTION	DIMENSIONS
600428	Little silver feather	43 x 8 cm
600429	Little golden feather	43 x 8 cm
600430	Silver leaves	36 x 20 cm
600431	Golden leaves	36 x 20 cm
600432	Width silver feather	50 x 12 cm
600433	Width golden feather	50 x 12 cm

A touch of nature and delicacy...

Integrate decoration visible during the day into your illuminations. Suitable for use in public spaces, these details can be added to displays on the ground or across streets, on lamp columns and attached to buildings. Packed by 12.



GARLANDS WITH SPANGLES

REFERENCE	DESCRIPTION	LGT.
060790	Garland with silver spangles	20 m
060791	Garland with golden spangles	20 m
060792	Guarlands with blue spangles	20 m
060793	Garland with red spangles	20 m
550386	Guarlands with pink pangles	20 m

Reflects light.

Reflective coloured spangles. Visible day and night



060791



060793



NATURAL CHRISTMAS TREES



Choose a tailor-made giant natural Christmas tree and support European Christmas tree growers.

This innovative metal structure brings together lots of standard-sized natural fir trees, to form an impressive festive centrepiece. Validated by technical consultants, the resulting structure stands up to the most extreme weather conditions and can be safely installed in a public place.

The spruce or Nordmann fir Christmas trees used to form this giant tree, have been grown in special forests in France. The giant tree can be created in your desired height and includes full installation kit: metal structure, Christmas trees, ballast and bracing kit, screws and assembly drawing.



TECHNOLOGICAL ANIMATIONS





Try an immersive enhanced reality experience in the town or city-centre!

Visitors can interact with the illuminations and their environment. Create traffic and energise the city center!

Loomie is a seasonal augmented reality app for smartphones (Android and IOS), downloadable from App Store and Play Store. It works within a specific area, defined for your event. Thanks to a QR code sign (provided by Leblanc illuminations), visitors are invited to download the app to access a variety of **interactive 3D games** to play within the heart of your city.



Discover Loomie

The aim of this app:
create a buzz about your place, while inviting visitors to share pictures featuring your logo to their friends and family!

Thanks to its simplicity and in-built shareability, the app encourages social sharing featuring your logo, via the internet and social networks (facebook, instagram, snapchat, etc...).



1
 Activate geolocation

2
 Start application

3
 Play and share

Download Loomie



5 applications



This is primary function of the application. Also available at the end of each game, it allows you to create personalised digital greeting cards in a matter of seconds.



Father Leon hires Detective Rudolph to go in search of the objects that make the Christmas Spirit. A real treasure hunt in your city!



The wind scattered Pigloo's clothes while he was taking his bath. In this game, the user must find them by scanning the environment with the screen.



In this race against the clock, you have to help Father Leon catch a maximum of gifts that have fallen from the sky by moving him around the screen.



Even more visibility and traffic! This function sends the user directly to your website.

A turnkey offer including:

- 1 Freestanding totem pole ref. 300006.
- 3 games for young and old: Pigloo, the chilly penguin, Father Leon, the gift catcher and Detective Rudolph - Let's save Christmas!
- Personalisation of the digital greeting cards with your logo, as well as 8 fun photo filters.
- redirection link to your website.
- The different graphic elements in your city's promotional materials.



PLAY
with Augmented
Reality



CUSTOMISE
your photos using postcard
type filters and add a text



TAKE YOU SELFIES
next virtual characters




SHARE
your picture



REFERENCE	DESCRIPTION
LOOMIE	Loomie app. + Freestanding totem pole
300006	Freestanding totem pole with Loomie plate with QR Code
300007	Loomie plate with QR Code

REMOTE CONTROL OF YOUR ILLUMINATIONS



Technology designed to
save energy.

At least **50%**
energy saving
with our patented solution!

I can programme my illuminations and their
turned on/off period and hours, zone by zone,
with a few clics on my tablet or smartphone.

It's so easy. I don't need any extra power supply
cable.

Indeed, with the Saver Box installed on Leblanc
illuminations products, I simply **download the App**
and follow the instructions.

Further information
on our remote control solution



REMOTE CONTROL OF YOUR ILLUMINATIONS

Simple and intuitive

- Intuitive app
- Wireless communication (Bluetooth / 868 MHz)
- One power cut period and 4 exceptions
- Memorising of programmes guaranteed even switched off
- Super-easy installation thanks to the Plug & Light connectors

PASS BOX ⁽¹⁾

REFERENCE	REACH	AUTONOMY
010020	50 m	7 hours



Communication link between decoration and tablet/ smartphone.

Controls and programs the street decorations equipped with a Saver Box, thanks to the App, the tablet/smartphone application.

- Dimensions: H 117 x W 72 x P27 mm
- Wireless radio / bluetooth communication
- Bluetooth reach to the 1st Saver Box is 50 m maxi.
- 7 hours battery life - supplied with battery, mains charger 230V, and mini USB cable.
- IP 20

Accessories to avoid cutting
the Maestro housing connector :


MALE CONNECTOR WITH CABLE GLAND

REFERENCE	CABLE	LGT.
032355	—	0.18 m



FEMALE CONNECTOR WITH CABLE GLAND

REFERENCE	CABLE	LGT.
032369	—	0.18 m



P&L
230V

IP54

SAVER BOX ⁽¹⁾

REFERENCE	REACH	P. MAX/230V
010019PA	50 m	460W/AC + 460W/DC



Power supply which turns on/off street decorations according to required hours.

Enables you to create a power cut period at night.
The Savers Boxes talk to each others wireless.

- Dimensions: H 115 x W 78 x D 33 mm
- Power supply 230V AC
- 1 AC max 2A output + 1 DC max 2A output, P&L Bf
- Connection 2.35 mm P&L Bm
- IP 54

⁽¹⁾ Works in Europe only

KUBIX³ TECHNOLOGY

Produce amazing light shows with Kubix³ !

Kubix3, an exclusive Leblanc illuminations technology.

These DMX transmission boxes let you control, dim and synchronise very precisely all our street decorations, lighting solutions, projectors, let you set up independant networks and make the most amazing light designs possible.

Discover Kubix³

Saint Jean de Luz • France



Pau • France




Megève • France

230V



REFERENCE	DESCRIPTION	C. DMX
110004	Kubix ³ 230V	1/3




Front side adressable DMX controller.

Stand alone mode with preset programmes for non DMX use.

- Dimensions : W 170 x l 73,6 x D 38 mm

ADAPTER 3 WAYS / P&L

REFERENCE	LGT.
300009	40 cm




DMX ACCESSORIES

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180034	E-Board 512	97 x 166 x 38 mm	0.18 kg	1 x 512

REFERENCE	DESCRIPTION	LGT.
080805	Adapter DMX in/outdoor	20 cm
080190	IP 67 DMX cable light	10 m
080191	IP 67 DMX cable light	5 m
080192	IP 67 DMX cable light	2.50 m

Example of 230V cabling plan



HALTO

by Leblanc illuminations

**HALTO, an exclusive brand
by LEBLANC illuminations.**



Dynamic Lighting Solutions

For more than 30 years, the HALTO brand has been working alongside lighting designers, visual artists, scenographers, and event agencies.

**Drawing on its experience, HALTO delivers
bespoke lighting solutions - designed specifically
for you!**

Whether for aquatic, urban, dynamic environments or extreme cold conditions... HALTO turns your creative ideas into outstanding realisations.

www.haltolighting.com



Discover the
HALTO catalogue





Architectural Lighting



BAR

IP67

REFERENCE	DESCRIPTION LAMP		DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180240	BAR 9	 RGBL 9 LED	305 x 66 x 61 mm	1.2 kg 30 W	15° to 60°	1/3/4/5/6/7
180241	BAR 18	 RGBL 18 LED	610 x 66 x 61 mm	2.2 kg 60 W	15° to 60°	1/3/4/5/6/7/11
180242	BAR 27	 RGBL 27 LED	915 x 66 x 61 mm	3.3 kg 90 W	15° to 60°	1/3/4/5/6/7/15



New generation of linear wall washers, the BAR range is available in three versions, with 9, 18 or 27 LEDs. With an IP67 rating, the BARs provide a flexible solution for architectural lighting across a wide range of outdoor building installations.

The BARs are equipped with RDM functionality and can be controlled by sections (Bar 9 - 1 sections, Bar 18 - 2 sections, Bar 27 - 3 sections). Each section requires one filter (for example: 1 filter for Bar 9; 2 filters for bar 18, and 3 filters for bar 27).

Finish : saline treatment.

- 9, 18 ou 27 LEDs multichip RGBL
- Beam angle 15° to 60°
(15°, 30°, 45°, 60°, 15°x30° et 15°x60°)
- RDM
- IP67



SPO 15

- 1 RGBL LED
- Power 15W



SPO 100

- 5 RGBL LEDs
- Power 100W



SPO 180

- 9 RGBL LEDs
- Power 180W



SPO 450

- 30 RGBL LEDs
- Power 450W

SPO & SQA 300 use the latest 4 in 1 LED technology to achieve high levels of colour saturation and exceptional colour mixing. A range of filters provides multiple beam angles allowing precise adjustment to the desired effect.

Equipped with RDM functionality, the projectors deliver real-time feedback on their operating status, simplifying commissioning and setup. Finish : saline treatment.

- RGBL LEDs
- Beam angle 6°
- Advanced colour processing
- RDM
- IP67



SQA 300

- 27 RGBL LEDs
- Power 300W

IP67

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT	P. / 230V	OPTICS	C. DMX
180247	SPO 450	RGBL 30 LED	423 x 284 x 443 mm	18 kg	450 W	6°	1/3/4/5/7/15
180243	SQA 300	RGBL 27 LED	521 x 119 x 284 mm	11.4 kg	300 W	6°	1/3/4/5/7/8
180246	SPO 180	RGBL 9 LED	287 x 245 x 284 mm	8 kg	180 W	6°	1/3/4/5/7/8
180245	SPO 100	RGBL 5 LED	206 x 197 x 217 mm	5 kg	100 W	6°	1/3/4/5/7/8
180244	SPO 15	RGBL 1 LED	176 x 111 x 164 mm	1.7 kg	15 W	6°	1/3/4/5/7/8



GOBO SELECTION



CUSTOMISED GOBOS

Custom visuals can be produced on request.



NEWTON 210 HD+

IP66

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180063	Newton 210 HD+	RGBAL LED 668 x 344 x 273 mm	16 kg	250 W	15° > 30°	8/10/13/19

The Newton 210 HD+ is an IP66 profile projector equipped with a 250W RGBA + Lime LED and a medium-sized gobo holder (water effect gobo included). The light features 12 white macros, ranging from 2700° to 8000°, as well as Lee and Rosco colour presets. The die-cast aluminium housing is designed to operate in temperatures from -20°C to +45°C.



- IP66 profile
- Zoom 15 to 30°
- Motorized zoom focus
- 4 manual shutters
- Medium size indexable rotating gobo
- Water effect gobo included
- Wireless DMX by Wireless Solution
- RDM
- Illuminance 4662 Lux at 5m



Watch the animations



KEPLER 350

The Kepler 350 is an IP66 gobo projector equipped with a 350W white LED at 7000°—perfect for outdoor projection. Thanks to its various gobo effects, CMY colour mixing, prism, frost, and an 8° to 40° zoom, the spotlight delivers impressive short and long-distance projections. With an IP66 waterproof rating, the product is ideal for highlighting theme parks, shopping centres, architectural buildings, historical monuments, and more.



- 350W white LED
- Zoom 8 to 40°
- Power 380W
- 7 rotating gobos + white wheel
- 7 colours + white wheel
- CMY
- Animation wheel
- 3 facets prism
- Frost
- Wireless Solution
- RDM
- IP66



KEPLER 150

IP66

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180249	Kepler 350	□ White 1 LED 350 W	605 x 343 x 250 mm	23 kg 350 W	8° > 40°	17/20
180248	Kepler 150	□ White 1 LED 150 W	454 x 201 x 186 mm	9.2 kg 150 W	18° > 40°	11/14

The latest addition to the range, the Kepler 150, is an IP66 gobo projector equipped with a 100W 5900K white LED engine, delivering a flux of 2850 lumens. Housed in a compact case, it includes a 5-colour wheel, a 4-rotating-gobo wheel, a 4-facet prism, an animation wheel, and an 18° to 40° zoom. The Kepler 150 can project images onto buildings or any other outdoor surface at short to medium distances. It is also equipped with a wireless DMX receiver, removing the need for a control cable.

- 100W white LED
- Zoom 18 to 40°
- Power 150W
- 4 rotating gobos
- 5 colours wheel
- CMY
- Animation wheel
- 4 facets prism
- Wireless Solution
- RDM
- IP66

IZY 80

Rotating gobo spotlight



IP65

REFERENCE	DESCRIPTION LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS
551157	IZY 80  White 1 LED 80 W	266 x 182 x 105 mm	2.3 kg	92 W 32°
800360	Set of 6 Christmas gobos			
551221	Optics 20° for IZY 80			
551222	Optics 53° for IZY 80			





FLOODLITE

This projector houses an RGBW COB LED in a compact body, delivering an impressive 200W output and a 60° beam angle.

Its weight and size make it easy to conceal.

IP65

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180108	Floodlite HD	RGB 1 LED 200 W	235 x 110 x 190 mm	3 kg 120 W	60°	4/7/10/11/15

E-BOARD

This box allows you to animate all your events and lighting decorations.

Available in 512 or 1024 DMX channels, it lets you recall your recorded scenes using the buttons on the front panel.

IP20

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180163	E-Board 1024 MKIII	127 x 110 x 40 mm	0.18 kg	2 x 512
180034	E-Board 512	97 x 166 x 38 mm	0.18 kg	1 x 512



Make your installations easier by eliminating cables, choose wireless DMX!

These boxes can support 512 to 1024 DMX channels, and can be used as DMX transmitters, receivers or repeaters, all IP65.

CRMX



IP67 &
VANDAL PROOF



PERMANENT OUTDOOR
INSTALLATION

REFERENCE	DESCRIPTION
110024	CRMX Outdoor FX
110031	CRMX Outdoor RX

CRMX OUTDOOR FX

CRMX Outdoor FX is the ultimate wireless DMX and RDM product for any installation.

- DMX512 and RDM support
- Power over Ethernet support
- Ethernet or wired DMX input/output
- Up to 1000 meter link range
- 5 ms latency
- Automated Cognitive Coexistence
- Forward Error Correction
- IP67 classification
- Vandal proof casing

CRMX OUTDOOR RX

CRMX Outdoor RX is an IP67 outdoor receiver for one DMX universe being transmitted by a CRMX transmitter (indoor or outdoor).

- One universe supported
- DMX512 and RDM support
- Up to 1000 meter link range
- 5 ms latency
- Automated Cognitive Coexistence
- Forward Error Correction



GALILEO RX

Supported Protocols:

- DMX / RDM
- CRMX², CRMX Classic
- W-DMX G3/G4/G4S/G5
- Bluetooth 5.0

GALILEO



EASY
TO INSTALL



BLUETOOTH

REFERENCE	DESCRIPTION
110039	Galileo RX
110040	Galileo TX

Galileo makes your next installation project easier than ever by providing reliable Wireless DMX in an install friendly form factor.

GALILEO TX

Supported Protocols:

- DMX / RDM
- CRMX Classic
- W-DMX G3/G4S
- Bluetooth 5.0

RF Characteristics:


- 2402-2480 MHz frequency
- 7 - 280 mW output power
- 5ms latency
- 128-bit encryption
- Forward Error Correction

Physical:

- DIN-rail 2 module width
- RP-SMA antenna connector
- 12-24 VDC/VAC pluggable screw terminal
- DMX/RDM 3 pin pluggable screw terminal

Approvals :

- CE, FCC, IC, NRTL (MET), KC, MIC, UKCA





SERVICES

To support you in your projects, we offer a range of services.

From cable preparation to the installation start-up, everything is done to guide you as effectively as possible in bringing your lighting vision to life.

MEL-CABLAGE :

- Action carried out on a projector to match the product's connectors to the customer's project
- Address projector / Define static programme

MEL-PREPA :

- Project wiring plan
- Programming of a show defined with the customer
- Hotline with dedicated spotlighting contact person

MEL-ASSIST :

- On-site travel
- Project wiring plan
- Programming a show defined with the customer
- Helpline with dedicated contact person for spotlighting
- Adjusting spotlights and checking installation
- Validation of product operation

MEL-FORMA :

- On-site training 4 people maximum per course
- Training in projector use
- Pilot software training
- Various training courses

MEL-SCAN :

- On-site travel
- Measuring buildings
- Supply of data files

MEL-TWINKLY :

- On-site travel
- Project study
- Project wiring diagram
- Set-up of decorations/products and verification of installation
- Validation of product operation
- On-the-spot training in the use and control of Twinkly PRO technology

Our high-performance scanner enables precise 3D surveying of complex objects and buildings.

This automated dimensioning system is an invaluable asset, as it allows all necessary measurements to be taken in record time and integrates this data into the simulation of your lighting project. You can also retrieve neutral files from a simple and intuitive interface, compatible with any operating system, for all your future needs



REFERENCE

MEL-CABLAGE
MEL-PREPA
MEL-ASSIST
MEL-FORMA
MEL-SCAN
MEL-TWINKLY


Sound & lighting

Thanks to our project managers, specialists in creating sound and light shows, your installations (Christmas trees, ceilings, etc.) come to life during events.

Sound and light shows tell a story, whether imaginary or historical. Depending on the location and the atmosphere you wish to create, we can offer solutions tailored to your needs.

A light show can be installed in a place rich in history: a historic building, a facade, an avenue... In this way, you can highlight your heritage and reveal details that might otherwise go unnoticed!

Spectators are captivated, and it's up to you to fill them with even more wonder: light, sound, fragrance... Programmed scenes or sensor-triggered – anything is possible to bring your story to life.




Beaugrenelle Shopping Center • France
Design Bruno Dolis



Megève • France



Cathédrale • France



Carvin • France



SYNCHRONISED
ILLUMINATIONS

wet

Weather
Exterior
Technology

A UNIQUE RANGE OF IP65 MOVING HEADS
100% ALUMINIUM BODY



enzo^{wet} baracca^{wet} 360^{wet} SUPERFAST^{wet} roma^{wet} monza^{wet} daytona^{wet} modena^{wet}

3 NEW FIXTURES

Starway

STARWAY.EU | contact@starway.eu



starway.eu



Technical Appendix

COMPLIANCE OF OUR PRODUCTS

All Leblanc illuminations’ products comply with all European standards and directives. The product compliance certificates are provided on request.

DIRECTIVE NAME	AREA OF APPLICATION
 2011/65/UE Directive	The ROHS European directive aims to restrict the use of 6 dangerous substances (lead, mercury, cadmium, hexavalent chrome, polybrominated biphenyls (PBBs), and polybrominated diphenyl ethers (PBDEs). RoHS signifies 'Restriction of the use of certain Hazardous Substances' in electrical and electronic equipment.
 2012/19/UE Directives	Waste Electronic and Electrical Equipment (WEEE) is a category of waste defined by European regulations as 'equipment functioning with electric currents or electromagnetic fields, as well as equipment which produces, transfers, and measures these currents and fields, designed to be used at a voltage which does not exceed 1000 volts AC and 1500 volts DC'. In Europe, this directive aims to make the recycling of WEEE mandatory and establish the principle of producers' responsibility. Consumers will contribute to this process by paying an eco-contribution or eco-tax, included in the purchase price for new equipment.

INTERNATIONAL PROTECTION

IP is the protection index against solids and liquids. Outside, the minimum protection index is IP44.



1st protection figure = SOLIDS

2nd protection figure = LIQUIDS

IP	PROTECTION
0	No protection.
1	Protected against solids of more than 50 mm (unintentional contact with hands).
2	Protected against solids of more than 12.5 mm (fingers).
3	Protected against solids of more than 2.5 mm (tools, screws).
4	Protected against solids of more than 1 mm (small tools, small wires).
5	Protected against dust (no harmful deposits).
6	Fully protected against dust.

IP	PROTECTION
0	No protection.
1	Protected against drops of water falling vertically (condensation).
2	Protected against drops of water up to 15° from vertical.
3	Protected against rainwater up to 60° from vertical.
4	Protected against water spray from all directions.
5	Protected against hosed water from all directions.
6	Fully protected against water spray similar to waves.
7	Protected against the effects of immersion.
8	Protected against the effects of prolonged immersion in the specified conditions (followed by an indication of the maximum immersion depth in metres).

PUBLIC ACCESSIBILITY TO 230V DECORATIONS

Installations which are accessible to the public

They are located at a height lower than 3 m above the ground or at least 1 m horizontally outwards from a balcony, terrace or any place accessible to the public. Light installations positioned directly on the ground are also included.

What precautions need to be taken?


- Extract from the standard C 17-202, § 5.1.2

'The circuits must be protected at their source by high sensitivity residual current devices (30mA) for additional protection against direct contact.'



- Extract from the standard C 17-202, § 5.2.2

'Maintained inaccessibility provides protection against direct contact. In terms of indirect contact, the circuits must be protected by a medium sensitivity residual current device (300mA). The connection must be made with fixed connections. Non-fixed connections and even inaccessible sockets are protected by high sensitivity residual current devices (30mA). If part of the temporary installation does not comply with inaccessibility regulations, the requirements of 5.1.2 must be applied at least to the part in question.'

INSTALLATIONS ACCESSIBLE TO THE PUBLIC



INSTALLATIONS NOT ACCESSIBLE TO THE PUBLIC



TECHNICAL VOCABULARY

AMPERE (A)

Unit which measures the intensity of current which corresponds to the number of electrons which pass through a point in a circuit per second.

VOLT (V)

Unit which measures the voltage. The voltage is the difference in electrostatic potential between two points and is associated with the energy that an electron needs to move between these two points.

WATT (W)

Unit which measures the power consumed by a product.

Calculation of the intensity of the current : $P = U \times I$

(P : power in W, U : voltage in V, I : intensity in A)

FREQUENCY (Hz)

Number of times the polarity of the signal changes per second. It is given in Hertz.

COLOUR TEMPERATURE

The colour temperature makes it possible to determine the colour of a light source. The apparent colour of a light source varies from the orange-red of a candle flame (1850 K) to the blueish colour of an electronic flash (between 5000 and 6500 K according to the manufacturer). It is measured in Kelvin (K).

- Warm white: 2600 K
- Neutral white: 3500 K
- Cool white: 4500 K



CE MARKINGS

It is mandatory for all products covered by one or several European directives which specifically provide for it. To put CE marking on a product, the manufacturer must carry out, or have carried out, checks and tests to ensure that a product complies with the essential requirements, particularly in terms of health and safety, defined in the directive(s) concerned. It is not a certification mark or an indication of the geographical origin of the product. It is mandatory and of a regulatory nature and is the visible commitment of the manufacturer that its product complies with European legislation. It gives the products concerned the right of free movement throughout the European Union.



PROCESSING OF ELECTRIC AND ELECTRONIC PRODUCTS' END-OF-LIFE

Applied to all products except incandescent bulbs, gas bulbs, spotlights, power cables and all non-electric products

LEAKAGE CURRENT

The leakage current is current which, by definition, leaks between the active parts and the grounding connection in the absence of an electrical fault. It is part of the installation's normal functioning. The design of an electric installation must provide for residual current protection to ensure the safety of persons and goods by taking these leakages into account. These, along with the installation's upstream cables, can reach the threshold value for activating the protection. The solution is to limit the number of devices protected by the same residual current device.

For example, for 10 m of garlands, you measure leakage current equal to 0.09 mA. Knowing that a 30 mA circuit breaker is triggered at 16 mA, you need to heed to a maximum of 50 x 20 m garlands for an HPI type 30 mA differential circuit breaker.

DMX PROJECTION AND MANAGEMENT

DIAMETER PROJECTION TABLE

You can choose the projector suited to your project according to the minimum projection angle to illuminate a building from a given distance.

PROJECTION DISTANCE (IN METRES)

BEAM ANGLE (IN DEGREES)	PROJECTION DISTANCE (IN METRES)																																	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	18	20	25	30	35	40	45	50	60	70	80								
10°	0.17	0.35	0.52	0.70	0.87	1.05	1.22	1.40	1.57	1.75	1.92	2.10	2.27	2.45	2.62	3.15	3.50	4.37	5.25	6.12	7.00	7.87	8.75	10.50	12.25	14.00								
11°	0.19	0.39	0.58	0.77	0.96	1.16	1.35	1.54	1.73	1.93	2.12	2.31	2.50	2.70	2.89	3.47	3.85	4.81	5.78	6.74	7.70	8.67	9.63	11.55	13.48	15.41								
12°	0.21	0.42	0.63	0.84	1.05	1.26	1.47	1.68	1.89	2.10	2.31	2.52	2.73	2.94	3.15	3.78	4.20	5.26	6.31	7.36	8.41	9.46	10.51	12.61	14.71	16.82								
13°	0.23	0.46	0.68	0.91	1.14	1.37	1.60	1.82	2.05	2.28	2.51	2.73	2.96	3.19	3.42	4.10	4.56	5.70	6.84	7.98	9.11	10.25	11.39	13.67	15.95	18.23								
14°	0.25	0.49	0.74	0.98	1.23	1.47	1.72	1.96	2.21	2.46	2.70	2.95	3.19	3.44	3.68	4.42	4.91	6.14	7.37	8.59	9.82	11.05	12.28	14.73	17.19	19.65								
15°	0.26	0.53	0.79	1.05	1.32	1.58	1.84	2.11	2.37	2.63	2.90	3.16	3.42	3.69	3.95	4.74	5.27	6.59	7.90	9.22	10.53	11.85	13.17	15.80	18.53	21.06								
16°	0.28	0.56	0.84	1.12	1.41	1.69	1.97	2.25	2.53	2.81	3.09	3.37	3.65	3.94	4.22	5.06	5.62	7.03	8.43	9.84	11.24	12.65	14.05	16.86	19.68	22.49								
17°	0.30	0.60	0.90	1.20	1.49	1.79	2.09	2.39	2.69	2.99	3.29	3.59	3.89	4.18	4.48	5.38	5.98	7.47	8.97	10.46	11.96	13.45	14.95	17.93	20.92	23.91								
18°	0.32	0.63	0.95	1.27	1.58	1.90	2.22	2.53	2.85	3.17	3.48	3.80	4.12	4.43	4.75	5.70	6.34	7.92	9.50	11.09	12.67	14.25	15.84	19.01	22.17	25.34								
19°	0.33	0.67	1.00	1.34	1.67	2.01	2.34	2.68	3.01	3.35	3.68	4.02	4.35	4.69	5.02	6.02	6.69	8.37	10.04	11.71	13.39	15.06	16.73	20.08	23.43	26.77								
20°	0.35	0.71	1.06	1.41	1.76	2.12	2.47	2.82	3.17	3.53	3.88	4.23	4.58	4.94	5.29	6.35	7.05	8.82	10.58	12.34	14.11	15.87	17.63	21.16	24.69	28.21								
21°	0.37	0.74	1.11	1.48	1.85	2.22	2.59	2.97	3.34	3.71	4.08	4.45	4.82	5.19	5.56	6.67	7.41	9.27	11.12	12.97	14.83	16.68	18.53	22.24	25.95	29.65								
22°	0.39	0.78	1.17	1.56	1.94	2.33	2.72	3.11	3.50	3.89	4.28	4.67	5.05	5.44	5.83	7.00	7.78	9.72	11.66	13.61	15.55	17.49	19.44	23.33	27.21	31.10								
23°	0.41	0.81	1.22	1.63	2.03	2.44	2.85	3.26	3.66	4.07	4.48	4.88	5.29	5.70	6.10	7.32	8.14	10.17	12.21	14.24	16.28	18.31	20.35	24.41	28.48	32.55								
24°	0.43	0.85	1.28	1.70	2.13	2.55	2.98	3.40	3.83	4.25	4.68	5.10	5.53	5.95	6.38	7.65	8.50	10.63	12.75	14.88	17.00	19.13	21.26	25.51	29.76	34.01								
25°	0.44	0.89	1.33	1.77	2.22	2.66	3.10	3.55	3.99	4.43	4.88	5.32	5.76	6.21	6.65	7.98	8.87	11.08	13.30	15.52	17.74	19.95	22.17	26.60	31.04	35.47								
26°	0.46	0.92	1.39	1.85	2.31	2.77	3.23	3.69	4.16	4.62	5.08	5.54	6.00	6.46	6.93	8.31	9.23	11.54	13.85	16.16	18.47	20.78	23.09	27.70	32.32	36.94								
27°	0.48	0.96	1.44	1.92	2.40	2.88	3.36	3.84	4.32	4.80	5.28	5.76	6.24	6.72	7.20	8.64	9.60	12.00	14.40	16.81	19.21	21.61	24.01	28.81	33.61	38.41								
28°	0.50	1.00	1.50	1.99	2.49	2.99	3.49	3.99	4.49	4.99	5.49	5.98	6.48	6.98	7.48	8.98	9.97	12.47	14.96	17.45	19.95	22.44	24.93	29.92	34.91	39.89								
29°	0.52	1.03	1.55	2.07	2.59	3.10	3.62	4.14	4.66	5.17	5.69	6.21	6.72	7.24	7.76	9.31	10.34	12.93	15.52	18.10	20.69	23.28	25.86	31.03	36.21	41.38								
30°	0.54	1.07	1.61	2.14	2.68	3.22	3.75	4.29	4.82	5.36	5.89	6.43	6.97	7.50	8.04	9.65	10.72	13.40	16.08	18.76	21.44	24.12	26.79	32.15	37.51	42.87								
31°	0.55	1.11	1.66	2.22	2.77	3.33	3.88	4.44	4.99	5.55	6.10	6.66	7.21	7.77	8.32	9.98	11.09	13.87	16.64	19.41	22.19	24.96	27.73	33.28	38.83	44.37								
32°	0.57	1.15	1.72	2.29	2.87	3.44	4.01	4.59	5.16	5.73	6.31	6.88	7.46	8.03	8.60	10.32	11.47	14.34	17.20	20.07	22.94	25.81	28.67	34.41	40.14	45.88								
33°	0.59	1.18	1.78	2.37	2.96	3.55	4.15	4.74	5.33	5.92	6.52	7.11	7.70	8.29	8.89	10.66	11.85	14.81	17.77	20.73	23.70	26.66	29.62	35.55	41.47	47.39								
34°	0.61	1.22	1.83	2.45	3.06	3.67	4.28	4.89	5.50	6.11	6.73	7.34	7.95	8.56	9.17	11.01	12.23	15.29	18.34	21.40	24.46	27.52	30.57	36.69	42.80	48.92								
35°	0.63	1.26	1.89	2.52	3.15	3.78	4.41	5.04	5.68	6.31	6.94	7.57	8.20	8.83	9.46	11.35	12.61	15.76	18.92	22.07	25.22	28.38	31.53	37.84	44.14	50.45								
36°	0.65	1.30	1.95	2.60	3.25	3.90	4.55	5.20	5.85	6.50	7.15	7.80	8.45	9.10	9.75	11.70	13.00	16.25	19.50	22.74	25.99	29.24	32.49	38.99	45.49	51.99								
37°	0.67	1.34	2.01	2.68	3.35	4.02	4.68	5.35	6.02	6.69	7.36	8.03	8.70	9.37	10.04	12.05	13.38	16.73	20.08	23.42	26.77	30.11	33.46	40.15	46.84	53.54								
38°	0.69	1.38	2.07	2.75	3.44	4.13	4.82	5.51	6.20	6.89	7.58	8.26	8.95	9.64	10.33	12.40	13.77	17.22	20.66	24.10	27.55	30.99	34.43	41.32	48.21	55.09								
39°	0.71	1.42	2.12	2.83	3.54	4.25	4.96	5.67	6.37	7.08	7.79	8.50	9.21	9.92	10.62	12.75	14.16	17.71	21.25	24.79	28.33	31.87	35.41	42.49	49.58	56.66								
40°	0.73	1.46	2.18	2.91	3.64	4.37	5.10	5.82	6.55	7.28	8.01	8.74	9.46	10.19	10.92	13.10	14.56	18.20	21.84	25.48	29.12	32.76	36.40	43.68	50.96	58.24								
60°	1.15	2.31	3.46	4.62	5.77	6.93	8.08	9.24	10.39	11.55	12.70	13.86	15.01	16.17	17.32	20.78	23.09	28.87	34.64	40.41	46.19	51.96	57.74	69.28	80.83	92.38								

DMX: DIGITAL MULTIPLEXING

The DMX is a protocol which came out of the USA and was introduced in 1986. It is a copyright-free system and it is cheap to implement. The DMX protocol is a switchboard for transmitting information between controls and remote receivers. Everything is based on digital pulse trains made up of square waves transmitted cylindrically on a frequency of 250 kHz. 24 to 512 channels can be transmitted on the same frame, with 512 possible Start codes.

Precautions:

- It has low voltage, so you need to avoid being close to high-emission high voltage.
- The voltage compared to the mass = - 7V to + 12V.
- The current between 2 conductors must be min. 200 mV.
- Y connections are strictly prohibited. You must use an amp junction box.
- The signal must be re-amplified approx. every 200 m or every 20 products.


INSTALLING A CEILING LIGHT

EXAMPLE: to fit a 100 m long x 4 m wide street with an led ceiling light

CALCULATE THE MINIMUM NUMBER OF ATTACHMENT POINTS

$$\frac{100}{9.6} = 10.41$$

Length of street



You need 12 attachment points (or ropes):
10 spaces of 9.6 m + 11th space of 4 m

CALCULATE THE NUMBER OF CONNECTORS ACROSS (REF.058919)

$$\frac{4}{1} = 4$$

Width of street

Length of connector

You need 4 connectors width-wise.

CALCULATE THE TOTAL NUMBER OF 20 M GARLANDS


Given that you need 4 connector cables width-wise and that each connector has 4 connection points, there will be 16 garland outlets ($4 \times 4 = 16$).

We also have 10 spaces of 9.6 m (knowing that you need 10 m of garland to cover 9.6 m of ceiling) + 1 space of 4 m (that we could cover with 5 m of garland).

For each of the 16 lengths, you will need 5 x 20 m garlands + 1 x 5 m garland:

- 16 outlets of 5 x 20 m garlands = $16 \times 5 = 80$ x 20 m garlands.
- 16 additions of 5 m = $\frac{16 \times 5}{20} = 4$ x 20 m garlands (dividable every 5 m).

To do this street's 'ceiling', you will therefore need 84 x 20 m garlands.



N.B.: For 10 m of garland, you can only cover 9.6 m of ceiling. You therefore need to have attachment points every 9.6 m or less.

CALCULATE THE NUMBER OF SUPPLIES (REF.550663 + 300002)

Given that a fixed LED garland uses 17W/230V, the total use for the ceiling will be:
 $84 \times 17 = 1428$ W.





We are limited in terms of power here by the power cable, which can handle a maximum power of 920W/230V

(because of the 4A rectifier). So: $\frac{1428}{920} = 1.55$


2 power cables are therefore required.

INSTALLING A CEILING LIGHT

Examples of cabling :



058919
2-wire connector cable for fixed LED garlands (see p.269)



550663 + 300002
Power cable + 4A rectifier (see p.268)



FITTING A TREE WITH LIGHTING GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m = 3.14 Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0.3}$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$LT = \frac{NC \times P}{2}$$

Total length in m

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{LT}{LG}$$

Number of garlands Length of garland used in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 4.5 = 14.13 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{6}{0.3} = 20$$


CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{20 \times 14.13}{2} = 141.3 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{141.3}{20} = 7.065$$

or 8 garlands are therefore required,
depending on the density desired



FITTING A FIR TREE WITH LIGHTING GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m / $\pi = 3.14$ / Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0.3}$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$TL = \frac{NC \times P}{2}$$

Total length in m

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{TL}{LG}$$

Number of garlands / Length of garland used in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 3 = 9.42 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{8}{0.3} = 26.66$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{26.66 \times 9.42}{2} = 125.6 \text{ m}$$


CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{125.6}{20} = 6.28$$

garlands are therefore required to decorate this tree.

N.B.: Depending on requirements, you can reduce or increase the space between the garlands:

- dense tree: 0.15 m
- normal tree: 0.30 m
- light tree: 0.50 m



FITTING A TREE WITH B22 GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m / $\pi = 3,14$ / Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)


$$NC = \left(\frac{H}{1} \right) / 2$$

Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = NC \times P$$

Total length in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 5 = 15,7 \text{ m}$$


CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)

$$NC = \frac{8}{2} = 4$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = 4 \times 15,7 = 62,8 \text{ m}$$

Depending on the density desired, take either a 50 m/140 socket garland or a 50 m/200 socket garland.



FITTING A FIR TREE WITH B22 GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

Perimeter in m / $\pi = 3.14$ / Diameter in m

CALCULATE THE NUMBER OF GARLANDS (NG) (2 M BETWEEN EACH DROP)

$$NG = \frac{P}{2}$$

Number of garlands

CALCULATE THE LENGTH (LG) OF A GARLAND DROP


$$LG = \sqrt{H^2 + \left(\frac{D}{2}\right)^2}$$

Total length in m

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = LG \times NG$$

Total length in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 6 = 18.84 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG)

$$NG = \frac{18.84}{2} = 9.42$$


CALCULATE THE LENGTH (LG) OF A GARLAND DROP

$$LG = \sqrt{10^2 + \left(\frac{6}{2}\right)^2} = 10.44 \text{ m}$$

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = 10.44 \times 9.42 = 98.34 \text{ m}$$

➤ A 100 m B22 garland is therefore required.



Index

A

ALPHA	50
ABBY	84
AGATHE	98, 103
AGATHE BONNES FÊTES	98
ALYA	174
ARBRE MAGIQUE	164
ARCEAU ALPI	125
ARCEAU BOULE	125
ARCEAU CADEAU	125
ARCEAU CANDY L	143
ARCEAU CANDY M	143
ARCEAU CANDY XL	143
ARCEAU MILLÉSIME	125
ARCEAU MUFFIN	143
ARCEAU SPIRALE	143
ARCHE	47
ARCHE 3D	47
ARCHE 3D INFINITY	47
ARCHE BOULE	117
ARCHE CADEAU	59
ARCHE CASSE-NOISETTE	116
ARCHE CHAMPAGNE	116
ARCHE CIRCULAIRE	47
ARCHE FILANTE	93
ARCHE LUMINEUSE	47
ARCHE MILLÉSIME	87
ARCHE NOËL	117
ARCHE NOVA	117
ARCHE SAPIN COURBÉ	116
ARCHE SAPINETTE	47, 116
ARCHÉTOILE	117
ARCHE XMAS	117
ART DÉCO	84
ASTRA M	90
ASTRA S	90
ATMOS	99
AUGUSTIN LE LUTIN	147
AVION	136
AYDEN	, 62, 63, 64*

B

BAUBLE CHAIR	132
BF FORÊT	58, 73
BF TORSADE	86
BICHE FÉRIQUE	153
BIG CAKE	141
BIRDY	99
BOA CHIC	59
BOA GIVRÉ	78
BOA TRADI	67
BOÎTE AUX LETTRES	146
BOÎTE DU PÈRE NOËL	149
BOÎTE LUTIN	147
BOÎTE NOËL	146

BOÎTE SANTA	149
BOUGIE PÉTILLANTE	120
BOULE ARTY	124
BOULE CHOUPI	149
BOULE DÉCO	159
BOULE DÉCO INFINITY	175
BOULE ÉTINCELANTE	121
BOULE ÉTOILÉE	158
BOULE L	158
BOULE L INFINITY	175
BOULE M	158
BOULE M INFINITY	174
BOULE MINIZ	121
BOULE NOËLLA 1	59
BOULE NOËLLA 2	59
BOULE NOËLLA 3	59
BOULE PÉTILLANTE	120
BOULE S	142, 159
BOULE S INFINITY	174
BOULE STAR	124
BOULLIZ'	45, 148
BOUQUETIN GLACÉ	152
BULLE DE GIVRE	76
BULLE DE GIVRE SOUPLE	76
BULLE DORÉE	158

C

CADEAU	58, 59, 158, 159
CADEAU CHOUPI	149
CADEAU COUCHÉ	158
CADEAU ÉTINCELANT	121
CADEAU FUNKY	66
CADEAU INFINITY	174
CADEAU M	159
CADEAU MINIZ	121
CADEAU PHOTO	128
CADEAU RUBAN	128
CADEAU S	159
CADEAUX FESTIFS	140
CADRE DE NOËL	129
CADRE LUMINEUX	45
CADRE OURS	129
CADRE PÈRE NOËL	128
CADRE PHOTO	45
CADRE PHOTO	129
CADRE PINGOUIN	128
CADRE RENNE	129
CADRE SAPINETTE	45, 129
CANNELLE	62, 63
CARROSSE INFINITY	174
CARROUSEL DE NOËL	153
CARROUSEL MACARONS	140
CASSE-NOISETTE	147
CÉLESTE	102
CERF FÉRIQUE	153
CHAMOIS	152

CHANDELIER	86
CHAPIN DE NOËL	147
CHARMIL INFINITY A	175
CHARMIL INFINITY B	175
CHARMIL INFINITY C	175
CHAT CHOUPI	154
CHEVAL	152
CHRISTMAS BAUBLE XL	158
CHRISTMAS MARKET	47
CÎMIER CÔNE GIVRÉ	162
CÎMIER ÉTOILÉ	164
CÎMIER GIVRE	162
CÎMIER HOLLY	166
CÎMIER MAGIE	165
CÎMIER NAOS	164
COEUR PÉTILLANT	120
CÔNE ARLEQUIN	163
CÔNE ESSENTIEL	164
CÔNE FUNKY	166
CÔNE GIVRÉ	164
CÔNE GOURMAND	141
CÔNE INFINITY	175
COURONNE DE NOËL	63
COURONNE FILAMENT	105
COURONNE GOURMANDE	62
COURONNE SONGE	103
CRISTAL	76
CRYSTAL FLAKE	72
CRYSTAL M INFINITY	174
CUPCAKE	142

D

DAIM	153
DEMI CÔNE CHIC M	167
DEMI CÔNE CHIC S	167
DEMI CÔNE TRADI M	167
DEMI CÔNE TRADI S	167

E

ECLAIR	132
ECLAT PÉTILLANT	121
ELFIE	105
ÉTOILE CHOUPI	149
ÉTOILE ÉTINCELANTE	121
ÉTOILE GIVRÉE	98
ÉTOILE GOURMANDE	62
ÉTOILE INFINITY	175
ÉTOILE NOVA	124
ÉTOILE PAIN D'ÉPICE	142
ÉTOILE PÉTILLANTE	120

F

FAON FÉRIQUE	153
--------------	-----

FAUTEUIL CADEAU	133
FAUTEUIL NOËL	133
FAUTEUIL OURS	133
FAUTEUIL RENNE	133
FILAMENT	105
FLAKE	124
FLOCON	, 77
FLOCON GIVRÉ	72
FLOCON MANDALA	72
FLOCON PÉTILLANT	120
FLOCON STRASS	72
FONTAINE E-DECO	175
FORÊT	58, 73
FRISE DE NOËL	104
FUSÉE	137

G

GABIN LE LUTIN	147
GÉOMÉTRA	50
GINGER CHOUPI	149
GINGER FUNKY	66
GINGER GOURMAND	62
GINGER MINIZ	121
GINGER PÉTILLANT	120
GIVRE	79, 104
GRANDE LOUISE	87, 91
GRANDE ROUE	137
GRAND PINGOO	154
GRAND RUDOLPHE	154
GRAND SYLVESTRE	166
GROS CADEAU	158

H

HOLLY	65
HOUX PÉTILLANT	120

I

IGLOO	152
INAYA	93

J

JF ART DÉCO	84
JF BIRDY	99
JF CÉLESTE	, 102
JF LILY GIVRE	73
JF LILY PERLE	98
JF LILY STAR	93
J'M MA VILLE M	124
JOY DIAMANT	103
JOY ÉTOILE	65, 67, 92
JOYEUSES FÊTES	50
JOYEUSES FÊTES RUBAN	87

JOYEUX CADEAU	58
JOYEUX NOËL	129
JOY FLOCON	78
JOY FLOCON	78
JOY GOUTTE	92, 103

K

KIOSQUE	129
KIOSQUE INFINITY	174
KIT BOULES ABBY L	167
KIT BOULLIZ' FROSTY	45
KIT BOULLIZ' RUDY	45
KIT CÔNE ESSENTIEL	164
KIT FROSTY	148
KIT NOEUDS ABBY S	167
KIT NOEUDS ABBY XL	167
KIT RUDY	148

L

LA BOÎTE DES LUTINS	147
LANTERNE	64
LANTERNE MELLOW	64
LETTAGE	50
LILY GIVRE	73
LILY PERLE	98
LILY STAR	93
LOOMIE	285
LOUISE	87, 91
LUGE DES LUTINS	137
LUSTRE BOUGIES	64
LUSTRE DENTELLE	99
LUSTRE JOY DIAMANT	103
LUSTRE JOY ÉTOILE	67, 92
LUSTRE JOY FLOCON	78
LUSTRE JOY GOUTTE	103
LUSTRE TRADI	64
LUTIN FUNKY	66
LUTIN OUPS	148
LUTIN PHOTO	128

M

MACARONS	140
MAGIE	90, 91
MAISON BISCUIT	136
MAISON PAIN D'ÉPICE	142
MANDALA	85
MARCHÉ DE NOËL	47
MARIN LE LUTIN	146
MAXI CADEAU	159
M BISCUIT	142
MC ART DÉCO	84
MC BIRDY	99
MC LILY GIVRE	73

MC LILY PERLE	98
MC LILY STAR	93
MC TORSADE	86
MEILLEURS VOEUX	58
MEL-CABLAGE	299
MEL-PREPA	299
MEL-PRESTA	299
MEL-SCAN	299
MERRY CHRISTMAS	50
MILA	86
MILLÉSIME	87
MINI CADEAU	159
MIRA BOULE	104
MIRA ÉTOILE	92
MIRA FLOCON	78
MIRA TRADI	67
M. NOËL	146
MODULE ASSISE	49
MODULE PLAFOND	49
MR. NEIGE CHOUPI	148

N

NAÉ FLOKO	103
NAÉ STELLIZ	91
NAOS	164
NEIGE FUNKY	66
NEIGE OUPS	147
NOËL FILANT	58
NOËLLA	59
NOEUD	86, 87, 93
NORDIC	73
NOUGAT	155
NOVA	93

O

ORIANE	163, 166
ORIFLAMME	49
ORIFLAMME FLOCON	76
OURS FUNKY TRUFFE	66
OURSON CHOUPI	154, 155

P

PAQUET CADEAU PÉTILLANT	120
PÈRE NOËL CADEAU	146
PÈRE NOËL CHOUPI	146
PÈRE NOËL ÉTINCELANT	121
PÈRE NOËL FUNKY	66, 146
PÈRE NOËL OUPS	149
PETIT ALYA	163
PETIT AMAYA	163
PETIT CÔNE GOURMAND	141
PETITE LOUISE	87, 91
PETIT RENNE	137

PETIT TRAÎNEAU	133
PINGOO	155
PINGOUIN CHOUPI	155
PÔLE NORD	128
POMME D'AMOUR	141
POMPON	148
POP LANTERNE	64
POP UP BANQUISE	125
POP UP BOUGIE	125
POP UP GINGER	124

R

RENNE	124, 152
RENNE CHOUPI	154
RENNE COMÈTE	133, 152
RENNE FANTASTIQUE	153, 175
RENNE FÉRIQUE	153
RENNE FUNKY TRUFFE	66
RENNE PÉTILLANT	120
RENNES E-DECO	132, 152
RUBAN INFINITY	174
RUDOLPHE	155

S

SANTA	146
SANTA CLAUS	146
SAPIN 8P GIVRE	162
SAPIN 8P HOLLY	166
SAPIN 8P MAGIE	165
SAPIN ABBY L	167
SAPIN ABBY S	167
SAPIN ABBY XL	167
SAPIN COURONNES VERT	166
SAPIN CUBES	164
SAPIN DIAMANT L	162
SAPIN ÉTINCELANT	121
SAPIN ÉTOILES	165
SAPIN INFINITY	174
SAPIN L	124
SAPIN LOUISE	162
SAPIN M	124
SAPIN PAILLETÉ M	165
SAPIN PÉTILLANT	120, 121
SAPIN RUBAN	165
SAPIN S	124
SNOW FLAKE	72
SNOWMAN	125
SNOWMAN PÉTILLANT	121
SNOWY	, 77
SOUPLE DIAMANT	63
SOUPLE ENCHANTÉE	105
SOUPLE FILAMENT	105
SOUPLE FLOCON	79
SOUPLE GIVRÉE	79

SOUPLE GLACÉ	79
SOUPLE LOUISE	84
SOUPLE MERRY	105
SPHÈRE L INFINITY	175
SPHÈRE M INFINITY	175
SPHÈRE PLIABLE	67
SPHÈRE S INFINITY	174
SPIRALE INFINITY	175
STARLIGHT BOULE	67
STARLIGHT DIAMANT	99
STARLIGHT FLOCON	79
SUCETTE	140
SUCRES D'ORGE	141
SUCRES D'ORGE PÉTILL	120
SYLVESTRE CADEAUX	166

T

TONNERRE	132
TORNADE	132
TORSADE	86
TRAIN	136
TRAÎNEAU CRISTAL	133
TRAÎNEAU DE LAPONIE	132
TRAÎNEAU E-DECO	132, 152
TRAINOSSIMO	146
TRAVERSÉE FUNKY	66
TROIS SUCETTES	140

V

VENTI	90
VERSA	, 102
VOITURE DE COURSE	137

W

WAGON	136
WINTER	76

Z

ZEF	103
-----	-----



Belgium

Index

REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE
000002	280	032279	269	050563	280	051069	279	058912	263	060742	280	100503	178	170738	273
001242	280	032283	268	050579	279	051072	187	058913	263	060743	280	100504	178	170754	45, 148
001813	280	032286	271	050602	249	051076	277	058914	263	060745	280	101500	178	170755	45, 148
001814	280	032289	179	050603	249	051079	264	058915	263	060759	280	101640	179	170781	273
001867	265	032327	181	050683	279	051081	264	058916	260, 263	060790	281	105000	183	170782	273
001948	181	032337	269	050686	263	051082	264	058919	269	060791	281	110004	289	170783	273
001949	181	032338	268	050687	263	051083	264	058940	268	060792	281	110024	298	170784	273
010001	183	032339	268	050688	263	051097	210	058965	193	060793	281	110031	298	170785	273
010011	183	032341	180	050744	199	051098	210	058968	268	060808	280	110039	298	170786	273
010014	183	032342	268	050745	199	051099	210	058989BL	261, 268	060809	280	110040	298	170787	273
010019PA	287	032353	261	050754	242	051100	210	059072	268	060810	280	113010	178	170788	273
010020	287	032355	287	050757	242	051101	210	059080	201	060812	280	113020	178	170801	49
031852	178	032357	269	050761	202	051103	210	059238	268	060813	280	113030	178	170802	49
031855	178	032358	182	050762	202	051105	210	059240	269	060814	280	122900	178	170804	273
031858	183	032361	179	050763	247	051106	210	059241	269	060817	280	170149	67	170805	273
031873	193	032362	179	050764	247	051107	210	059243	253	060818	280	170278	273	170806	273
031894	179	032364	216, 271	050768	178, 243	051108	210	059546	193	060820	280	170282	273	170807	273
031895	178	032365	216, 271	050769	178, 243	051109	210	059549	269	060821	280	170286	273	170808	273
031903	268	032366	216, 271	050772	280	051111	210	059556	180	060822	280	170288	275	170809	273
031937	181	032367	216, 271	050791	246	051180	248	059557	180	060823	280	170292	275	170810	273
031938	181	032368	216, 271	050792	246	051181	248	059558	180	060856	280	170296	275	170811	273
031939	181	032369	287	050793	227	051187	247	059708	183	060857	280	170300	275	170823	49
031940	181	032370	179	050795	227	051264	262	059711	263	060959	265	170304	275	170824	49
031941	181	032371	216, 271	050857	198	051265	262	059712	263	060980	280	170308	275	170833	274
031942	181	032372	271	050883	200	051266	202	059713	263	061020	280	170312	275	170838	274
031990	178	032373	271	050884	200	051267	202	059714	263	061024	280	170316	275	170857	49
032093	269	032374	268	050885	200	051268	202	059715	263	061030	280	170320	275	170858	49
032094	180	032375	268	050887	200	051289	202	059763	190	061052	280	170324	275	170859	49
032180	179	032376	215, 259, 260, 268	050888	200	055193	265	059783	191	061056	280	170328	275	170860	49
032187	268			050989	193	055476	265	059805	227	061061	280	170332	275	170866	164
032188	268	050172	279	050992	199	057032NRB	190, 193	059828	200	061107	280	170340	275	170868	167
032189	268	050176	279	051012	261	058242	193	059838	190	061218	271	170344	275	170871	167
032197	178	050178	200	051016	277	058260	190, 193	059905	202	061219	271	170348	275	170874	167
032198	178	050475	182	051026	187	058772	193	059910	269	061220	271	170656	273	170879	104
032212	181	050476	268	051032	261	058776	193	059914	220	070008BL	193	170658	273	170880	104
032220	179	050477	268	051033	261	058785	193	059927	224	080190	289, 296	170662	273	170902	50
032233	179	050479	269	051034	261	058810	193	059974	263	080192	289	170701	273	170903	50
032235	180	050487	269	051035	261	058811	193	059975	265	080805	289	170702	273	170904	50
032241	181	050508	253	051036	261	058814	269	059986	182	100117	182	170703	273	170905	50
032242	180	050540	224	051039	178, 243	058815	268	060255NR	193	100118	182	170721	64, 274	170906	50
032274	182	050541	253	051066	279	058828	193	060637	179	100119	182	170723	274	170907	50
032275	182	050562	280	051067	279	058911	263	060726	178	100120	182	170727	274	170908	50

REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE
170965	50	202988-24V	120	203429-24V	146	204186	93	204534	58	204698-24V	117	204824-24V	53	204965-24V	53
170966	50	202989-24V	120	203430-24V	149	204187	93	204577	63	204702-24V	129	204825-24V	53	204966-24V	53
170967	50	202991-24V	120	203435-24V	166	204188	93	204578	63	204706-24V	174	204826-24V	53	204967-24V	53
170968	50	203117-24V	152	203436-24V	153	204211	77	204579	79	204707-24V	158	204827-24V	53	204982-24V	53
170969	50	203118-24V	152	203713-24V	174	204212	77	204580	79	204711	129	204828-24V	53	204988	274
170997	47	203121-24V	152	203722-24V	175	204214	77	204581	84	204717	99	204829-24V	53	204992	274
170998	47	203122-24V	152	203730-24V	128	204215	77	204582	84	204725	86	204830-24V	53	204996	274
171108	86	203131-24V	133	203751	87	204216	77	204585	79	204730-24V	121	204831-24V	53	205000	183
171109	86	203138-24V	165	203753	87	204220	77	204586	79	204732-24V	121	204832-24V	53	205001	274
171232	86	203144-24V	120	203754	87	204308	93	204587	64	204733-24V	120	204833-24V	53	205005	274
171346	47	203145-24V	120	203755	87	204332	92	204598	87	204735-24V	120	204834-24V	53	205009	274
171347	47	203146-24V	120	203756-24V	162	204334	92	204599	93	204737-24V	120	204835-24V	53	205013	274
180034	289, 297	203147-24V	120	203765	91	204335	92	204601	86	204740-24V	121	204877	58	205017	274
180063	294	203174-24V	166	203767	91	204336	92	204632-24V	137	204748-24V	166	204932-24V	53	205037	47
180064	295	203176-24V	133, 152	203768	91	204339	78	204633-24V	137	204753-24V	159	204933-24V	53	205039	45
180087	293	203185-24V	158	203769	91	204343	78	204634-24V	136	204754-24V	159	204934-24V	53	205040	45
180088	293	203187-24V	164	203778	98	204345	67	204635-24V	136	204769-24V	162	204935-24V	53	205044-24V	147
180089	293	203189-24V	162	203780	98	204350	67	204636-24V	136	204788-24V	174	204936-24V	53	205045-24V	116
180090	293	203230-24V	155	203782	103	204353	104	204637-24V	136	204790-24V	174	204937-24V	53	205046-24V	153
180108	297	203233	103	203783	98	204355	104	204638-24V	133	204792-24V	152	204938-24V	53	205048-24V	143
180208	295	203258-24V	164	203834-24V	175	204356	104	204639-24V	133	204793-24V	164	204939-24V	53	205049-24V	143
180223	293	203270-24V	142	203835-24V	175	204357	104	204640-24V	133	204799-24V	53	204940-24V	53	205050-24V	143
180237	292	203271-24V	142	203836-24V	174	204413	99	204641-24V	146	204800-24V	53	204941-24V	53	205051-24V	143
180238	292	203274	76	203837-24V	159	204415	99	204645-24V	128	204801-24V	53	204942-24V	53	205052-24V	143
180239	292	203293	79	203847-24V	174	204416	99	204647-24V	147	204802-24V	53	204943-24V	53	205053-24V	142
201211	72	203294	105	203857-24V	175	204417	99	204648-24V	146	204803-24V	53	204944-24V	53	205054-24V	140
201300	265	203295	105	203868-24V	174	204484	66	204649-24V	137	204804-24V	53	204945-24V	53	205055-24V	141
201744-24V	146	203296	105	203869-24V	175	204485	66	204650-24V	137	204805-24V	53	204946-24V	53	205056-24V	140
202002	72	203297	105	203870-24V	175	204486	66	204654-24V	147	204806-24V	53	204947-24V	53	205057-24V	140
202010	72	203304	58	203873-24V	174	204487	66	204656-24V	149	204807-24V	53	204948-24V	53	205058-24V	141
202378-24V	148	203308-24V	128	203874-24V	159	204488	66	204657-24V	147	204808-24V	53	204949-24V	53	205059-24V	140
202499-24V	165	203309-24V	125	203879-24V	174	204489	66	204658-24V	147	204809-24V	53	204950-24V	53	205060-24V	141
202672-24V	147	203322-24V	125	203880-24V	158	204490	66	204659-24V	129	204810-24V	53	204951-24V	53	205061-24V	142
202673-24V	133	203323-24V	125	203884-24V	175	204491	66	204661-24V	124	204811-24V	53	204952-24V	53	205062-24V	140
202675-24V	146	203324-24V	125	203885-24V	158	204492	66	204665-24V	124	204812-24V	53	204953-24V	53	205063-24V	141
202679-24V	128	203337	86	203890-24V	175	204493	66	204669-24V	124	204813-24V	53	204954-24V	53	205064-24V	141
202708-24V	155	203347	87	203891-24V	159	204499	64	204672-24V	124	204814-24V	53	204955-24V	53	205105	47
202709-24V	148	203348	87	203899-24V	175	204520	76	204676-24V	124	204815-24V	53	204956-24V	53	205109	73
202724-24V	158	203351	87	203900-24V	175	204522	76	204678-24V	124	204816-24V	53	204957-24V	53	205112	73
202798-24V	132	203352-24V	125	203901-24V	175	204523	76	204680-24V	124	204817-24V	53	204958-24V	53	205114	73
202810-24V	158	203364-24V	163	203902-24V	174	204524	76	204682-24V	124	204818-24V	53	204959-24V	53	205115	73
202884-24V	155	203374-24V	163	203912-24V	124	204525	76	204684-24V	125	204819-24V	53	204960-24V	53	205116	73
202932	105	203405	93	203917	87	204529	59	204685-24V	129	204820-24V	53	204961-24V	53	205134	67
202936	105	203418	87	203925	98	204530	59	204686-24V	116	204821-24V	53	204962-24V	53	205137	67
202986	103	203420	58	204183	93	204531	59	204690-24V	117	204822-24V	53	204963-24V	53	205138	92
202987-24V	120	203428-24V	153	204185	93	204532	59	204694-24V	117	204823-24V	53	204964-24V	53	205142	92
														205145	103
														205150	78
														205152	78
														205155	92
														205157	92
														205160	103
														205163	103
														205201	91
														205204	91
														205205	91
														205217	65
														205220	65
														205221	65
														205222	65
														205223	65
														205225	166
														205228	104
														205230	104
														205231	104
														205232	104
														205233	104
														205235	162
														205240	79
														205241	79
														205242	79
														205243	79
														205247	76
														205250	49
														205251	49
														205252	59
														205253	59
														205254	78
														205255	78
														205256	67
														205257	67
														205261	149
														205262	146
														205263	45, 148
														205264	45, 148
														205267	146
														205269	152
														205271	152
														205274	154
														205275	154
														205279	47
														205280	47

Index

REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE		
205281	47	205490	62	205568	103	205623	132	205710	72	205803	125	300042	271	550068	235	550214	213
205282	49	205491	62	205569	64	205624	132	205713	72	205804	125	300043	271	550077	245	550217	222
205283	49	205492	62	205570	64	205625	164	205714	72	205805	124	300044	271	550078	222	550218	222
205284	165	205493	62	205571	64	205626	50	205719	72	205807	45, 129	300045	271	550079	222	550219	251
205285	45	205496	62	205573	159	205627	50	205721	58	205808	45, 129	300046	271	550081	222	550220	215
205286	45	205498	62	205576	158	205628	163	205724	58	205809	146	300047	271	550087	201	550222	215
205287	47	205499	63	205578	158	205629	163	205726	58	205810	147	300048	271	550094	277	550223	259
205288	47	205500	66	205581	159	205630	59	205727	58	205811	146	300049	271	550095	277	550224	259
205289	67	205504	77	205584	142	205631	59	205728	58	205813	154	300050	271	550096	277	550225	259
205290	65	205506	77	205585	166	205632	59	205730	73	205814	155	300051	271	550097	277	550226	259
205291	65	205507	77	205586	129	205633	59	205732	73	205815	167	300052	271	550098	277	550227	259
205292	92	205508	77	205587	128	205636	59	205734	73	205816	167	300053	271	550099	277	550233	246
205293	92	205513	77	205588	129	205638	59	205735	73	205817	167	300063 263, 265	263, 265	550100	277	550235	202
205294	92	205514	77	205589	128	205639	90	205736	73	205818	167		300069	269	550101	277	550236
205295	103	205522	98	205590	117	205640	90	205741	86	205819	166	331300	265	550102	277	550239	216
205297	103	205525	98	205591	117	205643	167	205746	86	205820	163	351000	265	550103	277	550240	216
205298	78	205526	98	205592	121	205644	167	205747	86	205821	164	354000	265	550118	262	550241	216
205299	78	205527	63	205593	121	205646	167	205754	86	205822	164	370014	181	550119	262	550242	216
205300	78	205530	63	205594	121	205648	102	205757	86	205823	165	370065	180	550120	262	550244	216, 271
205301	103	205532	62	205595	121	205650	102	205758	86	205824	164	370127	181	550122	198	550254	259
205303	103	205533	62	205596	121	205652	102	205763	102	205825	121	401667	182	550126	264	550263	217
205309	90	205535	63	205597	105	205654	102	205765	102	205826	121	411966	242	550132	259	550264	217
205310	90	205536	64	205598	105	205657	102	205769	102	205827	121	413000	265	550133	259	550265	217
205311	90	205537	64	205599	105	205659	102	205771	102	205834	63, 64	513000	265	550161	189	550266	217
205312	175	205538	85	205604	84	205662	102	205773	90	205835	76	550009	211	550162	189	550267	217
205313	274	205541	85	205605	84	205672	98	205777	90	205837	76	550016	211	550166	200	550268	217
205331	91	205543	85	205606	84	205675	98	205778	90	205839	76	550018	229	550167	197	550299	188
205333	91	205544	85	205608	84	205677	98	205780	90	205840	76	550019	229	550170	218	550300	188
205335	91	205545	85	205609	149	205678	98	205781	90	205841	154	550042	234	550171	218	550307	263
205349	125	205546	85	205610	149	205680	73	205784	90	300001	268	550045	234	550172	248	550308	263
205350	125	205547	85	205611	149	205683	73	205785	99	300002	268	550046	234	550173	248	550309	263
205351	45	205548	85	205612	155	205684	73	205788	99	300004	181	550047	234	550179	259	550310	263
205352	45	205549	99	205613	148	205685	73	205790	99	300006	285	550054	260	550180	190	550311	263
205372	132	205552	99	205614	146	205688	93	205791	99	300007	285	550055	260	550190	197	550313	262
205373	132	205554	67	205615	149	205690	93	205792	99	300009	289	550056	260	550191	197	550314	260, 263, 264
205382	165	205557	67	205616	154	205691	93	205793	99	300034	268	550057	260	550201	200		
205417	166	205559	79	205617	116	205692	93	205795	84	300035	268	550058	260	550203	200	550315	214
205433	162	205562	79	205618	47, 116	205694	72	205797	84	300036	268	550063	235	550205	200	550316	214
205446	137	205564	103	205619	47, 116	205699	72	205799	84	300038	180	550064	235	550210	197	550317	214
205455	49	205565	92	205620	133	205700	72	205800	84	300039	180	550065	235	550211	213	550336	271
205456	49	205566	67	205621	132	205704	72	205801	84	300040	271	550066	235	550212	213	550342	271
205457	49	205567	78	205622	132	205705	72	205802	84	300041	271	550067	235	550213	213	550386	281

REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE	REFERENCE	PAGE
550468	210	550560	247	550694	210	550811	217	550890	209	551081	187	551306	239
550469	210	550561	249	550695	210	550821	253	550891	209	551082	187	551307	239
550470	271	550562	249	550696	210	550822	263	550892	209	551083	187	551308	239
550471	271	550563	249	550698	210	550823	263	550914	224	551084	187	551309	239
550472	188	550565	212	550699	210	550827	209	550915	224	551085	187	551310	250
550473	196	550568	211	550700	210	550828	209	550921	236	551137	187	551311	232
550475	196	550569	211	550701	259	550829	209	550922	236	551138	187	551312	232
550478	196	550570	211	550702	259	550831	233	550923	235	551139	230	551313	232
550482	259	550572	278	550704	259	550832	233	550924	235	551140	188	551314	232
550483	248	550575	215, 216	550705	259	550835	233	550925	220	551142	196	551315	241
550484	248	550577	264	550707	259	550851	233	550926	220	551144	196	551316	241
550485	248	550628	271	550708	259	550852	233	550930	271	551145	196	551317	271
550486	248	550634	187	550710	259	550853	233	550931	271	551147	196	551318	271
550488	278	550635	187	550713	259	550854	233	550933	200	551149	199	551327	241
550489	278	550643	212	550714	259	550855	233	550937	200	551157	296	551328	241
550490	278	550644	212	550716	259	550856	233	550938	278	551160	222	551329	241
550491	278	550647	254	550717	259	550857	233	550939	278	551161	222	551330	241
550492	278	550648	254	550719	259	550858	233	550940	278	551166	246	551331	241
550493	278	550651	220	550722	259	550860	233	550941	278	551167	253	551332	241
550494	278	550653	220	550725	249	550861	233	550942	278	551168	253	551333	241
550495	181	550656	211	550726	249	550862	233	550949	278	551172	225	551334	241
550496	181	550662	268	550727	249	550863	233	550966	206	551173	229	551338	247
550514	271	550663	268	550728	249	550864	233	550967	206	551174	229	551339	247
550516	255	550664	268	550729	260	550865	233	550968	206	551178	205	551340	245
550517	255	550665	268	550730	260	550866	233	550974	265	551179	205	551341	245
550518	255	550668	234	550732	262, 264, 265	550867	233	550978	258	551180	205	551342	218
550519	255	550669	234			550868	233	550979	258	551181	205	551343	210
550520	255	550670	234	550733	262, 265	550869	233	550989	218	551182	242	551344	210
550522	236	550671	234	550735	268	550870	233	550990	258	551183	242	551345	210
550523	243	550672	234	550736	264	550871	233	550991	258	551212	153	551346	238
550524	243	550673	234	550741	206	550872	224	550993	217	551221	296	551347	238
550525	243	550675	234	550742	206	550873	224	551000	254	551222	296	551348	238
550526	244	550676	234	550743	206	550874	224	551001	254	551249	220	551349	238
550527	244	550677	234	550744	206	550875	224	551002	254	551250	238	551350	218
550528	244	550681	234	550745	206	550877	224	551020	209	551251	220	551351	263
550529	244	550682	234	550746	206	550878	224	551025	256	551252	238	551352	263
550530	251	550683	234	550748	206	550879	224	551026	256	551262	220	551361	153
550537	234	550685	234	550749	206	550880	224	551069	188	551263	220	551367	221
550548	218	550686	224	550756	260	550881	224	551070	188	551265*	238	551368	221
550552	246	550687	224	550757	260	550882	224	551071	189	551268*	238	551369	221
550553	246	550688	224	550765	249	550884	224	551072	189	551271	153	551376	198
550555	245	550689	210	550766	249	550885	209	551074	189	551272	153	551383	260
550556	211	550690	210	550767	249	550886	209	551077	189	551273	191	551384	260
550557	211	550691	210	550768	249	550887	209	551078	195	551274	191	551392	261
550558	214	550692	210	550775	197	550888	209	551079	195	551277	228	551393	261
550559	247	550693	210	550810	217	550889	209	551080	197	551290	200	551396	196



Mexico

Decorations delivered with power cable and attachment kits, without bulb or satlight. All the luminous products in the catalogue are equipped with LEDs.

Eco-tax:

Due to changes in European directives and their interpretations, some of our products, which are not currently subject to this contribution, may be included in it during the year. The eco-tax scale may also change. The eco-tax is neither rebatable nor refundable.

Tax on light bulbs:

This tax applies to both professionals and individual customers. Leblanc illuminations is affiliated to Ecosystem for the management of light bulbs.

Tax on other electrical products :

The tax applies to retailers who sell to individual customers as well as professionals. However, it does not apply to professionals who take charge of recycling end-of-life products. The latter must send written confirmation to Leblanc Illuminations. For other electrical products, Leblanc Illuminations is affiliated to Ecologic and Corepile.

Design & Execution:

Communication & Design Dpt. | Leblanc illuminations 10.2025 | www.leblanc-illuminations.com

6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France | +33 (0)2 43 61 43 54

SAS with a 7 938 000 € capital - SIRET 482 323 649 000 20 - APE 2740Z - RCS 482 323 649 - FR 37 482 323 649

Photos credits:

Adrien Basse-Cathalinat, AHD, Antoine Barbot, Antonin Stephany, Arc illuminations, Brasserie MIMOZA, Bruno Warion, CSI, Cyrilgarabos, David Meyer, David Piole, Deodatus photographie, Everled, Facebook Live Rigal, Fédération Française de Ski, Féerie Events, François Parmentier, Gala Lights, Gilles Auteroche, Guy Philipart, Hélène Villain, JFU, Julien Demengel, Laurent Cornu, Laurent pascal, Leblanc illuminations, Leblanc illuminations Canada, Les Blouses Roses, M. Petit, Maftex, Mairie de Carvin, MarieAnselmeMartin, Nicolas Baleizao, P. Bréchet, P. Valteau, Pact Solutions, Pascal Lecoeur, Renaud Wailliez, Rodolphe Serres_Visual_Diffusion, Shots of memories, Studio OG, Thierry Vincent, Twinkly, Ville de Lecture - Fiona Demichelis, Ville de Megève, Ville de Nîmes Dominique Marck, Ville de Punaauia, Ville du Mans, Viviane Hervieux.

Unsplash : Aaron Burden, Alsu Vershinina, Annie Spratt, Aoi, Bia Octavia, CalebKim, Chandler Cruttenden, Chinh Le Duc, Darius Cotoi, Diliara Garifullina, Dorin Moise, Edgar Almeida, erica-marsland, Henrique Ferreira, Hikarinoshita Hikari, Ira E, JESHOOOTS.COM, Kelly Sikkema, Kirill Mikhaylyuk, Laura Chouette, Lillit-Photography, Matt Seymour, Morgane Le Breton, Mourad Saadi, Olivier Strauss, Sanket Gupta, Skön Communication, Skyler Ewing, Thandy Yung, Tim Zänkert, Tomas Trajan, Vidar Nordli-Mathisen, Yan Ots, Yulia-Huzenko. AdobeStock : lorenza62.

Some content, text or images, can be generated or modified by an AI. Non contractual pictures & documents. All our decorations are protected by patents at INPI & OMPI. All specifications relative to the decorations are provided for information only and may be revised. Any reproduction, whole or partial, of the catalogue is prohibited.



Printed in France by Octavo, Imprim'vert® certied, a mark of its commitment to reducing the impact of its business activity on the natural environment. This catalogue is printed on paper sourced from sustainably managed forests.



We are proud of our labels !

PICTOGRAMS CAPTION

	Connectable 230V Plug & Light
	Connectable 24V Plug & Light
	DMX changing colour
	Optima range
	Steady
	Glittering
	Flash / Crackling
	Chasing
	Flame effect
	Confetti effect
	SMD LED
	Indoor only
	International Protection
	LED colour
	Cable colour



www.leblanc-illuminations.com
international@leblanc-illuminations.com
contact@leblanc-illuminations.com

